

References

- Agnew, W. S. (1984). Voltage-regulated sodium channel molecules. *Annual Review of Biochemistry*, 46, 517–530.
- Armstrong, C. M. (1981). Sodium channels and gating currents. *Physiological Reviews*, 61, 644–683.
- Armstrong, C. M. (2003). Voltage gated K channels. *Science's STKE*, 2003(188), p. re10.
- Ashcroft, F. M. (2006). From molecule to malady. *Nature*, 440, 440–447.
- Barchi, R. L. (1984). Voltage-sensitive sodium ion channels. Molecular properties and functional reconstitution. *Trends in Biochemical Sciences*, 9, 358–361.
- Bezanilla, F. (2000). The voltage sensor in voltage dependent ion channels. *Physiological Reviews*, 80, 555–592.
- Catterall, W. A. (1980). Neurotoxins acting on sodium channels. *Annual Review of Pharmacology and Toxicology*, 20, 15–43.
- Catterall, W. A. (1986). Molecular properties of voltage-sensitive sodium channels. *Annual Review of Biochemistry*, 55, 953–985.
- Catterall, W. A. (2000). From ionic currents to molecular mechanisms: the structure and function of voltage-gated sodium channels. *Neuron*, 26, 13–25.
- Catterall, W. A. (2000). Structure and regulation of voltage-gated calcium channels. *Annual Review of Cell and Developmental Biology*, 16, 521–555.
- Catterall, W. A., Gutman, G. A., & Chandy, K. G. (2002). *The IUPHAR compendium of voltage-gated ion channels*. Leeds, UK: IUPHAR Media, 2002. Retrieved from www.iuphar-db.org/iuphar-ic/.
- Catterall, W. A., Kalume, F., & Oakley, J. C. (2010). Na_v1.1 channels and epilepsy. *Journal of*

Physiology, 588, 1849–1859.

Clapham, D. E. (2003). TRP channels as cellular sensors. *Nature*, 426, 517–524.

Dib-Hajj, S. D., Cummins, T. R., Black, J. A., & Waxman, S. G. (2010). Sodium channels in normal and pathological pain. *Annual Review of Neuroscience*, 33, 325–347.

Doupmik, C. A., Davidson, N., & Lester, H. A. (1995). The inward rectifier potassium channel family. *Current Opinion in Neurobiology*, 5, 268–277.

Doyle, D. A., Morais Cabral, J., Pfuetzner, R. A., Kuo, A., Gulbis, J. M., Cohen, S. L., et al. (1998). The structure of the potassium channel: Molecular basis of K^+ conduction and selectivity. *Science*, 280, 69–77.

Gandhi, C. S., & Isacoff, E. Y. (2002). Molecular models of voltage sensing. *Journal of General Physiology*, 120, 455–463.

Goldin, A. L., Snutch, T., Lübbert, H., Dowsett, A., Marshall, J., Auld, V., et al. (1986). Messenger RNA coding for only the α -subunit of the rat brain Na channel is sufficient for expression of functional channels of *Xenopus* oocytes. *Proceedings of the National Academy of Sciences of the United States of America*, 83, 7503–7507.

Goldstein, S. A., Bockenhauer, D., O'Kelly, I., Zilberbeg, N., et al. (2001). Potassium leak channels and the KCNK family of two-P-domain subunits. *Nature Reviews Neuroscience*, 2, 175–184.

Guy, H. R., & Conti, F. (1990). Pursuing the structure and function of voltage-gated channels. *Trends in Neurosciences*, 13, 201–206.

Hamill, O. P., Marty, A., Neher, E., Sakmann, B., Sigworth, F. J., et al. (1981). Improved patch-clamp techniques for high-resolution current recording from cells and cell-free membrane patches. *Pflügers Archiv*, 391, 85–100.

Heinemann, S. H., Terlau, H., Stühmer, W., Imoto, K., Numa, S., et al. (1992). Calcium channel characteristics conferred on the sodium channel by single mutations. *Nature*, 356, 441–443.

Hille, B. (1997). Ionic basis of resting and action potentials. In J. M. (1997). Brookhart (Ed.), *Handbook of physiology* (Vol. 1, pp. 99–136). Washington, DC: American Physiological Society.

Hille, B. (2001). *Ion channels of excitable membranes* (3rd ed.). Sunderland, MA: Sinauer Associates.

Hodgkin, A. L. (1964). *The conduction of the nervous impulse*. Springfield, IL: Charles C. Thomas.

Hodgkin, A. L., & Huxley, A. F. (1952). A quantitative description of membrane current and its application to conduction and excitation in nerve. *Journal of Physiology (London)*, 117, 500–544.

Hofmann, F., Biel, M., & Flockerzi, V. (1994). Molecular basis for Ca^{2+} channel diversity. *Annual Review of Neuroscience*, 17, 399–418.

Hoshi, T., Zagotta, W., & Aldrich, R. W. (1990). Biophysical and molecular mechanisms of Shaker potassium channel inactivation. *Science*, 250, 533–538.

Isom, L. L., De Jongh, K. S., & Catterall, W. A. (1994). Auxiliary subunits of voltage-gated ion channels. *Neuron*, 12, 1183–1194.

Jan, L. Y., & Jan, Y. N. (1997). Voltage-gated and inwardly rectifying potassium channels. *Journal of Physiology*, 505, 267–282.

Jiang, Y., Lee, A., Chen, J., Cadene, M., Chait, B. T., Mackinnon, R., et al. (2002). Crystal structure and mechanism of a calcium-gated potassium channel.

Nature, 417, 515–522.

- Long, S. B., Campbell, E. B., & MacKinnon, R. (2005). Crystal structure of a mammalian voltage-dependent Shaker family K⁺ channel. *Science*, 309, 897–903.
- Matulef, K., & Zagotta, W. N. (2003). Cyclic nucleotide-gated ion channels. *Annual Review of Cell Developmental Biology*, 19, 23–44.
- Miller, C. (1990). *Annus mirabilis* for potassium channels. *Science*, 252, 1092–1096.
- Nicholls, J. G., Martin, A. R., Wallace, B. G., & Fuchs, P. A. (2001). *From neuron to brain* (4th ed.). Sunderland, MA: Sinauer Associates.
- Noda, M., Ikeda, T., Kayano, T., Suzuki, H., Takeshima, H., Kurasaki, M., et al. (1986). Existence of distinct sodium channel messenger RNAs in rat brain. *Nature*, 320, 188–192.
- Noda, M., Ikeda, T., Suzuki, H., Takeshima, H., Takahashi, T., Kuno, M., et al. (1986). Expression of functional sodium channels from cloned cDNA. *Nature*, 322, 826–828.
- Pongs, O. (1999). Voltage-gated potassium channels: From hyper-excitability to excitement. *FEBS Letters*, 452, 31–35.
- Stühmer, W., Conti, F., Suzuki, H., Wang, X. D., Noda, M., Yahagi, N., et al. (1989). Structural parts involved in activation and inactivation of the sodium channel. *Nature*, 339, 597–603.
- Terlau, H., Heinemann, S. H., Stühmer, W., Pusch, M., Conti, F., Imoto, K., et al. (1991). Mapping the site of block by tetrodotoxin and saxitoxin of sodium channel II. *FEBS Letters*, 293, 93–96.
- Vassilev, P., Scheuer, T., & Catterall, W. A. (1998). Identification of an intracellular peptide segment involved in sodium channel inactivation. *Science*, 241, 1658–1661.

Venance, S. L., Cannon, S. C., Fialho, D., Fontaine, B., Hanna, M. G., Ptacek, L. J., et al. (2006). The primary periodic paralyses: Diagnosis, pathogenesis and treatment. *Brain*, *129*, 8–17.

West, J. W., Patton, D. E., Scheuer, T., Wang, Y., Goldin, A. L., Catterall, W. A., et al. (1992).

A cluster of hydrophobic amino acid residues required for fast sodium channel inactivation. *Proceedings of the National Academy of Sciences of the United States of America*, *89*, 10910–10914.

Yang, N. B., George, A. L., Jr., & Horn, R. (1996). Molecular basis of charge movement in voltage-gated sodium channels. *Neuron*, *16*, 113–122.

Yarov-Yarovoy, V., Baker, D., & Catterall, W. A. (2006). Voltage sensor conformations in the open and closed states in ROSETTA structural models of K⁺ channels. *Proceedings of the National Academy of Sciences of the United States of America*, *103*, 7292–7297.

Zagotta, W., Hoshi, T., & Aldrich, R. W. (1990). Restoration of inactivation in mutants of Shaker potassium channels by a peptide derived from Sh B. *Science*, *250*, 568–571.

Zhao, Y., Yarov-Yarovoy, V., Scheuer, T., Catterall, W. A., et al. (2004). A gating hinge in Na⁺ channels: A molecular switch for electrical signaling. *Neuron*, *41*, 859–865.