CHAPTER 5

Spatial Discretization and Parameter Assignment

REFERENCES

Abtew, W., Melesse, A., 2012. Evaporation and Evapotranspiration: Measurements and Estimation. Springer Dordrecht. ISBN: 9400747365; 290 p.

Anderman, E.R., Kipp, K.L., Hill, M.C., Valstar, J., Neupauer, R.M., 2002. MODFLOW-2000, the US Geological Survey Modular Groundwater Model: Documentation of the Model-layer Variable Direction Horizontal Anisotropy (LVDA) Capability of the Hydrogeologic-unit Flow (HUF) Package. US Geological Survey Open-File Report 02–409, 61 p. http://pubs.er.usgs.gov/publication/ofr02409.

Anderson, M.P., 1987. Treatment of heterogeneities in groundwater modeling. In: Solving ground water problems with models, V. 1. Proceedings, National Ground Water Association Conference and Exposition, Denver, CO, pp. 444–463. info.ngwa.org/gwol/pdf/870142823.pdf.

Arihood, L.D., 2009. Processing, Analysis, and General Evaluation of Well-driller Records for Estimating Hydrogeologic Parameters of the Glacial Sediments in a Ground-water Flow Model of the Lake Michigan Basin. U.S. Geological Survey Scientific Investigations Report 2008-5184, 26 p. http://pubs.er.usgs.gov/publication/sir20085184.

ASTM International, 2010. Standard Practice for Direct Push Installation of Prepacked Screen Monitoring Wells in Unconsolidated Aquifers. ASTM D6725-04, 15 p.

Barlow, P.M., Leake, S.A., 2012. Streamflow depletion by wells—understanding and managing the effects of groundwater pumping on streamflow. U.S. Geological Survey Circular 1376, 84 p. http://pubs.usgs.gov/circ/1376/.

Berg, S.J., Illman, W.A., 2013. Field study of subsurface heterogeneity with steady-state hydraulic tomography. Groundwater 51 (1), 29–40. http://dx.doi.org/10.1111/j.1745-6584.2012.00914.x.

Bohling, G.C., Butler, J.J., 2010. Inherent limitations of hydraulic tomography. Groundwater 48 (6), 809–824. http://dx.doi.org/10.1111/j.1745-6584.2010.00757.x.

Bradbury, K.R., 1982, Hydrogeologic Relationships between Green Bay of Lake Michigan and Onshore Aquifers in Door County (Ph.D. Dissertation). University of Wisconsin-Madison, Wisconsin, 287 p.

Bradbury, K.R., Muldoon, M.A., 1990. Hydraulic conductivity determinations in unlithified glacial and fluvial materials. In: Nielson, D.M., Johnson, A.I. (Eds.), Ground Water and Vadose Zone Monitoring, vol. 1053. ASTM Special Technical Publication, pp. 138–151.

Butler, J.J., 2009. Pumping tests for aquifer evaluation—time for a change? Groundwater 47 (5), 615–617. http://dx.doi.org/10.1111/j.1745-6584.2008.00488.x.

Buxton, H.T., Smolensky, D.A., Shernoff, P.K., 1999. Feasibility of Using Ground Water as a Supplemental Supply for Brooklyn and Queens. U.S. Geological Survey Water-Resources Investigations Report 98-4070, New York, 33 p. http://pubs.er.usgs.gov/publication/wri984070.

Cao, G., Zheng, C., Scanlon, B.R., Liu, J., Li, W., 2013. Use of flow modeling to assess sustainability of groundwater resources in the North China Plain. Water Resources Research 49 (1), WR011899. http://dx.doi.org/10.1029/2012.

Cardiff, M., Barrash, W., Kitanidis, P.K., Malama, B., Revil, A., Straface, S., Rizzo, E., 2009. Potential-based inversion of unconfined steady-state hydraulic tomography. Groundwater 47 (2), 259–270. http://dx.doi.org/10.1111/j.1745-6584.2008.00541.x.

© 2015 Elsevier Inc.
All rights reserved.

Carleton, G.B., Welty, C., Buxton, H.T., 1999. Design and Analysis of Tracer Tests to Determine Effective Porosity and Dispersivity in Fractured Sedimentary Rocks, Newark Basin. U.S. Geological Survey Water-Resources Investigations Report 98-4126A, New Jersey, 80 p. http://pubs.er.usgs.gov/publication/wri984126A.

Carslaw, H.S., Jaeger, J.C., 1959. Conduction of Heat in Solids, second ed. Oxford University Press, London. 510 p.

Connell, J.F., Bailey, Z.C., 1989. Statistical and Simulation Analysis for Hydraulic-conductivity Data for Bear Creek and Melton Valleys, Oak Ridge Reservation, Tennessee. U.S. Geological Survey Water Resources Investigations Report 89-4062, 49 p. http://pubs.er.usgs.gov/publication/wri894062.

Dagan, G., Fiori, A., Jankovic, I., 2013. Upscaling of flow in heterogeneous porous formations: Critical examination and issues of principle. Advances in Water Resources 51, 67–85. http://dx.doi.org/10.1016/j.advwatres.2011.12.017.

Davis, J.M., Wilson, J.L., Phillips, F.M., 1994. A portable air-minipermeameter for rapid in situ field measurements. Groundwater 32 (2), 258–266. http://dx.doi.org/10.1111/j.1745-6584.1994.tb00640.x.

DHI-WASY GmbH, 2012. FEFLOW 6.1 User Manual. DHI-WASH GmbH, Berlin, 116 pp.

Diersch, H.-J.G., 2014. FEFLOW: Finite Element Modeling of Flow, Mass and Heat Transport in Porous and Fractured Media. Springer, 996 p.

Dogan, M., Van Dam, R.L., Bohling, G.C., Butler Jr, J.J., Hyndman, D.W., 2011. Hydrostratigraphic analysis of the MADE Site with full-resolution GPR and direct-push hydraulic profiling. Geophysical Research Letters 38 (6), L06405. http://dx.doi.org/10.1029/2010GL046439.

Doherty, J.E., Fienen, M.N., Hunt, R.J., 2010. Approaches to Highly Parameterized Inversion: Pilot-point Theory, Guidelines, and Research Directions. U.S. Geological Survey Scientific Investigations Report 2010–5168, 36 p. http://pubs.usgs.gov/sir/2010/5168/.

Doherty, J., Hunt, R.J., 2010a. Approaches to Highly Parameterized Inversion: A Guide to Using PEST for Groundwater-model Calibration. U.S. Geological Survey Scientific Investigations Report 2010–5169, 60 p. http://pubs.usgs.gov/sir/2010/5169/.

Doherty, J., Hunt, R.J., 2010b. Response to comment on: Two statistics for evaluating parameter identifiability and error reduction. Journal of Hydrology 380 (3–4), 489–496. http://dx.doi.org/10.1016/j.jhydrol.2009.10.012.

Domenico, P.A., 1972. Concepts and Models in Groundwater Hydrology. McGraw-Hill, NY, 405 p.

Dunkle, K.M., Hart, D.H., and Anderson, M.P., 2015. New ways of using well construction reports for hydrostratigraphic analyses. Groundwater, early view. http://dx.doi.org/10.1111/gwat.12326.

Feinstein, D.T., Fienen, M., Reeves, H., Langevin, C., 2013. Application of a "semi-structured" approach with MODFLOW-USG to simulate local groundwater/surface-water interactions at the regional scale as basis for a decision-support tool. In: MODFLOW and More 2013: Translating Science into Practice, Proceedings of the 7th International Conference of the International Ground Water Modeling Center. Colorado School of Mines, Golden, CO, pp. 600–604.

Feinstein, D.T., Hunt, R.J., Reeves, H.W., 2010. Regional groundwater-flow model of the Lake Michigan Basin in support of Great Lakes Basin water availability and use studies. U.S. Geological Survey Scientific Investigations Report 2010–5109, 379 p. http://pubs.usgs.gov/sir/2010/5109/.

Fitts, C.R., 2013. Groundwater Science, second ed. Academic Press. 696 p.

Freeze, R.A., Cherry, J.A., 1979. Groundwater. Prentice Hall, 604 p.

Gambolati, G., Toffolo, F., Uliana, F., 1984. Groundwater response under an electronuclear plant to a river flood wave analyzed by a nonlinear finite element model. Water Resources Research 20 (7), 903–913. http://dx.doi.org/10.1029/WR020i007p00903.

Gannett, M.W., Wagner, B.J., Lite Jr, K.E., 2012. Groundwater Simulation and Management Models for the Upper Klamath Basin, Oregon and California. U.S. Geological Survey Scientific Investigations Report 2012–5062, 92 p. http://pubs.usgs.gov/sir/2012/5062/.

Goyal, M.R.G., Harmsen, E.W., 2013. Evapotranspiration: Principles and Applications for Water Management. CRC Press, Boca Raton, FL, ISBN 1926895584, 628 p.

Granger, R.J., Hedstrom, N., 2011. Modelling hourly rates of evaporation from small lakes. Hydrology and Earth System Sciences 15, 267–277. http://dx.doi.org/10.5194/hess-15-267-2011.

Groschen, G.E., 1985. Simulated Effects of Projected Pumping on the Availability of Freshwater in the Evangeline Aquifer in an Area Southwest of Corpus Christi, Texas. U.S. Geological Survey Water Resources Investigation Report 85–4182, 103 p. http://pubs.er.usgs.gov/publication/wri854182.

Guswa, J.H., Le Blanc, D.R., 1985. Digital Models of Ground-water Flow in the Cape Cod Aquifer System, Massachusetts. U.S. Geological Survey Water Supply Paper 2209, 64 p. http://pubs.er.usgs.gov/publication/wsp2209.

Haitjema, H.M., 1995. Analytic Element Modeling of Groundwater Flow. Academic Press, San Diego, CA, 394 p.

Haitjema, H.M., 2006. The role of hand calculations in ground water flow modeling. Groundwater 44 (6), 786–791. http://dx.doi.org/10.1111/j.1745-6584.2006.00189.x.

Haitjema, H., Kelson, V., de Lange, W., 2001. Selecting MODFLOW cell sizes for accurate flow fields. Groundwater 39 (6), 931–938. http://dx.doi.org/10.1111/j.1745-6584.2001.tb02481.x.

Healy, R.W., 2010. Estimating Groundwater Recharge. Cambridge University Press, Cambridge, UK, ISBN 978-0-521-86396-4, 245 p.

Healy, R.W., Winter, T.C., LaBaugh, J.W., Franke, O.L., 2007. Water Budgets: Foundations for Effective Water-resources and Environmental Management. U.S. Geological Survey Circular 1308, 90 p.http://pubs.usgs.gov/circ/2007/1308/.

Heath, R.C., 1983. Basic Ground-water Hydrology. U.S. Geological Survey Water Supply Paper 2220, 84 p. http://pubs.er.usgs.gov/publication/wsp2220.

Hoaglund, J.R., Pollard, D., 2003. Dip and anisotropy effects on flow using a vertically skewed model grid. Groundwater 41 (6), 841–846. http://dx.doi.org/10.1111/j.1745-6584.2003.tb02425.x.

Hsieh, P.A., Freckleton, J.R., 1993. Documentation of a Computer Program to Simulate Horizontal-flow Barriers Using the U.S. Geological Survey's Modular Three-dimensional Finite-difference Ground-water Flow Model. U.S. Geological Survey Open-File Report 92–477, 32 p. http://pubs.er.usgs.gov/publication/ofr92477.

Hunt, R.J., Doherty, J., Tonkin, M.J., 2007. Are models too simple? Arguments for increased parameterization. Groundwater 45 (3), 254–261. http://dx.doi.org/10.1111/j.1745-6584.2007.00316.x.

Hunt, R.J., Haitjema, H.M., Krohelski, J.T., Feinstein, D.T., 2003a. Simulating ground water-lake interactions: Approaches and insights. Groundwater 41 (2), 227–237. http://dx.doi.org/10.1111/j.1745-6584.2003.tb02586.x.

Hunt, R.J., Prudic, D.E., Walker, J.F., Anderson, M.P., 2008. Importance of unsaturated zone flow for simulating recharge in a humid climate. Groundwater 46 (4), 551–560. http://dx.doi.org/10.1111/j.1745-6584.2007.00427.x.

Hunt, R.J., Saad, D.A., Chapel, D.M., 2003b. Numerical Simulation of Ground-water Flow in La Crosse County, Wisconsin and into Nearby Pools of the Mississippi River. U.S. Geological Survey Water-Resources Investigations Report 03–4154, 36 p. http://pubs.usgs.gov/wri/wri034154/.

Hunt, R.J., Walker, J.F., Selbig, W.R., Westenbroek, S.M., Regan, R.S., 2013. Simulation of Climate-change Effects on Streamflow, Lake Water Budgets, and Stream Temperature Using GSFLOW and SNTEMP, Trout Lake Watershed, Wisconsin. U.S. Geological Survey Scientific Investigations Report 2013-5159, 118 p. http://pubs.usgs.gov/sir/2013/5159/.

Huyakorn, P.S., Pinder, G.F., 1983. Computational Methods in Subsurface Flow. Academic Press, 473 p.

Istok, J., 1989. Groundwater modeling by the finite element method, American. Geophysical Union. Water Resources Monograph 13, 495 p.

Johnson, A.I., 1966. Compilation of Specific Yield for Various Materials. U.S. Geological Survey Open-File Report, 119 p. http://pubs.usgs.gov/of/1963/0059/report.pdf.

Johnson, T., Njuguna, W., 2002. Available aquifer storage determinations using MODFLOW and GIS, Central and West Coast Groundwater Basins, Los Angeles County, California. In: Water Replenishment District of Southern California, Presented at the 22nd Annual Esri International User Conference, July 8–12, 2002. http://proceedings.esri.com/library/userconf/proc02/pap0330/p0330.htm.

Journel, A.G., Huijbregts, C.J., 1978. Mining Geostatistics. Academic Press, 600 p.

Juckem, P.F., Hunt, R.J., Anderson, M.P., 2006. Scale effects of hydrostratigraphy and recharge zonation on baseflow. Groundwater 44 (3), 362–370. http://dx.doi.org/10.1111/j.1745-6584.2005.00136.x.

Kenoyer, G.J., 1988. Tracer test analysis of anisotropy in hydraulic conductivity of granular aquifers. Groundwater Monitoring & Remediation 8 (3), 67–70. http://dx.doi.org/10.1111/j.1745-6592.1988.tb01086.x.

Khalil, M., Sakai, M., Mizochuchi, M., Miyazaki, T., 2003. Current and prospective applications of zero flux plane (ZFP) method. Journal Japan Society Soil Physics 95, 75–90. https://www.js-soilphysics.com/data/pdf/095075.pdf.

Kruseman, G.P., de Ridder, N.A., 1990. Analysis and Evaluation of Pumping Test Data. International Institute for Land Reclamation and Improvement, 377 p.

Leahy, P.P., 1982. A Three-dimensional Ground-water-flow Model Modified to Reduce Computer Memory Requirements and Better Simulate Confining - Bed and Aquifer Pinchouts. U.S. Geological Survey Water Resources Investigation Report 82–4023, 59 p. http://pubs.er.usgs.gov/publication/wri824023.

Lee, D.R., 1977. A device for measuring seepage flux into lakes and estuaries. Limnology and Oceanography 22 (1), 140–147. http://dx.doi.org/10.4319/lo.1977.22.1.0140.

Lewis-Brown, J.C., Rice, D.E., 2002. Simulated Ground-water Flow, Naval Air Warfare Center West Trenton. U.S. Geological Survey Water-Resources Investigations Report 02–4019, New Jersey, 44 p. http://pubs.er.usgs.gov/publication/wri024019.

Lewis-Brown, J.C., Rice, D.E., Rosman, R., Smith, N.P., 2005. Hydrogeologic Framework, Ground-water Quality, and Simulation of Ground-Water Flow at the Fair Lawn Well Field Superfund Site, Bergen County. U.S. Geological Survey, Scientific Investigations Report 2004-5280, New Jersey pp. 109. http://pubs.usgs.gov/sir/2004/5280/.

Lindgren, R.J., Dutton, A.R., Hovorka, S.D., Worthington, S.R.H., Painter, S., 2004. Conceptualization and simulation of the Edwards aquifer, San Antonio region, Texas. U.S. Geological Survey Scientific Investigations Report 2004–5277, 143 p. http://pubs.usgs.gov/sir/2004/5277/.

Liu, G., Butler Jr, J.J., Bohling, G.C., Reboulet, E., Knobbe, S., Hyndman, D.W., 2009. A new method for high-resolution characterization of hydraulic conductivity. Water Resources Research 45 (8), W08202. http://dx.doi.org/10.1029/2009WR008319.

Liu, G., Zheng, C., Tick, G.R., Butler Jr, J.J., Gorelick, S.M., 2010. Relative importance of dispersion and rate-limited mass transfer in highly heterogeneous porous media: Analysis of a new tracer test at the MADE Site. Water Resources Research 46 (3), W03524. http://dx.doi.org/10.1029/2009WR008430.

Lott, R.B., Hunt, R.J., 2001. Estimating evapotranspiration in natural and constructed wetlands. Wetlands 21 (4), 614–628. http://dx.doi.org/10.1672/0277-5212(2001)021[0614:EEINAC]2.0.CO;2.

Maasland, M., 1957. Soil Anisotropy and Land Drainage. In: Luthin, J.N. (Ed.), Drainage of Agricultural Lands. American Society of Agronomy, Madison, WI, pp. 216–285.

Marcus, H., Evenson, D.E., 1961. Directional Permeability in Anisotropic Porous Media, Water Resources Center Contribution, vol. 31. University of California, Berkeley.

de Marsily, G., 1986. Quantitative Hydrogeology. Academic Press, 440 p.

McDonald, M.G., Harbaugh, A.W., 1988. A Modular Three-dimensional Finite-difference Ground-water Flow Model. Techniques of Water-Resources Investigations 06–A1, USGS, 576 p. http://pubs.er.usgs.gov/publication/twri06A1.

McLin, S.G., 2005. Estimating aquifer transmissivity from specific capacity using MATLAB. Groundwater 43 (4), 611–614. http://dx.doi.org/10.1111/j.1745-6584.2005.0101.x.

Moene, A.F., van Dam, J.C., 2014. Transport in the Atmosphere-vegetation-soil Continuum. Cambridge University Press, New York. ISBN: 0521195683, 458 p.

Morgan, D.S., Jones, J.L., 1995. Numerical Model Analysis of the Effects of Ground-water Withdrawals on Discharge to Streams and Springs in Small Basins Typical of the Puget Sound Lowland. U.S. Geological Survey Open-File Report 95–470, Washington, 73 p. http://wa.water.usgs.gov/pubs/ofr/ofr.95-470/descript.html.

Morris, D.A., Johnson, A.I., 1967. Summary of Hydrologic and Physical Properties of Rock and Soil Materials as Analyzed by the Hydrologic Laboratory of the U.S. Geological Survey 1948–1960. U.S. Geological Survey Water Supply Paper 1839-D, 42 p. http://pubs.er.usgs.gov/publication/wsp1839D.

Narasimhan, T.N., Witherspoon, P.A., 1976. An integrated finite-difference method for analyzing fluid flow in porous media. Water Resources Research 12 (1), 57–64. http://dx.doi.org/10.1029/WR012i001p00057.

Nemeth, M.S., Solo-Gabriele, H.M., 2003. Evaluation of the use of reach transmissivity to quantify exchange between groundwater and surface water. Journal of Hydrology 274 (1–4), 145–159. http://dx.doi.org/10.1016/S0022-1694(02)00419-5.

Neuman, S.P., 1975. Analysis of pumping test data from anisotropic unconfined aquifers considering delayed gravity response. Water Resources Research 11 (2), 329–342. http://dx.doi.org/10.1029/WR011i002p00329.

Neuman, S.P., Walter, G.R., Bentley, H.W., Word, J.J., Gonzalez, D.D., 1984. Determination of horizontal aquifer anisotropy with three wells. Groundwater 22 (1), 66–72. http://dx.doi.org/10.1111/j.1745-6584.1984.tb01477.x.

Niswonger, R.G., Prudic, D.E., Regan, R.S., 2006. Documentation of the Unsaturated-zone Flow (UZF1) Package for Modeling Unsaturated Flow between the Land Surface and the Water Table with MODFLOW-2005. U.S. Geological Survey Techniques and Methods Report 6–A19, 62 p. http://pubs.er.usgs.gov/publication/tm6A19.

Nœtinger, R., Artus, V., Zargar, G., 2005. The future of stochastic and upscaling methods in hydrogeology. Hydrogeology Journal 13 (1), 184–201. http://dx.doi.org/10.1007/s10040-004-0427-0.

NRC (National Research Council), 2004. In: Anderson, M.P., Wilson, J.L. (Eds.), Groundwater Fluxes across Interfaces. National Academy Press, 85 p.

Panday, S., Langevin, C.D., Niswonger, R.G., Ibaraki, M., Hughes, J.D., 2013. MODFLOW–USG Version 1: An Unstructured Grid Version of MODFLOW for Simulating Groundwater Flow and Tightly Coupled Processes Using a Control Volume Finite-difference Formulation. U.S. Geological Survey Techniques and Methods. Book 6, Chapter A45, 66 p. http://pubs.usgs.gov/tm/06/a45.

Quinones-Aponte, V., 1989. Horizontal anisotropy of the principal ground-water flow zone in the Salinas alluvial fan, Puerto Rico. Groundwater 27 (4), 491–500. http://dx.doi.org/10.1111/j.1745-6584.1989.tb01969.x.

Reilly, T.E., Harbaugh, A.W., 2004. Guidelines for Evaluating Ground-water Flow Models. U.S. Geological Survey Scientific Investigations Report 2004-5038, 30 p. http://pubs.er.usgs.gov/publication/sir20045038.

Reimann, T., Birk, S., Rehrl, C., Shoemaker, W.B., 2012. Modifications to the conduit flow process mode 2 for MODFLOW-2005. Groundwater 50 (1), 144–148. http://dx.doi.org/10.1111/j.1745-6584.2011.00805.x.

Reimann, T., Hill, M.E., 2009. MODFLOW-CFP: A new conduit flow process for MODFLOW–2005. Groundwater 47 (3), 321–325. http://dx.doi.org/10.1111/j.1745-6584.2009.00561.x.

Remson, I., Hornberger, G.M., Molz, F.J., 1971. Numerical Methods in Subsurface Hydrology. Wiley-Interscience, 389 p.

Renard, P., de Marsily, G., 1997. Calculating equivalent permeability: A review. Advances in Water Resources 20 (5/6), 253–278. http://dx.doi.org/10.1016/S0309-1708(96)00050-4.

Rosas, J., Lopez, O., Missimer, T.M., Coulibaly, K.M., Dehwah, A.H.A., Sesler, K., Lujan, L.R., Mantilla, D., 2014. Determination of hydraulic conductivity from grain-size distribution for different depositional environments. Groundwater 52 (3), 399–413. http://dx.doi.org/10.1111/gwat.12278.

Rose, W.R., 1993. Hydrology of Little Rock Lake in Vilas County, North-Central Wisconsin. U.S. Geological Survey Water-Resources Investigations Report 93-4139, 22 p. http://pubs.er.usgs.gov/publication/wri934139.

Rosenberry, D.O., LaBaugh, J.W., Hunt, R.J., 2008. Use of monitoring wells, portable piezometers, and seepage meters to quantify flow between surface water and ground water (Chapter 2). In: Field Techniques for Estimating Fluxes between Surface and Ground Water. U.S. Geological Survey Techniques and Methods Report 4-D2, pp. 43–70, 128 p. http://pubs.usgs.gov/tm/04d02/pdf/TM4-D2-chap2.pdf.

Scanlon, B.R., Healy, R.W., Cook, P.G., 2002. Choosing appropriate techniques for quantifying groundwater recharge. Hydrogeology Journal 10 (1), 18–39. http://dx.doi.org/10.1007/s10040-001-0176-2.

Schroeder, P.R., Dozier, T.S., Zappi, P.A., McEnroe, B.M., Sjostrom, J.W., Peton, R.L., 1994. The Hydrologic Evaluation of Landfill Performance (HELP) Model, Engineering Documentation for Version 3, EPA/600/R-94/168b, US. Environmental Protection Agency, Risk Reduction Engineering Laboratory, Cincinnati, OH.

Sheets, R.A., Hill, M.C., Haitjema, H.M., Provost, A.M., Masterson, J.P., 2015. Simulation of water-table aquifers using specified saturated thickness. Groundwater 53 (1), 151–157. http://dx.doi.org/10.1111/gwat.12164.

Shoemaker, W.B., Kuniansky, E.L., Birk, S., Bauer, S., Swain, E.D., 2008. Documentation of a Conduit Flow Process (CFP) for MODFLOW-2005. U.S. Geological Survey Techniques and Methods. Book 6, Chapter A24, 50 p. http://pubs.er.usgs.gov/publication/tm6A24.

Šimůnek, J., van Genuchten, M.Th, Šejna, M., 2011. The HYDRUS Software Package for Simulating Two- and Three-dimensional Movement of Water, Heat, and Multiple Solutes in Variably-saturated Media. Technical Manual, Version 2.0. PC Progress, Prague, Czech Republic, 258 p.

Sterrett, R.J. (Ed.), 2008. Groundwater & Wells, third ed. Johnson Division, St. Paul, MN. 812 p.

Theis, C.V., 1940. The source of water derived from wells. Civil Engineering 10 (5), 277–280 (Reproduced in Anderson, M.P., editor, 2008, Benchmark Papers in Hydrology, 3: Groundwater. Selection, Introduction and Commentary by Mary P. Anderson, IAHS Press, pp. 281–286.).

Todd, D.K., Mays, L.W., 2005. Groundwater Hydrology, third ed. John Wiley & Sons, Inc. 636 p.

Toews, M.W., Allen, D.M., 2009. Evaluating different GCMs for predicting spatial recharge in an irrigated arid region. Journal of Hydrology 374 (3–4), 265–281. http://dx.doi.org/10.1016/j.jhydrol.2009.06.022.

Torak, L.J., 1993. A MODular Finite-element Model (MODFE) for Areal and Axisymmetric Ground-water-flow Problems, Part 1—Model Description and User's Manual. U.S. Geological Survey Techniques of Water-Resources Investigations. Book 6, Chapter A3, 136 p. http://pubs.usgs.gov/twri/twri6a3/.

Townley, L.R., Wilson, J.L., 1980. Description of and user's manual for a finite element aquifer flow model AQUIFEM-1, MIT Ralph M. Parsons Laboratory for Water Resources and Hydrodynamics. Technology Adaptation Program Report No. 79-3 294.

Tyson Jr, H.N., Weber, E.M., 1964. Ground-water management for the nation's future—Computer simulation of ground-water basins, American Society of Civil Engineers Proceedings. Journal of the Hydraulics Division 90, 59–77.

Voss, C.I., Provost, A.M., 2002. SUTRA: A Model for Saturated Unsaturated Variable-density Groundwater Flow with Solute or Energy Transport. U.S. Geological Survey Water Resources Investigation Report 02–4231, 429 p. http://pubs.er.usgs.gov/publication/wri024231.

Wang, H.F., Anderson, M.P., 1982. Introduction to Groundwater Modeling: Finite Difference and Finite Element Methods. Academic Press, San Diego, CA, 237 p.

Webb, E.K., Anderson, M.P., 1996. Simulation of preferential flow in three-dimensional, heterogeneous conductivity fields with realistic internal architecture. Water Resources Research 32 (3), 533–545. http://dx.doi.org/10.1029/95WR03399.

Weeks, E.P., 1969. Determining the ratio of horizontal to vertical permeability by aquifer-test analysis. Water Resources Research 5 (1), 196–214. http://dx.doi.org/10.1029/WR005i001p00196.

Westenbroek, S.M., Kelson, V.A., Dripps, W.R., Hunt, R.J., Bradbury, K.R., 2010. SWB - a Modified Thornthwaite-Mather Soil Water Balance Code for Estimating Groundwater Recharge. U.S. Geological Survey Techniques and Methods 6A31, 65 p. http://pubs.usgs.gov/tm/tm6-a31/.

Winter, T.C., 1976. Numerical Simulation Analysis of the Interaction of Lakes and Ground Water. U.S. Geological Survey Professional Paper 1001, 45 p. http://pubs.er.usgs.gov/publication/pp1001.

Yager, R.M., Voss, C.I., Southworth, S., 2009. Comparison of alternative representations of hydraulic-conductivity anisotropy in folded fractured-sedimentary rock: Modeling groundwater flow in the Shenandoah Valley (USA). Hydrogeology Journal 17 (5), 1111–1131. http://dx.doi.org/10.1007/s10040-008-0431-x.

Yeh, T.-C.J., Lee, C.-H., 2007. Time to change the way we collect and analyze data for aquifer characterization. Groundwater 45 (2), 116–118. http://dx.doi.org/10.1111/j.1745-6584.2006.00292.x.

Zhou, H., Gomez-Hernandez, J.J., Li, L., 2014. Inverse methods in hydrogeology: Evolution and recent trends. Advances in Water Resources 63, 22–37. http://dx.doi.org/10.1016/j.advwatres.2013.10.014.