

## References

- Albers, R. W. (1967). Biochemical aspects of active transport. *Annual Review of Biochemistry*, 36, 727–756.
- Albers, R. W., Koval, G. J., & Siegel, G. J. (1968). Studies on the interaction of ouabain and other cardio-active steroids with sodium–potassium–activated adenosine triphosphatase. *Molecular Pharmacology*, 4(4), 324–336.
- Alper, S. L. (2006). Molecular physiology of SLC4 anion exchangers [Review]. *Experimental Physiology*, 91(1), 153–161. Epub 2005 Oct 20. Erratum in: *Experimental Physiology*, 91(2), 481.
- Amiry-Moghaddam, M., Otsuka, T., Hurn, P. D., Traystman, R. J., Haug, F. M., Froehner, S. C., et al. (2003). An alpha-syntrophin-dependent pool of AQP4 in astroglial end-feet confers bidirectional water flow between blood and brain. *Proceedings of the National Academy of Science of the United States of America*, 100(4), 2106–2111.
- Arystarkhova, E., Wetzel, R. K., Asinovski, N. K., & Sweadner, K. J. (1999). The gamma subunit modulates Na(□) and K(□) affinity of the renal Na,K-ATPase. *The Journal of Biological Chemistry*, 274(47), 33183–33185.
- Banerjee, B., & Chaudhury, S. (2001). Thyroidal regulation of different isoforms of NaK-ATPase in glial cells of developing rat brain. *Life Science*, 69(20), 2409–2417.
- Barwe, S. P., Anilkumar, G., Moon, S. Y., Zheng, Y., Whitelegge, J. P., Rajasekaran, S. A., et al. (2005). Novel role for Na,K-ATPase in phosphatidylinositol 3-kinase signaling and suppression of cell motility. *Molecular Biology of the Cell*, 16(3), 1082–1094.
- Bibert, S., Roy, S., Schaer, D., Horisberger, J. D., & Geering, K. (2008). Phosphorylation of phospholemman (FXVD1) by protein kinases A and C modulates distinct Na,K-ATPase

- isozymes. *Journal of Biological Chemistry*, 283(1), 476–486.
- Blot, A., Billups, D., Bjørkmo, M., Quazi, A. Z., Uwechue, N. M., Chaudhry, F. A., et al. (2009). Functional expression of two system A glutamine transporter isoforms in rat auditory brainstem neurons. *Neuroscience*, 164(3), 998–1008.
- Brashear, A., Dobyns, W. B., de Carvalho Aguiar, P., Borg, M., Frijns, C. J., Gollamudi, S., et al. (2007). The phenotypic spectrum of rapid-onset dystonia-parkinsonism (RDP) and mutations in the ATP1A3 gene. *Brain*, 130(Pt 3), 828–835.
- Bröer, S. (2008). Amino acid transport across mammalian intestinal and renal epithelia [Review]. *Physiological Reviews*, 88(1), 249–286.
- Brunk, I., Blex, C., Speidel, D., Brose, N., & Ahnert-Hilger, G. (2009). Ca<sup>2+</sup>-dependent activator proteins of secretion promote vesicular monoamine uptake. *The Journal of Biological Chemistry*, 284(2), 1050–1056. PubMed PMID: 19008227.
- Bublitz, M., Poulsen, H., Morth, J. P., & Nissen, P. (2010). In and out of the cation pumps: P-Type ATPase structure revisited. *Current Opinion in Structural Biology*, 20(4), 431–399.
- Cai, H., Wu, L., Qu, W., Malhotra, D., Xie, Z., Shapiro, J. I., et al. (2008). Regulation of apical NHE3 trafficking by ouabain-induced activation of the basolateral Na<sup>+</sup>-K<sup>+</sup>-ATPase receptor complex. *American Journal of Physiology – Cell Physiology*, 294(2), C555–C563.
- Cai, T., Wang, H., Chen, Y., Liu, L., Gunning, W. T., Quintas, L. E., et al. (2008). Regulation of caveolin-1 membrane trafficking by the Na/K-ATPase. *The Journal of Cell Biology*, 182(6), 1153–1169.
- Chauhan, N. B., Lee, J. M., & Siegel, G. J. (1997). Na,K-ATPase mRNA levels and plaque load in Alzheimer's disease. *Journal of Molecular Neuroscience*, 9(3), 151–166.
- Chen, Y., Cai, T., Yang, C., Turner, D. A., Giovannucci, D. R., & Xie, Z. (2008). Regulation of

- inositol 1,4,5-trisphosphate receptor-mediated calcium release by the Na/K-ATPase in cultured renal epithelial cells. *The Journal of Biological Chemistry*, 283(2), 1128–1136.
- de Vries, B., Frants, R. R., Ferrari, M. D., & van den Maagdenberg, A. M. (2009). Molecular genetics of migraine [Review]. *Human Genetics*, 126(1), 115–132.
- Di Leva, F., Domi, T., Fedrizzi, L., Lim, D., & Carafoli, E. (2008). The plasma membrane  $\text{Ca}^{2+}$ -ATPase of animal cells: Structure, function and regulation [Review]. *Archives of Biochemistry and Biophysics*, 476(1), 65–74.
- Doné, S. C., Leibiger, I. B., Efendiev, R., Katz, A. I., Leibiger, B., Berggren, P. O., et al. (2002). Tyrosine 537 within the  $\text{Na}^{+}$ , $\text{K}^{+}$ -ATPase alpha subunit is essential for AP-2 binding and clathrin-dependent endocytosis. *Journal of Biological Chemistry*, 277(19), 17108–17111.
- Doshi, R., Woebking, B., & van Veen, H. W. (2010). Dissection of the conformational cycle of the multidrug/lipid ABC exporter MsbA. *Proteins*, 78(14), 2867–2872.
- Eiden, L. E., Schäfer, M. K., Weihe, E., & Schütz, B. (2004). The vesicular amine transporter family (SLC18): Amine/proton antiporters required for vesicular accumulation and regulated exocytotic secretion of monoamines and acetylcholine [Review]. *Pflugers Archiv*, 447(5), 636–640.
- Eriksen, J., Jørgensen, T. N., & Gether, U. (2010). Regulation of dopamine transporter function by protein–protein interactions: New discoveries and methodological challenges [Review]. *Journal of Neurochemistry*, 113(1), 27–41.
- Ernst, S. A., Palacios, J. R., 2nd, & Siegel, G. J. (1986). Immunocytochemical localization of  $\text{Na}^{+}$ , $\text{K}^{+}$ -ATPase catalytic polypeptide in mouse choroid plexus. *Journal of Histochemistry and Cytochemistry*, 34(2), 189–195.
- Ferguson, S. M., Savchenko, V., Apparsundaram, S., Zwick, M., Wright, J., Heilman, C. J., et al.

- (2003). Vesicular localization and activity-dependent trafficking of presynaptic choline transporters. *Journal of Neuroscience*, 23(30), 9697–9709.
- Guillot, T. S., & Miller, G. W. (2009). Protective actions of the vesicular monoamine transporter 2 (VMAT2) in monoaminergic neurons [Review]. *Molecular Neurobiology*, 39(2), 149–170.
- Gunnarson, E., Zelenina, M., Axehult, G., Song, Y., Bondar, A., Krieger, P., et al. (2008). Identification of a molecular target for glutamate regulation of astrocyte water permeability. *Glia*, 56(6), 587–596.
- Hazelwood, L. A., Free, R. B., Cabrera, D. M., Skinbjerg, M., & Sibley, D. R. (2008). Reciprocal modulation of function between the D1 and D2 dopamine receptors and the Na<sup>+</sup>,K<sup>+</sup>-ATPase. *The Journal of Biological Chemistry*, 283(52), 36441–36453. Epub 2008 Nov 4.
- Hibino, H., Inanobe, A., Furutani, K., Murakami, S., Findlay, I., & Kurachi, Y. (2010). Inwardly rectifying potassium channels: Their structure, function, and physiological roles [Review]. *Physiological Reviews*, 90(1), 291–366.
- Hilgenberg, L. G., Su, H., Gu, H., O'Dowd, D. K., & Smith, M. A. (2006). Alpha3Na<sup>+</sup>/K<sup>+</sup>-ATPase is a neuronal receptor for agrin. *Cell*, 125(2), 359–369.
- Ho, J. D., Yeh, R., Sandstrom, A., Chorny, I., Harries, W. E., Robbins, R. A., et al. (2009). Crystal structure of human aquaporin 4 at 1.8 Å and its mechanism of conductance. *Proceedings of the National Academy of Sciences of the United States of America*, 106(18), 7437–7442.
- Illarionova, N. B., Gunnarson, E., Li, Y., Brismar, H., Bondar, A., Zelenin, S., et al. (2010). Functional and molecular interactions between aquaporins and Na,K-ATPase.

- Neuroscience*, 168(4), 915–925.
- Jiang, J., & Amara, S. G. (2010). New views of glutamate transporter structure and function: Advances and challenges. *Neuropharmacology*, 60(1), 172-181.
- Jones, P. M., & George, A. M. (2004). The ABC transporter structure and mechanism: Perspectives on recent research [Review]. *Cellular and Molecular Life Sciences*, 61(6), 682–699.
- Juhaszova, M., & Blaustein, M. P. (1997). Na<sup>+</sup> pump low and high ouabain affinity alpha subunit isoforms are differently distributed in cells. *Proceedings of the National Academy of Sciences of the United States of America*, 94(5), 1800–1805.
- Khundmiri, S. J., Ameen, M., Delamere, N. A., & Lederer, E. D. (2008). PTH-mediated regulation of Na<sup>+</sup>,K<sup>+</sup>-ATPase requires Src kinase-dependent ERK phosphorylation. *American Journal of Physiology – Renal Physiology*, 295(2), F426–37.
- Kim, M., Jung, J., Park, C. S., & Lee, K. (2002). Identification of the cofilin-binding sites in the large cytoplasmic domain of Na,K-ATPase. *Biochimie*, 84(10), 1021–1029.
- Kim, W. S., Weickert, C. S., & Garner, B. (2008). Role of ATP-binding cassette transporters in brain lipid transport and neurological disease [Review]. *Journal of Neurochemistry*, 104(5), 1145–1166.
- Kimura, T., Allen, P. B., Nairn, A. C., & Caplan, M. J. (2007). Arrestins and spinophilin competitively regulate Na<sup>+</sup>,K<sup>+</sup>-ATPase trafficking through association with a large cytoplasmic loop of the Na<sup>+</sup>,K<sup>+</sup>-ATPase. *Molecular Biology of the Cell*, 18(11), 4508–4518.
- Knapp, P. E., Itkis, O. S., & Mata, M. (2000). Neuronal interaction determines the expression of the alpha-2 isoform of Na,K-ATPase in oligodendrocytes. *Brain Research*.

- Developmental Brain Research*, 125(1–2), 89–97. PubMed PMID: 11154765.
- Kraemer, D. M., Strizek, B., Meyer, H. E., Marcus, K., & Drenckhahn, D. (2003). Kidney Na<sup>+</sup>,K<sup>(+)</sup>-ATPase is associated with moesin. *European Journal of Cell Biology*, 82(2), 87–92.
- Lecuona, E., Luquín, S., Avila, J., García-Segura, L. M., & Martín-Vasallo, P. (1996). Expression of the beta 1 and beta 2(AMOG) subunits of the Na,K-ATPase in neural tissues: Cellular and developmental distribution patterns. *Brain Research Bulletin*, 40(3), 167–174.
- Lehre, K. P., & Danbolt, N. C. (1998). The number of glutamate transporter subtype molecules at glutamatergic synapses: Chemical and stereological quantification in young adult rat brain. *Journal of Neuroscience*, 18(21), 8751–8757.
- Li, Z., & Xie, Z. (2009). The Na/K-ATPase/Src complex and cardiotoxic steroid-activated protein kinase cascades [Review]. *Pflugers Archiv*, 457(3), 635–644.
- Lingrel, J. B. (2010). The physiological significance of the cardiotoxic steroid/ouabain-binding site of the Na,K-ATPase [Review]. *Annual Review of Physiology*, 72, 395–412.
- Liu, X., Spicarová, Z., Rydholm, S., Li, J., Brismar, H., Aperia, A. (2008). Ankyrin B modulates the function of Na,K-ATPase/inositol 1,4,5-trisphosphate receptor signaling microdomain. *The Journal of Biological Chemistry*, 283(17), 11461–11468.
- Lutsenko, S., Barnes, N. L., Bartee, M. Y., & Dmitriev, O. Y. (2007). Function and regulation of human copper-transporting ATPases [Review]. *Physiological Reviews*, 87(3), 1011–1046.
- Masaki, H., Wakayama, Y., Hara, H., Jimi, T., Unaki, A., Iijima, S., et al. (2010). Immunocytochemical studies of aquaporin 4, Kir4.1, and alpha1-syntrophin in the astrocyte endfeet of mouse brain capillaries. *Acta Histochemica et Cytochemica*, 43(4),

99–105.

- Morel, N. (2003). Neurotransmitter release: The dark side of the vacuolar H<sup>+</sup>ATPase [Review]. *Biology of the Cell*, 95(7), 453–457.
- Munzer, J. S., Daly, S. E., Jewell-Motz, E. A., Lingrel, J. B., & Blostein, R. (1994). Tissue- and isoform-specific kinetic behavior of the Na,K-ATPase. *The Journal of Biological Chemistry*, 269(24), 16668–16676.
- Nicchia, G. P., Rossi, A., Mola, M. G., Pisani, F., Stigliano, C., Basco, D., et al. (2010). Higher order structure of aquaporin-4. *Neuroscience*, 168(4), 903–914.
- Pascua, J. M., Wang, D., Lecumberri, B., et al., (2004). GLUT1 deficiency and other glucose transporter diseases. *Eur. J. Endocrin*, 150: 627–633.
- Peng, L., Martin-Vasallo, P., & Sweadner, K. J. (1997). Isoforms of Na,K-ATPase alpha and beta subunits in the rat cerebellum and in granule cell cultures. *Journal of Neuroscience*, 17(10), 3488–3502.
- Potaman, V. N., Ussery, D. W., & Sinden, R. R. (1996). Formation of a combined H-DNA/open TATA box structure in the promoter sequence of the human Na,K-ATPase alpha2 gene. *Journal of Biological Chemistry*, 271(23), 13441–13447.
- Rajasekaran, S. A., & Rajasekaran, A. K. (2009). Na,K-ATPase and epithelial tight junctions [Review]. *Frontiers Bioscience*, 14, 2130–2148.
- Rose, E. M., Koo, J. C., Antflick, J. E., Ahmed, S. M., Angers, S., & Hampson, R. (2009). Glutamate transporter coupling to Na,K-ATPase. *Journal of Neuroscience*, 29(25), 8143–8155.
- Sanchez, G., Nguyen, A. N., Timmerberg, B., Tash, J. S., & Blanco, G. (2006). The Na,K-ATPase alpha4 isoform from humans has distinct enzymatic properties and is important

- for sperm motility. *Molecular Human Reproduction*, 12(9), 565–576.
- Siegel, G. J., & Josephson, L. (1972). Ouabain reaction with microsomal (sodium-plus-potassium)-activated adenosine triphosphatase. Characteristics of substrate and ion dependencies. *European Journal of Biochemistry*, 25(2), 323–335.
- Siegel, G. J., Koval, G. J., & Albers, R. W. (1969). Sodium-potassium-activated adenosine triphosphatase. IV. Characterization of the phosphoprotein formed from orthophosphate in the presence of ouabain. *Journal of Biological Chemistry*, 244(12), 3264–3269.
- Siesjö, B. K., von Hanwehr, R., Nergelius, G., Nevander, G., & Ingvar, M. (1985). Extra- and intracellular pH in the brain during seizures and in the recovery period following the arrest of seizure activity. *Journal of Cerebral Blood Flow & Metabolism*, 5(1), 47–57.
- Simpson, I. A., Dwyer, D., Malide, D., Moley, K. H., Travis, A., & Vannucci, S. J. (2008). The facilitative glucose transporter GLUT: 20 years of distinction [Review]. *American Journal of Physiology – Endocrinology and Metabolism*, 295(2), E242–E253.
- Slepkov, E. R., Rainey, J. K., Sykes, B. D., & Fliegel, L. (2007). Structural and functional analysis of the Na<sup>+</sup>/H<sup>+</sup> exchanger [Review]. *Biochemical Journal*, 401(3), 623–633.
- Song, H., Lee, M. Y., Kinsey, S. P., Weber, D. J., & Blaustein, M. P. (2006). An N-terminal sequence targets and tethers Na<sup>+</sup> pump alpha2 subunits to specialized plasma membrane microdomains. *The Journal of Biological Chemistry*, 281(18), 12929–12940.
- Torres, G. E., Gainetdinov, R. R., & Caron, M. G. (2003). Plasma membrane monoamine transporters: Structure, regulation and function [Review]. *Nature Reviews Neuroscience*, 4(1), 13–25.
- Toyoshima, C., Nomura, H., & Sugita, Y. (2003). Structural basis of ion pumping by Ca(2+)-ATPase of sarcoplasmic reticulum. *FEBS Lett.*, 555(1), 106–110.



- Ueno, M. (2009). Mechanisms of the penetration of blood-borne substances into the brain. *Current Neuropharmacology*, 7(2), 142–149.
- Vance, J. E., & Hayashi, H. (2010). Formation and function of apolipoprotein E-containing lipoproteins in the nervous system [Review]. *Biochimica et Biophysica Acta*, 1801(8), 806–818.
- Vemula, S., Roder, K. E., Yang, T., Bhat, G. J., Thekkumkara, T. J., & Abbruscato, T. J. (2009). A functional role for sodium-dependent glucose transport across the blood–brain barrier during oxygen glucose deprivation. *Journal of Pharmacology and Experimental Therapeutics*, 328(2), 487–495.
- Wallén-Mackenzie, A., Wootz, H., & Englund, H. (2010). Genetic inactivation of the vesicular glutamate transporter 2 (VGLUT2) in the mouse: What have we learnt about functional glutamatergic neurotransmission [Review]? *Upsala Journal of Medical Sciences*, 115(1), 11–20.
- Wang, C. I., & Lewis, R. J. (2010). Emerging structure–function relationships defining monoamine NSS transporter substrate and ligand affinity [Review]. *Biochemical Pharmacology*, 79(8), 1083–1091.
- Wang, G., Kawakami, K., & Gick, G. (2007). Regulation of Na,K-ATPase alpha1 subunit gene transcription in response to low K(□): Role of CRE/ATF- and GC box-binding proteins. *Journal of Cellular Physiology*, 213(1), 167–176.
- Wingerchuk, D. M., Lennon, V. A., Lucchinetti, C. F., Pittock, S. J., & Weinshenker, B. G. (2007). The spectrum of neuromyelitis optica [Review]. *Lancet Neurology*, 6(9), 805–815.
- Woodin, M. A., Ganguly, K., & Poo, M. M. (2003). Coincident pre- and postsynaptic activity

- modifies GABAergic synapses by postsynaptic changes in Cl<sup>-</sup> transporter activity. *Neuron*, 39(5), 807–820.
- Yernool, D., Boudker, O., Jin, Y., & Gouaux, E. (2004). Structure of a glutamate transporter homologue from *Pyrococcus horikoshii*. *Nature*, 431(7010), 811–818.
- Yudowski, G. A., Efendiev, R., Pedemonte, C. H., Katz, A. I., Berggren, P. O., & Bertorello, A. M. (2000). Phosphoinositide-3 kinase binds to a proline-rich motif in the Na<sup>+</sup>, K<sup>+</sup>-ATPase alpha subunit and regulates its trafficking. *Proceedings of the National Academy of Sciences of the United States of America*, 97(12), 6556–6561.
- Yukutake, Y., & Yasui, M. (2010). Regulation of water permeability through aquaporin-4. *Neuroscience*, 168(4), 885–891.
- Zeuthen, T. (2010). Water-transporting proteins [Review]. *Journal of Membrane Biology*, 234(2), 57–73.
- Zhang, D., Hou, Q., Wang, M., Lin, A., Jarzylo, L., Navis, A., et al. (2009). Na,K-ATPase activity regulates AMPA receptor turnover through proteasome-mediated proteolysis. *Journal of Neuroscience*, 29(14), 4498–4511.
- Zhang, S., Malmersjö, S., Li, J., Ando, H., Aizman, O., Uhlén, P., et al. (2006). Distinct role of the N-terminal tail of the Na,K-ATPase catalytic subunit as a signal transducer. *The Journal of Biological Chemistry*, 281(31), 21954–21962.