

References

- Baek, R. C., Martin, D. R., Cox, N. R., & Seyfried, T. N. (2009). Comparative analysis of brain lipids in mice, cats, and humans with Sandhoff disease. *Lipids*, *44*, 197–205.
- Barceló-Coblijn, G., & Murphy, E. J. (2009). Alpha-linolenic acid and its conversion to longer chain n-3 fatty acids: Benefits for human health and a role in maintaining n-3 fatty acid levels. *Progress in Lipid Research*, *48*, 355–374.
- Barceló-Coblijn, G., Murphy, C. C., & Murphy, E. J. (2010). Methods for measuring fatty acids using chromatographic techniques. In E. J. Murphy & T. A. Rosenberger (Eds.), *Lipid-mediated Signaling: Methods in Signal Transduction* (pp. 352–371). Boca Raton, FL: CRC Press, Taylor and Francis Group.
- Bazan, N. G. (2003). Synaptic lipid signaling: Significance of polyunsaturated fatty acids and platelet-activating factor. *Journal of Lipid Research*, *44*, 2221–2233.
- Bijlsma, M., Spek, C., & Peppelenbosch, M. (2004). Hedgehog: An unusual signal transducer. *Bioessays*, *26*, 387–394.
- Brown, M. S., & Goldstein, J. L. (1986). A receptor-mediated pathway for cholesterol homeostasis. *Science*, *232*, 34–47.
- Buccliero, R., & Futerman, H. (2003). The roles of ceramide and complex sphingolipids in neuronal cell function. *Pharmaceutical Research*, *47*, 409–419.
- Bullens, R. W., O'Hanlon, G. M., Wagner, E., Molenaar, P. C., Furukawa, K., Furukawa, K., et al., (2002). Complex gangliosides at the neuromuscular junction are membrane receptors for autoantibodies and botulinum neurotoxin but redundant for normal synaptic function. *Journal of Neuroscience*, *22*, 6876–6884.
- Cinti, D. L., Cook, L., Nagi, M. N., & Suneja, K. J. (1992). The fatty acid chain elongation

- system of mammalian endoplasmic reticulum. *Progress in Lipid Research*, 31, 1–51.
- Contreras, F. X., Sánchez-Magraner, L., Alonso, A., & Goñi, F. M. (2010). Transbilayer (flip-flop) lipid motion and lipid scrambling in membranes. *FEBS Letters*, 584(9), 1779–1786.
- Daleke, D. L., & Lyles, J. E. (2000). Identification and purification of aminophospholipid flippases. *Biochimica et Biophysica Acta*, 1486, 108–112.
- De Rosa, M. F., Sillence, D., Ackerley, C., & Lingwood, C. (2003). Role of multiple drug resistance protein 1 in neutral but not acidic glycosphingolipid biosynthesis. *Journal of Biological Chemistry*, 279, 7867–7876.
- Dietschy, M. (2009). Central nervous system: Cholesterol turnover, brain development and neurodegeneration. *Journal of Biological Chemistry*, 390, 287–293. (Review).
- Folch, J., Lees, M., & Sloane-Stanley, G. H. (1957). A simple method for the isolation and purification of total lipides from animal tissues. *Journal of Biological Chemistry*, 226, 497–507.
- Glomset, J. A., Gebb, M. H., & Farnsworth, C. C. (1990). Prenyl proteins in eukaryotic cells: A new type of membrane anchor. *Trends in Biochemical Sciences*, 15, 139–142.
- Gulbins, E. (2003). Regulation of death receptor signaling and apoptosis by ceramide. *Pharmacological Research*, 47, 393–399.
- Hajra, A. K. (1995). Glycerolipid biosynthesis in peroxisomes (microbodies). *Progress in Lipid Research*, 34, 343–364.
- Hajra, A. K., Fisher, S. K., & Agranoff, B. W. (1987). Isolation, separation and analysis of phosphoinositides from biological sources. In A. A. Boulton, G. B. Baker, & L. A. Horrocks (Eds.), *Neuromethods (Neurochemistry). Lipids and Related Compounds* (Vol. 8). Clifton, NJ: Humana Press.

- Han, X., & Gross, R. W. (2003). Global analysis of cellular lipidomes directly from crude biological samples by ESI mass spectrometry: A bridge to lipidomics. *Journal of Lipid Research*, *44*, 1071–1079.
- Haughey, N. J. (2010). Sphingolipids in neurodegeneration. *Neuromolecular Medicine* *12*, 301–305.
- Ishibashi, T., Dupree, J. L., Ikenaka, K., Hirahara, Y., Honke, K., Peles, E., et al., (2002). A myelin galactolipid, sulfatide, is essential for maintenance of channels on myelinated axons but not essential for initial cluster formation. *Journal of Neuroscience*, *22*, 6507–6514.
- Jana, A., Hogan, E. L., & Pahan, K. (2009). Ceramide and neurodegeneration: Susceptibility of neurons and oligodendrocytes to cell damage and death. *Journal of Neurological Sciences*, *278*, 5–15.
- Kang, R., Wan, J., Arstikaitis, P., Takahashi, H., Huang, K., Bailey, A. O., et al. (2008). Neural palmitoyl-proteomics reveals dynamic synaptic palmitoylation. *Nature*, *456*(7224), 904–909.
- Kennedy, E. P. (1986). The biosynthesis of phospholipids. In J. A. F. Op den Kamp, B. Roelofsen & K. W. A. Wirtz (Eds.), *Lipids and Membranes: Past, Present and Future* (pp. 171–206). Amsterdam: Elsevier.
- Lee, C., & Hajra, A. K. (1991). Molecular species of diacylglycerols and phosphoglycerides and the postmortem changes in the molecular species of diacylglycerols in rat brain. *Journal of Neurochemistry*, *56*, 370–379.
- Levental, I., Grzybek, M., & Simons, K. (2010). Greasing their way: Lipid modifications determine protein association with membrane rafts. *Biochemistry*, *49*(30), 6305–6316.

(Review).

Maxfield, F. R., & Wustner, D. (2002). Intracellular cholesterol transport. *Journal of Clinical Investigation*, *110*, 891–898.

Mendelson, W. B., & Basile, A. S. (2001). The hypnotic actions of the fatty acid amide, oleamide. *Neuropsychopharmacology*, *25*(Suppl. 5), S36–S39.

Milner, P. G., Lackman, S. M., & Murphy, E. J. (2010). Methods for measuring fatty acid uptake and targeting in cultured cells and *in vivo*. In E. J. Murphy & T. A. Rosenberger (Eds.), *Lipid-mediated Signaling: Methods in Signal Transduction* (pp. 373–394). Boca Raton, FL: CRC Press, Taylor and Francis Group.

Moser, H. W., Smith, K. D., Watkins, P. A., Powers, J., & Moser, A. B. (2001). X-linked adrenoleukodystrophy. In C. R. Scriver, A. L. Beaudet, W. S. Sly, D. Valle, C. Barton, K. Kinzler & B. Vogelstein (Eds.), *The Metabolic and Molecular Basis of Inherited Disease* (pp. 3257–3301) (8th ed.). New York, NY: McGraw-Hill. □<http://www.ommbid.com/>□

Radin, N. S. (1984). Biosynthesis of the sphingoid bases: A provocation. *Journal of Lipid Research*, *25*, 1536–1560.

Satoh, S., Matsumura, H., Suzuki, F., & Hayaishi, O. (1996). Promotion of sleep mediated by the A₂□-adenosine receptor and possible involvement of this receptor in the sleep induced by prostaglandin D₂ in rats. *Proceedings of the National Academy of Sciences of the United States of America*, *93*, 5980–5984.

Sastry, P. S. (1985). Lipids of nervous tissue: Composition and metabolism. *Progress in Lipid Research*, *24*, 69–176.

Soliven, B., Miron, V., & Chun, J. (2011). The neurobiology of sphingosine 1-phosphate signaling and sphingosine 1-phosphate receptor modulators. *Neurology*, *76*(8 Suppl. 3),

S9–14.

- Sprecher, H. (2000). Metabolism of highly unsaturated n ω 3 and n ω 6 fatty acids. *Biochimica et Biophysica Acta*, 1486, 219–231.
- Sugira, T., & Waku, K. (2002). Cannabinoid receptors and their endogenous ligands. *Journal of Biochemistry*, 132, 7–12.
- Suzuki, K. (1981). Chemistry and metabolism of brain lipids. In G. J. Siegel, R. W. Albers, B. W. Agranoff & R. Katzman (Eds.), *Basic Neurochemistry* (pp. 355–370) (3rd ed.). Boston, MA: Little, Brown & Co.
- Thudichum, J. L. W. (1884). *A Treatise on the Chemical Constitution of the Brain*. London: Bailliere, Tindall, and Cox.
- Voelker, D. R. (2003). New perspectives on the regulation of intermembrane glycerophospholipid traffic. *Journal of Lipid Research*, 44, 441–449.
- Voss, A., Reinhart, M., Sankarappa, S., & Sprecher, H. (1991). The metabolism of 7, 10, 13, 16, 19-docosapentaenoic acid to 4, 7, 10, 13, 16, 19-docosahexaenoic acid in rat liver is independent of 4-desaturase. *Journal of Biological Chemistry*, 266, 1995–2000.
- Wanders, R. J., Jakobs, C., & Skjeldal, O. H. (2001). Refsum disease. In C. R. Scriver, A. L. Beaudet & W. S. Sly (Eds.), *The Metabolic and Molecular Basis of Inherited Disease* (pp. 3303–3321) (8th ed.). New York, NY: McGraw-Hill. □<http://www.ommbid.com/>□
- Wells, M. A., & Dittmer, J. C. (1967). A comprehensive study of the postnatal changes in the concentration of the lipids of developing rat brain. *Biochemistry*, 10, 3169–3175.
- Williamson, P., & Schlegel, R. A. (2002). Transbilayer phospholipid movement and the clearance of apoptotic cells. *Biochimica et Biophysica Acta*, 1585, 53–63.
- Yu, R. K., & Ando, S. (1980). Structures of some new complex gangliosides. In L. Svennerholm,

P. Mandel, H. Dreyfus & P.-F. Urban (Eds.), *Structure and Function of Gangliosides* (pp. 33–45). New York, NY: Plenum Press.

General References

Prescott, M. P. (Ed.), (1997). A thematic series on phospholipases. *Journal of Biological Chemistry 1997 Minireview Compendium*. Bethesda, MD: American Society for Biochemistry and Molecular Biology.

Vance, J. E., & Vance, D. E. (Eds.), (2008). *Biochemistry of lipids, lipoproteins and membranes* (5th Ed). Amsterdam: Elsevier Science.