

References

- Ahmad, F. J., Echeverri, C. J., Vallee, R. B., & Baas, P. W. (1998). Cytoplasmic dynein and dynactin are required for the transport of microtubules into the axon. *Journal of Cell Biology*, *140*(2), 391–401.
- Aizawa, H., Sekine, Y., Takemura, R., Zhang, Z., Nangaku, M., & Hirokawa, N. (1992). Kinesin superfamily in murine central nervous system. *Journal of Cell Biology*, *119*, 1287–1296.
- Akhmanova, A., & Hammer, J. A., 3rd (2010). Linking molecular motors to membrane cargo. *Current Opinion in Cell Biology* *22*(4), 479–486. doi: S0955-0674(10)00060-8 [pii] 10.1016/j.ceb.2010.04.008.
- Amaratunga, A., Morin, P., Kosik, K., & Fine, R. (1993). Inhibition of kinesin synthesis and rapid anterograde axonal transport *in vivo* by antisense oligonucleotide. *Journal of Biological Chemistry*, *268*, 17427–17430.
- Asai, D. J., & Wilkes, D. E. (2004). The dynein heavy chain family. *Journal of Eukaryotic Microbiology*, *51*(1), 23–29.
- Baas, P. W. (2002). Microtubule transport in the axon. *International Review of Cytology*, *212*, 41–62.
- Baas, P. W., & Brown, A. (1997). Slow axonal transport: The polymer transport model. *Trends in Cell Biology*, *7*, 380–384.
- Baas, P. W., & Buster, D. W. (2004). Slow axonal transport and the genesis of neuronal morphology. *Journal of Neurobiology*, *58*(1), 3–17. (10.1002/neu.10281)
- Bassell, G. J., & Warren, S. T. (2008). Fragile X syndrome: Loss of local mRNA regulation alters synaptic development and function. *Neuron*, *60*(2), 201–214.
- Berth, S. H., Leopold, P. L., & Morfini, G. N. (2009). Virus-induced neuronal dysfunction and

- degeneration. *Frontiers in Bioscience*, 14, 5239–5259.
- Bradke, F., & Dotti, C. G. (2000). Establishment of neuronal polarity: Lessons from cultured hippocampal neurons. *Current Opinion in Neurobiology*, 10(5), 574–581.
- Brady, S., & Morfini, G. (2010). A perspective on neuronal cell death signaling and neurodegeneration. *Molecular Neurobiology*, 42(1), 25–31.
- Brady, S. (1985). Axonal transport methods and applications. In A. Boulton & G. Baker (Eds.), *Neuromethods, General Neurochemical Techniques* (Vol. 1, pp. 419–476). Clifton, NJ: Humana Press.
- Brady, S. T. (1985). A novel brain ATPase with properties expected for the fast axonal transport motor. *Nature*, 317, 73–75.
- Brady, S. T. (1991). Molecular motors in the nervous system. *Neuron*, 7, 521–533.
- Brady, S. T. (1993). Axonal dynamics and regeneration. In A. Gorio (Ed.), *Neuroregeneration* (pp. 7–36). New York, NY: Raven.
- Brady, S. T. (2000). Neurofilaments run sprints not marathons. *Nature Cell Biology*, 2(3), E43–E45.
- Brady, S. T., Lasek, R. J., & Allen, R. D. (1982). Fast axonal transport in extruded axoplasm from squid giant axon. *Science*, 218, 1129–1131.
- Brady, S. T., Lasek, R. J., & Allen, R. D. (1983). Fast axonal transport in extruded axoplasm from squid giant axon. *Cell Mot.*, 3 (Video Supplement).
- Brady, S. T., Lasek, R. J., & Allen, R. D. (1985). Video microscopy of fast axonal transport in isolated axoplasm: A new model for study of molecular mechanisms. *Cell Motility*, 5, 81–101.
- Brady, S. T., & Sperry, A. O. (1995). Biochemical and functional diversity of microtubule

- motors in the nervous system. [Review]. *Current Opinion in Neurobiology*, 5, 551–558.
- Bridgman, P. C. (2009). Myosin motor proteins in the cell biology of axons and other neuronal compartments. *Results & Problems in Cell Differentiation*, 48, 91–105.
- Brill, L. B., 2nd, & Pfister, K. K. (2000). Biochemical and molecular analysis of the mammalian cytoplasmic dynein intermediate chain. *Methods*, 22(4), 307–316.
- Brown, A. (2003). Live-cell imaging of slow axonal transport in cultured neurons. *Methods in Cell Biology*, 71, 305–323.
- Brown, J. R., Stafford, P., & Langford, G. M. (2004). Short-range axonal/dendritic transport by myosin-V: A model for vesicle delivery to the synapse. *Journal of Neurobiology*, 58(2), 175–188.
- Brown, M. E., & Bridgman, P. C. (2004). Myosin function in nervous and sensory systems. *Journal of Neurobiology*, 58(1), 118–130.
- Court, F. A., Hendriks, W. T., Macgillavry, H. D., Alvarez, J., & van Minnen, J. (2008). Schwann cell to axon transfer of ribosomes: toward a novel understanding of the role of glia in the nervous system. *Journal of Neuroscience*, 28(43), 11024–11029.
- Cyr, J. L., Pfister, K. K., Bloom, G. S., Slaughter, C. A., & Brady, S. T. (1991). Molecular genetics of kinesin light chains: Generation of isoforms by alternative splicing. *Proceedings of the National Academy of Science of the United States of America*, 88, 10114–10118.
- de Waegh, S. M., Lee, V. M.-Y., & Brady, S. T. (1992). Local modulation of neurofilament phosphorylation, axonal caliber, and slow axonal transport by myelinating schwann cells. *Cell*, 68, 451–463.
- Deboer, S. R., You, Y., Szodorai, A., Kaminska, A., Pigino, G., Nwabuisi, E., et al. (2008).

- Conventional kinesin holoenzymes are composed of heavy and light chain homodimers. *Biochemistry*, *47*, 4535–4543.
- Dillman, J. F., Dabney, L. P., Karki, S., Paschal, B. M., Holzbaur, E. L., & Pfister, K. K. (1996). Functional analysis of dynactin and cytoplasmic dynein in slow axonal transport. *Journal of Neuroscience*, *16*, 6742–6752.
- Droz, B., & Leblond, C. P. (1962). Migration of proteins along the axons of the sciatic nerve. *Science*, *137*, 1047–1048.
- Dupuis, L., Fergani, A., Braunstein, K. E., Eschbach, J., Holl, N., Rene, F., et al. (2009). Mice with a mutation in the dynein heavy chain 1 gene display sensory neuropathy but lack motor neuron disease. *Experimental Neurology*, *215*(1), 146–152.
- Elluru, R., Bloom, G. S., & Brady, S. T. (1995). Fast axonal transport of kinesin in the rat visual system: functionality of the kinesin heavy chain isoforms. *Molecular Biology of the Cell*, *6*, 21–40.
- Farrer, M. J., Hulihan, M. M., Kachergus, J. M., Dachsel, J. C., Stoessl, A. J., Grantier, L. L., et al. (2009). DCTN1 mutations in Perry syndrome. *Nature Genetics*, *41*(2), 163–165.
- Francis, F., Roy, S., Brady, S. T., & Black, M. M. (2005). Transport of neurofilaments in growing axons requires microtubules but not actin filaments. *Journal of Neuroscience Research*, *79*(4), 442–450.
- Garner, J. A., & Lasek, R. J. (1981). Clathrin is axonally transported as part of slow component b: The microfilament complex. *Journal of Cell Biology*, *88*, 172–178.
- Glanzer, J. G., & Eberwine, J. H. (2003). Mechanisms of translational control in dendrites. *Neurobiology of Aging*, *24*(8), 1105–1111.

- Grafstein, B., & Forman, D. S. (1980). Intracellular transport in neurons. *Physiological Reviews*, *60*, 1167–1283.
- Greengard, P., Benfenati, F., & Valtorta, F. (1994). Synapsin I, an actin-binding protein regulating synaptic vesicle traffic in the nerve terminal. *Advances in Second Messenger and Phosphoprotein Research*, *29*, 31–45.
- Griffin, J. W., George, E. B., Hsieh, S., & Glass, J. D. (1995). Axonal degeneration and disorders of the axonal cytoskeleton. In S. G. Waxman, J. D. Kocsis & P. K. Stys (Eds.), *The axon: Structure, function and pathophysiology* (pp. 375–390). New York: Oxford University Press.
- Hammerschlag, R., Stone, G. C., Bolen, F. A., Lindsey, J. D., & Ellisman, M. H. (1982). Evidence that all newly synthesized proteins destined for fast axonal transport pass through the Golgi apparatus. *Journal of Cell Biology*, *93*, 568–575.
- Hirokawa, N. (1998). Kinesin and dynein superfamily proteins and the mechanism of organelle transport. *Science*, *279*, 519–526.
- Hirokawa, N., Noda, Y., Tanaka, Y., & Niwa, S. (2009). Kinesin superfamily motor proteins and intracellular transport. *Nature Reviews Molecular and Cell Biology*, *10*(10), 682–696.
- Hirokawa, N., Pfister, K. K., Yorifuji, H., Wagner, M. C., Brady, S. T., & Bloom, G. S. (1989). Submolecular domains of bovine brain kinesin identified by electron microscopy and monoclonal antibody decoration. *Cell*, *56*, 867–878.
- Horton, A. C., & Ehlers, M. D. (2004). Secretory trafficking in neuronal dendrites. *Nature of Cell Biology*, *6*(7), 585–591.
- Kalhammer, G., & Bahler, M. (2000). Unconventional myosins. *Essays in Biochemistry*, *35*, 33–

- Kalwy, S. A., & Smith, R. (1994). Mechanisms of myelin basic protein and proteolipid protein targeting in oligodendrocytes (review). *Molecular Membrane Biology*, *11*, 67–78.
- Kristensson, K. (1987). Retrograde transport of macromolecules in axons. *Annual Review of Pharmacology and Toxicology*, *18*, 97–110.
- Laird, F. M., Farah, M. H., Ackerley, S., Hoke, A., Maragakis, N., Rothstein, J. D., et al. (2008). Motor neuron disease occurring in a mutant dynactin mouse model is characterized by defects in vesicular trafficking. *Journal of Neuroscience*, *28*(9), 1997–2005.
- Lapointe, N. E., Morfini, G., Pigino, G., Gaisina, I. N., Kozikowski, A. P., Binder, L. I., et al. (2009). The amino terminus of tau inhibits kinesin-dependent axonal transport: Implications for filament toxicity. *Journal of Neuroscience Research*, *87*(2), 440–451.
- Lasek, R. J., & Brady, S. T. (1982). The Structural Hypothesis of axonal transport: Two classes of moving elements. In D. G. Weiss (Ed.), *Axoplasmic Transport* (pp. 397–405). Berlin: Springer-Verlag.
- Lasek, R. J., & Brady, S. T. (1984). Adenylyl imidodiphosphate (AMPPNP), a nonhydrolyzable analogue of ATP, produces a stable intermediate in the motility cycle of fast axonal transport. *Biological Bulletin*, *167*, 503
- Lawrence, C. J., Dawe, R. K., Christie, K. R., Cleveland, D. W., Dawson, S. C., Endow, S. A., et al. (2004). A standardized kinesin nomenclature. *Journal of Cell Biology*, *167*(1), 19–22.
- Lazarov, O., Morfini, G. A., Lee, E. B., Farah, M. H., Szodorai, A., DeBoer, S. R., et al. (2005). Axonal transport, amyloid precursor protein, kinesin-1, and the processing apparatus: revisited. *Journal of Neuroscience*, *25*, 2386–2395.
- Leopold, P. L., McDowall, A. W., Pfister, K. K., Bloom, G. S., & Brady, S. T. (1992).

- Association of kinesin with characterized membrane-bounded organelles. *Cell Motility and the Cytoskeleton*, 23, 19–33.
- Libby, R. T., & Steel, K. P. (2000). The roles of unconventional myosins in hearing and deafness. *Essays in Biochemistry*, 35, 159–174.
- Lin, A. C., & Holt, C. E. (2008). Function and regulation of local axonal translation. *Current Opinion in Neurobiology*, 18(1), 60–68.
- Martin, K. C., & Zukin, R. S. (2006). RNA trafficking and local protein synthesis in dendrites: an overview. *Journal of Neuroscience*, 26(27), 7131–7134.
- Maxfield, F. R., & McGraw, T. E. (2004). Endocytic recycling. *Nature Reviews Molecular and Cell Biology*, 5(2), 121–132.
- McGuinness, T. L., Brady, S. T., Gruner, J., Sugimori, M., Llinas, R., & Greengard, P. (1989). Phosphorylation-dependent inhibition by synapsin I of organelle movement in squid axoplasm. *Journal of Neuroscience*, 9, 4138–4149.
- Miki, H., Setou, M., & Hirokawa, N. (2003). Kinesin superfamily proteins (KIFs) in the mouse transcriptome. *Genome Research*, 13(6B), 1455–1465.
- Morfini, G., Pigino, G., Opalach, K., Serulle, Y., Moreira, J. E., Sugimori, M., et al. (2007). 1-Methyl-4-phenylpyridinium affects fast axonal transport by activation of caspase and protein kinase C. *Proceedings of the National Academy of Science of the United States of America*, 104(7), 2442–2447.
- Morfini, G., Szebenyi, G., Brown, H., Pant, H. C., Pigino, G., DeBoer, S., et al. (2004). A novel CDK5-dependent pathway for regulating GSK3 activity and kinesin-driven motility in neurons. *EMBO Journal*, 23, 2235–2245.
- Morfini, G., Szebenyi, G., Elluru, R., Ratner, N., & Brady, S. T. (2002). Glycogen synthase

- kinase 3 phosphorylates kinesin light chains and negatively regulates kinesin-based motility. *EMBO Journal*, *23*, 281–293.
- Morfini, G., Szebenyi, G., Richards, B., & Brady, S. T. (2001). Regulation of kinesin: implications for neuronal development. *Developmental Neuroscience*, *23*, 364–376.
- Morfini, G. A., Burns, M., Binder, L. I., Kanaan, N. M., LaPointe, N., Bosco, D. A., et al. (2009). Axonal transport defects in neurodegenerative diseases. *Journal of Neuroscience*, *29*(41), 12776–12786.
- Morfini, G. A., You, Y. M., Pollema, S. L., Kaminska, A., Liu, K., Yoshioka, K., et al. (2009). Pathogenic huntingtin inhibits fast axonal transport by activating JNK3 and phosphorylating kinesin. *Nature Neuroscience*, *12*(7), 864–871.
- Oblinger, M. M., Brady, S. T., McQuarrie, I. G., & Lasek, R. (1987). Cytotypic differences in the protein composition of the axonally transported cytoskeleton in mammalian neurons. *Journal of Neuroscience*, *7*, 453–462.
- Paschal, B. M., Shpetner, H. S., & Vallee, R. B. (1987). MAP1C is a microtubule-activated ATPase which translocates microtubules *in vitro* and has dynein-like properties. *Journal of Cell Biology*, *105*, 1273–1282.
- Pfister, K. K., Wagner, M. C., Stenoien, D., Bloom, G. S., & Brady, S. T. (1989). Monoclonal antibodies to kinesin heavy and light chains stain vesicle-like structures, but not microtubules, in cultured cells. *Journal of Cell Biology*, *108*, 1453–1463.
- Pigino, G., Morfini, G., Atagi, Y., Deshpande, A., Yu, C., Jungbauer, L., et al. (2009). Disruption of fast axonal transport is a pathogenic mechanism for intraneuronal amyloid beta. *Proceedings of the National Academy of Science of the United States of America*, *106*(14), 5907–5912.

- Roots, B. (1983). Neurofilament accumulation induced in synapses by leupeptin. *Science*, *221*, 971–972.
- Roy, S., Winton, M. J., Black, M. M., Trojanowski, J. Q., & Lee, V. M. (2007). Rapid and intermittent cotransport of slow component-b proteins. *Journal of Neuroscience*, *27*(12), 3131–3138.
- Roy, S., Winton, M. J., Black, M. M., Trojanowski, J. Q., & Lee, V. M. (2008). Cytoskeletal requirements in axonal transport of slow component-b. *Journal of Neuroscience*, *28*(20), 5248–5256.
- Roy, S., Zhang, B., Lee, V. M., & Trojanowski, J. Q. (2005). Axonal transport defects: a common theme in neurodegenerative diseases. *Acta Neuropathologica (Berl)*, *109*(1), 5–13.
- Sahenk, Z., & Lasek, R. J. (1988). Inhibition of proteolysis blocks anterograde-retrograde conversion of axonally transported vesicles. *Brain Research*, *460*, 199–203.
- Sampo, B., Kaech, S., Kunz, S., & Banker, G. (2003). Two distinct mechanisms target membrane proteins to the axonal surface. *Neuron*, *37*(4), 611–624.
- Scholey, J. M. (2003). Intraflagellar transport. *Annual Review of Cell and Developmental Biology*, *19*, 423–443.
- Schroer, T. A. (2004). Dynactin. *Annual Review of Cell and Developmental Biology*, *20*, 759–779.
- Schroer, T. A., Brady, S. T., & Kelly, R. (1985). Fast axonal transport of foreign vesicles in squid axoplasm. *Journal of Cell Biology*, *101*, 568–572.
- Smith, R. S. (1980). The short term accumulation of axonally transported organelles in the region of localized lesions of single myelinated axons. *Journal Neurocytology*, *9*, 39–65.

- Smith, R. S., & Snyder, R. E. (1991). Reversal of rapid axonal transport at a lesion: leupeptin inhibits reversed protein transport, but does not inhibit reversed organelle transport. *Brain Research*, 552(2), 215–227.
- tenoien, D. S., & Brady, S. T. (1997). Immunochemical analysis of kinesin light chain function. *Molecular Biology of the Cell*, 8, 675–689.
- Steward, O. (1995). Targeting of mRNAs to subsynaptic microdomains in dendrites. [Review]. *Current Opinion in Neurobiology*, 5, 55–61.
- Steward, O., & Schuman, E. M. (2003). Compartmentalized synthesis and degradation of proteins in neurons. *Neuron*, 40(2), 347–359.
- Susalka, S. J., & Pfister, K. K. (2000). Cytoplasmic dynein subunit heterogeneity: implications for axonal transport. *Journal of Neurocytology*, 29(11–12), 819–829.
- Szodorai, A., Kuan, Y. H., Hunzelmann, S., Engel, U., Sakane, A., Sasaki, T., et al. (2009). APP anterograde transport requires Rab3A GTPase activity for assembly of the transport vesicle. *Journal of Neuroscience*, 29(46), 14534–14544.
- Tsai, M.-Y., Morfini, G., Szebenyi, G., & Brady, S. T. (2000). Release of kinesin from vesicles by hsc70 and regulation of fast axonal transport. *Molecular Biology of the Cell*, 11, 2161–2173.
- Tsukita, S., & Ishikawa, H. (1980). The movement of membranous organelles in axons. Electron microscopic identification of anterogradely and retrogradely transported organelles. *Journal of Cell Biology*, 84, 513–530.
- Tytell, M., Black, M. M., Garner, J. A., & Lasek, R. J. (1981). Axonal transport: Each of the major rate components consist of distinct macromolecular complexes. *Science*, 214, 179–181.

- Vale, R. D., Reese, T. S., & Sheetz, M. P. (1985). Identification of a novel force-generating protein, kinesin, involved in microtubule-based motility. *Cell*, *42*, 39–50.
- van Vliet, C., Thomas, E. C., Merino-Trigo, A., Teasdale, R. D., & Gleeson, P. A. (2003). Intracellular sorting and transport of proteins. *Progress in Biophysics and Molecular Biology*, *83*(1), 1–45.
- Wagey, R. T., & Krieger, C. (1998). Abnormalities of protein kinases in neurodegenerative diseases. *Progress in Drug Research*, *51*, 133–183
- Weiss, P., & Hiscoe, H. (1948). Experiments in the mechanism of nerve growth. *Journal of Experimental Zoology*, *107*, 315–395