

References

- Arregui, C., Pathre, P., Lilien, J., & Balsamo, J. (2000). The nonreceptor tyrosine kinase Fer mediates crosstalk between N-cadherin and beta1-integrins. *Journal of Cell Biology*, *149*(6), 1263–1274.
- Baron, W., Colognato, H., & French-constant, C. (2005). Integrin-growth factor interactions as regulators of oligodendroglial development and function. *Glia*, *49*(4), 467–479.
- Barros, C. S., Nguyen, T., Spencer, K. S., Nishiyama, A., Colognato, H., & Muller, U. (2009). Beta1 integrins are required for normal CNS myelination and promote AKT-dependent myelin outgrowth. *Development*, *136*(16), 2717–2724.
- Berti, C., Nodari, A., Wrabetz, L., & Feltri, M. L. (2006). Role of integrins in peripheral nerves and hereditary neuropathies. *Neuromolecular Medicine*, *8*(1–2), 191–204.
- Blaschuk, O. W., & Devemy, E. (2009). Cadherins as novel targets for anti-cancer therapy. *European Journal of Pharmacology*, *625*(1–3), 195–198.
- Boggon, T. J., Murray, J., Chappuis-Flament, S., Wong, E., Gumbiner, B. M., & Shapiro, L. (2002). C-cadherin ectodomain structure and implications for cell adhesion mechanisms. *Science*, *296*(5571), 1308–1313.
- Bork, P., Holm, L., & Sander, C. (1994). The immunoglobulin fold. Structural classification, sequence patterns and common core. *Journal of Molecular Biology*, *242*(4), 309–320.
- Bradley, J. E., Ramirez, G., & Hagood, J. S. (2009). Roles and regulation of Thy-1, a context-dependent modulator of cell phenotype. *Biofactors*, *35*(3), 258–265.
- Camara, J., Wang, Z., Nunes-Fonseca, C., Friedman, H. C., Grove, M., Sherman, D. L., et al. (2009). Integrin-mediated axoglial interactions initiate myelination in the central nervous system. *Journal of Cell Biology*, *185*(4), 699–712.

- Chen, X., & Gumbiner, B. M. (2006). Crosstalk between different adhesion molecules. *Current Opinion in Cell Biology*, 18(5), 572–578.
- Clegg, D. O., Wingerd, K. L., Hikita, S. T., & Tolhurst, E. C. (2003). Integrins in the development, function and dysfunction of the nervous system. *Frontiers in Bioscience*, 8, d723–750.
- Colognato, H., French-Constant, C., & Feltri, M. L. (2005). Human diseases reveal novel roles for neural laminins. *Trends in Neuroscience*, 28(9), 480–486.
- Craig, A. M., & Kang, Y. (2007). Neurexin–neuroligin signaling in synapse development. *Current Opinion in Neurobiology*, 17(1), 43–52.
- Crocker, P. R., Paulson, J. C., & Varki, A. (2007). Siglecs and their roles in the immune system. *Nature Reviews Immunology*, 7(4), 255–266.
- Delon, I., & Brown, N. H. (2007). Integrins and the actin cytoskeleton. *Current Opinion in Cell Biology*, 19(1), 43–50.
- Ditlevsen, D. K., & Kolkova, K. (2010). Signaling pathways involved in NCAM-induced neurite outgrowth. *Advances in Experimental Medicine and Biology*, 663, 151–168.
- Edelman, G. M. (1987). CAMs and Igs: Cell adhesion and the evolutionary origins of immunity. *Immunological Reviews*, 100, 11–45.
- Fogel, A. I., Akins, M. R., Krupp, A. J., Stagi, M., Stein, V., & Biederer, T. (2007). SynCAMs organize synapses through heterophilic adhesion. *Journal of Neuroscience*, 27(46), 12516–12530.
- Geiger, B., & Ayalon, O. (1992). Cadherins. *Annual Review of Cell Biology*, 8, 307–332.
- Gumbiner, B. M. (2005). Regulation of cadherin-mediated adhesion in morphogenesis. *Nature Reviews Molecular Cell Biology*, 6(8), 622–634.

- Hildebrandt, H., Muhlenhoff, M., & Gerardy-Schahn, R. (2010). Polysialylation of NCAM. *Advances in Experimental Medicine and Biology*, 663, 95–109.
- Hortsch, M., & Umemori, H. (Eds.). (2009). *The sticky synapse*. New York, NY: Springer.
- Hulpiau, P., & van Roy, F. (2009). Molecular evolution of the cadherin superfamily. *International Journal of Biochemistry and Cell Biology*, 41(2), 349–369.
- Hynes, R. O. (2002). Integrins: Bidirectional, allosteric signaling machines. *Cell*, 110(6), 673–687.
- Jeanes, A., Gottardi, C. J., & Yap, A. S. (2008). Cadherins and cancer: How does cadherin dysfunction promote tumor progression? *Oncogene*, 27(55), 6920–6929.
- Kiryushko, D., Berezin, V., & Bock, E. (2004). Regulators of neurite outgrowth: Role of cell adhesion molecules. *Annals of the New York Academy of Science*, 1014, 140–154.
- Maness, P. F., & Schachner, M. (2007). Neural recognition molecules of the immunoglobulin superfamily: Signaling transducers of axon guidance and neuronal migration. *Nature Neuroscience*, 10(1), 19–26.
- Marsden, M., & DeSimone, D. W. (2003). Integrin–ECM interactions regulate cadherin–dependent cell adhesion and are required for convergent extension in *Xenopus*. *Current Biology*, 13(14), 1182–1191.
- Milner, R., & Campbell, I. L. (2002). The integrin family of cell adhesion molecules has multiple functions within the CNS. *Journal of Neuroscience Research*, 69(3), 286–291.
- Morishita, H., & Yagi, T. (2007). Protocadherin family: Diversity, structure, and function. *Current Opinion in Cell Biology*, 19(5), 584–592.
- Murphy, K. M., Travers, P., & Walport, M. (Eds.), (2007). *Janeway's immunobiology* (7th ed.). New York, NY: Garland Science.

- Nodari, A., Previtali, S. C., Dati, G., Occhi, S., Court, F. A., Colombelli, C., et al. (2008). Alpha6beta4 integrin and dystroglycan cooperate to stabilize the myelin sheath. *Journal of Neuroscience*, 28(26), 6714–6719.
- Nollet, F., Kools, P., & van Roy, F. (2000). Phylogenetic analysis of the cadherin superfamily allows identification of six major subfamilies besides several solitary members. *Journal of Molecular Biology*, 299(3), 551–572.
- Pasterkamp, R. J., & Giger, R. J. (2009). Semaphorin function in neural plasticity and disease. *Current Opinion in Neurobiology*, 19(3), 263–274.
- Pokutta, S., & Weis, W. I. (2007). Structure and mechanism of cadherins and catenins in cell–cell contacts. *Annual Review of Cell and Developmental Biology*, 23, 237–261.
- Redies, C. (2000). Cadherins in the central nervous system. *Progress in Neurobiology*, 61(6), 611–648.
- Ruoslahti, E. (1996). RGD and other recognition sequences for integrins. *Annual Review of Cell and Developmental Biology*, 12, 697–715.
- Sakisaka, T., & Takai, Y. (2005). Cell adhesion molecules in the CNS. *Journal of Cell Science*, 118(Pt 23), 5407–5410.
- Scheiffele, P., Fan, J., Choih, J., Fetter, R., & Serafini, T. (2000). Neuroligin expressed in nonneuronal cells triggers presynaptic development in contacting axons. *Cell*, 101(6), 657–669.
- Shapiro, L., Love, J., & Colman, D. R. (2007). Adhesion molecules in the nervous system: Structural insights into function and diversity. *Annual Review of Neuroscience*, 30, 451–474.
- Shattil, S. J., Kim, C., & Ginsberg, M. H. (2010). The final steps of integrin activation: The end

- game. *Nature Reviews Molecular Cell Biology*, 11(4), 288–300.
- Smith, D. K., & Xue, H. (1997). Sequence profiles of immunoglobulin and immunoglobulin-like domains. *Journal of Molecular Biology*, 274(4), 530–545.
- Sudhof, T. C. (2008). Neuroligins and neuexins link synaptic function to cognitive disease. *Nature*, 455(7215), 903–911.
- Suzuki, S. C., & Takeichi, M. (2008). Cadherins in neuronal morphogenesis and function. *Development, Growth and Differentiation*, 50(Suppl. 1), S119–130.
- Takeichi, M. (1991). Cadherin cell adhesion receptors as a morphogenetic regulator. *Science*, 251(5000), 1451–1455.
- Takeichi, M. (2007). The cadherin superfamily in neuronal connections and interactions. *Nature Reviews Neuroscience*, 8(1), 11–20.
- Tessier-Lavigne, M., & Goodman, C. S. (1996). The molecular biology of axon guidance. *Science*, 274(5290), 1123–1133.
- Thomas, L. A., Akins, M. R., & Biederer, T. (2008). Expression and adhesion profiles of SynCAM molecules indicate distinct neuronal functions. *Journal of Comparative Neurology*, 510(1), 47–67.
- Van der Zee, C. E., Kreft, M., Beckers, G., Kuipers, A., & Sonnenberg, A. (2008). Conditional deletion of the Itgb4 integrin gene in Schwann cells leads to delayed peripheral nerve regeneration. *Journal of Neuroscience*, 28(44), 11292–11303.
- Williams, A. F., & Barclay, A. N. (1988). The immunoglobulin superfamily domains for cell surface recognition. *Annual Review of Immunology*, 6, 381–405.
- Yagi, T. (2008). Clustered protocadherin family. *Development, Growth and Differentiation*, 50(Suppl. 1), S131–140.

- Yamagata, M., & Sanes, J. R. (2008). Dscam and sidekick proteins direct lamina-specific synaptic connections in vertebrate retina. *Nature*, *451*(7177), 465–469.
- Yamaguchi, Y. (2000). Lecticans: Organizers of the brain extracellular matrix. *Cellular and Molecular Life Sciences*, *57*(2), 276–289.
- Ypsilanti, A. R., Zagar, Y., & Chédotal, A. (2010). Moving away from the midline: New developments for Slit and Robo. *Development*, *137*(12), 1939–1952.
- Zaidel-Bar, R., & Geiger, B. (2010). The switchable integrin adhesome. *Journal of Cell Science*, *123*(Pt 9), 1385–1388.
- Zelensky, A. N., & Gready, J. E. (2005). The C-type lectin-like domain superfamily. *FEBS Journal*, *272*(24), 6179–6217.
- Zhao, C., Fancy, S. P., Franklin, R. J., & ffrench-Constant, C. (2009). Up-regulation of oligodendrocyte precursor cell alphaV integrin and its extracellular ligands during central nervous system remyelination. *Journal of Neuroscience Research*, *87*(15), 3447–3455.**