

References

- Barnes, N. M., Hales, T. G., Lummis, S. C., & Peters, J. A. (2009). The 5-HT₃ receptor—the relationship between structure and function. *Neuropharmacology*, *56*, 273–284.
- Beck, S. G., Pan, Y. Z., Akanwa, A. C., & Kirby, L. G. (2004). Median and dorsal raphe neurons are not electrophysiologically identical. *Journal of Neurophysiology*, *91*, 994–1005.
- Boadle-Biber, M. C. (1993). Regulation of serotonin synthesis. *Progress in Biophysics and Molecular Biology*, *60*, 1–15.
- Bockaert, J., Claeysen, S., Compan, V., & Dumius, A. (2008). 5-HT₄ receptors: History, molecular pharmacology and brain functions. *Neuropharmacology*, *55*, 922–931.
- Bonaventure, P., Nepomuceno, D., Kwok, A., Chai, W., Langlois, X., Hen, R., et al. (2002). Reconsideration of 5-hydroxytryptamine (5-HT)₇ receptor distribution using [³H]5-carboxamidotryptamine and [³H]8-hydroxy-2-(di-n-propylamino)tetraline: Analysis in brain of 5-HT_{1A} knock-out and 5-HT_{1A/1B} double knock-out mice. *Journal of Pharmacology and Experimental Therapeutics*, *302*, 240–248.
- Bruinvels, A. T., Palacios, J. M., & Hoyer, D. (1993). Autoradiographic characterisation and localisation of 5-HT_{1D} compared to 5-HT_{1B} binding sites in rat brain. *Naunyn-Schmiedeberg's Archives of Pharmacology*, *347*, 569–582.
- Burns, C. M., Chu, H., Rueter, S. M., Hutchinson, L. K., Conton, H., Sanders-Bush, E., et al. (1997). Regulation of serotonin-2C receptor G-protein coupling by RNA editing. *Nature*, *387*, 303–308.
- Cases, O., Seif, I., Grimsby, J., Gaspar, P., Chen, K., Pournin, S., et al. (1995). Aggressive behavior and altered amounts of brain serotonin and norepinephrine in mice lacking MAOA. *Science*, *268*, 1763–1766.

- Cortes, R., Mengod, G., Celada, P., & Artigas, F. (1993). p-Chlorophenylalanine increases tryptophan-5-hydroxylase mRNA levels in the rat dorsal raphe: A time course study using in situ hybridization. *Journal of Neurochemistry*, *60*, 761–764.
- Cox, D. A., & Cohen, M. L. (1996). 5-HT_{2B} receptor signaling in the rat stomach fundus: Dependence on calcium influx, calcium release and protein kinase C. *Behavioural Brain Research*, *73*, 289–292.
- Daws, L. C. (2009). Unfaithful neurotransmitter transporters: Focus on serotonin uptake and implications for antidepressant efficacy. *Pharmacology & Therapeutics*, *121*, 89–99.
- Daws, L. C., Gould, G. G., Teicher, S. D., Gerhardt, G. A., & Frazer, A. (2000). 5-HT_{1B} receptor-mediated regulation of serotonin clearance in rat hippocampus in vivo. *Journal of Neurochemistry*, *75*, 2113–2122.
- Dubocovich, M. L., Rivera-Bermudez, M. A., Gerdin, M. J., & Masana, M. I. (2003). Molecular pharmacology, regulation and function of mammalian melatonin receptors. *Frontiers of Biology*, *8*, d1093–1108.
- Eaton, M. J., Gudehithlu, K. P., Quach, T., Sivia, C. P., Hadjiconstantinou, M., & Neff, N. H. (1993). Distribution of aromatic L-amino acid decarboxylase mRNA in mouse brain by in situ hybridization histology. *Journal of Comparative Neurology*, *337*, 640–654.
- Fitzgerald, L. W., Iyer, G., Conklin, D. S., Krause, C. M., Marshall, A., Patterson, J. P., et al. (1999). Messenger RNA editing of the human serotonin 5-HT_{2C} receptor. *Neuropsychopharmacology*, *21*, 82S–90S.
- Frassetto, A., Zhang, J., Lao, J. Z., White, A., Metzger, J. M., Fong, T. M., et al. (2008). Reduced sensitivity to diet-induced obesity in mice carrying a mutant 5-HT₆ receptor. *Brain Research*, *1236*, 140–144.

- Hannon, J., & Hoyer, D. (2008). Molecular biology of 5-HT receptors. *Behavioural Brain Research, 195*, 198–213.
- Hartig, P. R., Hoyer, D., Humphrey, P. P. A., & Martin, G. (1996). Alignment of receptor nomenclature with the human genome: Classification of 5-HT_{1B} and 5-HT_{1D} receptor subtypes. *Trends in Pharmacological Sciences, 17*, 103–105.
- Hensler, J. G. (2006). Serotonergic modulation of the limbic system. *Neuroscience and Biobehavioral Reviews, 30*, 203–214.
- Hoyer, D., Clarke, D. E., Fozard, J. R., Hartig, P. R., Martin, G. R., Mylecharane, E. J., et al. (1994). VII. International Union of Pharmacology classification of receptors for 5-hydroxytryptamine (serotonin). *Pharmacological Reviews, 46*, 157–203.
- Jacobs, B. L., & Fornal, C. A. (1993). 5-HT and motor control: A hypothesis. *Trends in Neurosciences, 16*, 346–352.
- Meyer-Bernstein, E. L., & Morin, L. P. (1996). Differential serotonergic innervation of the suprachiasmatic nucleus and the intergeniculate leaflet and its role in circadian rhythm modulation. *Journal of Neuroscience, 16*, 2097–2111.
- Miller, K. J. (2005). Serotonin 5-HT_{2c} receptor agonists: Potential for the treatment of obesity. *Molecular Interventions, 5*, 282–291.
- Molliver, M. E. (1987). Serotonergic neuronal systems: What their anatomic organization tells us about function. *Journal of Clinical Psychopharmacology, 7*(Suppl. 6), 3S–23S.
- Murphy, D. L., & Lesch, K. P. (2008). Targeting the murine serotonin transporter: Insights into human neurobiology. *Nature Reviews Neuroscience, 9*, 85–96.
- Parker, R. M. C., Bentley, K. R., & Barnes, N. M. (1996). Allosteric modulation of 5-HT₃ receptors: Focus on alcohols and anaesthetic agents. *Trends in Pharmacological*

- Sciences*, 17, 95–99.
- Peroutka, S., & Snyder, S. H. (1979). Multiple serotonin receptors. Differential binding of [³H]-5-hydroxytryptamine, [³H] lysergic acid diethylamide and [³H]-spiroperidol. *Molecular Pharmacology*, 16, 687–699.
- Rapport, M. M., Green, A. A., & Page, I. H. (1948). Serum vasoconstrictor (serotonin). IV. Isolation and characterization. *Journal of Biological Chemistry*, 176, 1243–1251.
- Reiter, R. J., Tan, D. X., & Fuentes-Broto, L. (2010). Melatonin: A multitasking molecule. *Progress in Brain Research*, 181, 127–151.
- Riad, M., Garcia, S., Watkins, K. C., Jodoin, N., Coucet, E., Langlois, X., et al. (2000). Somatodendritic localization of 5-HT_{1A} and preterminal axonal localization of 5-HT_{1B} serotonin receptors in adult rat brain. *The Journal of Comparative Neurology*, 417, 181–194.
- Shih, J. C. (1991). Molecular basis of human MAO A and B. *Neuropsychopharmacology*, 4, 1–3.
- Simansky, K. J. (1996). Serotonergic control of the organization of feeding and satiety. *Behavioural Brain Research*, 73, 37–42.
- Tamir, H., Liu, K. P., Adlersberg, M., Hsiung, S. C., & Gershon, M. D. (1996). Acidification of serotonin-containing secretory vesicles induced by a plasma membrane calcium receptor. *Journal of Biological Chemistry*, 271, 6441–6450.
- Tao-Cheng, J. H., & Zhou, F. C. (1999). Differential Polarization of serotonin transporters in axons versus soma-dendrites: An immunogold electron microscopy study. *Neuroscience*, 94, 821–830.
- Tork, I. (1990). Anatomy of the serotonergic system. *Annals of the New York Academy of Sciences*, 600, 9–34.

- Walther, D. J., Peter, J. U., Bashammakh, S., Hörtnagl, H., Voits, M., Fink, H., et al. (2003). Synthesis of serotonin by a second tryptophan hydroxylase isoform. *Science*, *299*, 76.
- Woolley, M. L., Bentley, J. C., Sleight, A. J., Marsden, C. A., & Fone, K. C. (2001). A role for 5-HT₆ receptors in retention of spatial learning in the Morris water maze. *Neuropharmacology*, *41*, 210–219.
- Zahniser, N. R., & Doolen, S. (2001). Chronic and acute regulation of Na⁺/Cl⁻ dependent neurotransmitter transporters: Drugs, substrates, presynaptic receptors, and signaling systems. *Pharmacol Therapeutics*, *92*, 21–55.
- Zgombick, J. M., Schechter, L. E., Macci, M., Hartig, P. R., Branchek, T. A., & Weinshank, R. L. (1992). Human gene S31 encodes the pharmacologically defined serotonin 5-hydroxytryptamine_{1E} receptor. *Molecular Pharmacology*, *42*, 180–185.