

References

- Alewijnse, A. E., Smit, M. J., Hoffmann, M., Verzijl, D., Timmerman, H., & Leurs, R. (1998). Constitutive activity and structural instability of the wild-type human H₂ receptor. *Journal of Neurochemistry*, *71*, 799–807.
- Anaclet, C., Parmentier, R., Ouk, K., Guidon, G., Buda, C., Sastre, J. P., et al. (2009). Orexin/hypocretin and histamine: Distinct roles in the control of wakefulness demonstrated using knock-out mouse models. *Journal of Neuroscience*, *29*, 14423–14438.
- Arrang, J. M., Drutel, G., Garbarg, M., Ruat, M., Traiffort, E., & Schwartz, J. C. (1995). Molecular and functional diversity of histamine receptor subtypes. *Annals of the New York Academy of Science*, *757*, 314–323.
- Arrang, J. M., Garbarg, M., Lancelot, J. C., Lecomte, J. M., Pollard, H., Robba, M., et al. (1987). Highly potent and selective ligands for histamine H₃-receptors. *Nature*, *327*, 117–123.
- Arrang, J. M., Garbarg, M., & Schwartz, J. C. (1983). Auto-inhibition of brain histamine release mediated by a novel class (H₃) of histamine receptor. *Nature*, *302*, 832–837.
- Atzori, M., Lau, D., Tansey, E. P., Chow, A., Ozaita, A., Rudy, B., et al. (2000). H₂ histamine receptor-phosphorylation of Kv3.2 modulates interneuron fast spiking. *Nature Neuroscience*, *3*, 791–798.
- Bakker, R. A., Wieland, K., Timmerman, H., & Leurs, R. (2000). Constitutive activity of the histamine H(1) receptor reveals inverse agonism of histamine H(1) receptor antagonists. *European Journal of Pharmacology*, *387*, R5–R7.
- Barnes, W. G., Grinde, E., Crawford, D. R., Herrick-Davis, K., & Hough, L. B. (2004). Characterization of a new mRNA species from the human histamine N-methyltransferase

- gene. *Genomics*, 83, 168–171.
- Benarroch, E. E. (2010). Histamine in the CNS: Multiple functions and potential neurologic implications. *Neurology*, 75, 1472–1479.
- Bongers, G., Sallmen, T., Passani, M. B., Mariottini, C., Wendelin, D., Lozada, A., et al. (2007). The Akt/GSK-3beta axis as a new signaling pathway of the histamine H(3) receptor. *Journal of Neurochemistry*, 103, 248–258.
- Brioni, J. D., Esbenshade, T. A., Garrison, T. R., Bitner, S. R., & Cowart, M. D. (2011). Discovery of histamine H3 antagonists for the treatment of cognitive disorders and Alzheimer's disease. *Journal of Pharmacology and Experimental Therapeutics*, 336, 38–46.
- Brown, R. E., Stevens, D. R., & Haas, H. L. (2001). The physiology of brain histamine. *Progress in Neurobiology*, 63, 637–672.
- Cecchi, M., Passani, M. B., Bacciottini, L., Mannaioni, P. F., & Blandina, P. (2001). Cortical acetylcholine release elicited by stimulation of histamine H1 receptors in the nucleus basalis magnocellularis: A dual-probe microdialysis study in the freely moving rat. *European Journal of Neuroscience*, 13, 68–78.
- Connelly, W. M., Shenton, F. C., Lethbridge, N., Leurs, R., Waldvogel, H. J., Faull, R. L., et al. (2009). The histamine H4 receptor is functionally expressed on neurons in the mammalian CNS. *British Journal of Pharmacology*, 157, 55–63.
- Dere, E., Souza-Silva, M. A., Topic, B., Spieler, R. E., Haas, H. L., & Huston, J. P. (2003). Histidine-decarboxylase knockout mice show deficient nonreinforced episodic object memory, improved negatively reinforced water-maze performance, and increased neo- and ventro-striatal dopamine turnover. *Learning & Memory*, 10, 510–519.

- Drutel, G., Peitsaro, N., Karlstedt, K., Wieland, K., Smit, M. J., Timmerman, H., et al. (2001). Identification of rat H3 receptor isoforms with different brain expression and signaling properties. *Molecular Pharmacology*, *59*, 1–8.
- Ercan-Sencicek, A. G., Stillman, A. A., Ghosh, A. K., Bilguvar, K., O’Roak, B. J., Mason, C. E., et al. (2010). L-histidine decarboxylase and Tourette’s syndrome. *New England Journal of Medicine*, *362*, 1901–1908.
- Eriksson, K. S., Stevens, D. R., & Haas, H. L. (2000). Opposite modulation of histaminergic neurons by nociceptin and morphine. *Neuropharmacology*, *39*, 2492–2498.
- Fleming, J. V., & Wang, T. C. (2003). The production of 53-55-kDa isoforms is not required for rat L-histidine decarboxylase activity. *Journal of Biological Chemistry*, *278*, 686–694.
- Gantz, I., Schaffer, M., DelValle, J., Logsdon, C., Campbell, V., Uhler, M., et al. (1991). Molecular cloning of a gene encoding the histamine H2 receptor. *Proceedings of the National Academy of Sciences of the United States of America*, *88*, 5937.
- Giannoni, P., Passani, M. B., Nosi, D., Chazot, P. L., Shenton, F. C., Medhurst, A. D., et al. (2009). Heterogeneity of histaminergic neurons in the tuberomammillary nucleus of the rat. *European Journal of Neuroscience*, *29*, 2363–2374.
- Giovannini, M. G., Efoudebe, M., Passani, M. B., Baldi, E., Bucherelli, C., Giachi, F., et al. (2003). Improvement in fear memory by histamine-elicited ERK2 activation in hippocampal CA3 cells. *Journal of Neuroscience*, *23*, 9016–9023.
- Gisselmann, G., Pusch, H., Hovemann, B. T., & Hatt, H. (2002). Two cDNAs coding for histamine-gated ion channels in *D. melanogaster*. *Nature Neuroscience*, *5*, 11–12.
- Gogas, K. R., Hough, L. B., Eberle, N. B., Lyon, R. A., Glick, S. D., Ward, S. J., et al. (1989). A role for histamine and H2-receptors in opioid antinociception. *Journal of Pharmacology*

- and Experimental Therapeutics*, 250, 476–484.
- Gomez-Ramirez, J., Ortiz, J., & Blanco, I. (2002). Presynaptic H3 autoreceptors modulate histamine synthesis through cAMP pathway. *Molecular Pharmacology*, 61, 239–245.
- Haas, H. L., & Panula, P. (2003). The role of histamine and the tuberomamillary nucleus in the nervous system. *Nature Reviews Neuroscience*, 4, 121–130.
- Haas, H. L., Sergeeva, O. A., & Selbach, O. (2008). Histamine in the nervous system. *Physiological Reviews*, 88, 1183–1241.
- Hancock, A. A., Esbenshade, T. A., Krueger, K. M., & Yao, B. B. (2003). Genetic and pharmacological aspects of histamine H3 receptor heterogeneity. *Life Sciences*, 73, 3043–3072.
- Hill, S. J. (1990). Distribution, properties, and functional characteristics of three classes of histamine receptor. *Pharmacological Reviews*, 42, 45–83.
- Hill, S. J., Ganellin, C. R., Timmerman, H., Schwartz, J. C., Shankley, N. P., Young, J. M., et al. (1997). International Union of Pharmacology. XIII. Classification of histamine receptors. *Pharmacological Reviews*, 49, 253–278.
- Hough, L. B. (2001). Genomics meets histamine receptors: New subtypes, new receptors. *Molecular Pharmacology*, 59, 415–419.
- Hough, L. B., & Green, J. P. (1984). Histamine and its receptors in the nervous system. In A. Lajtha (Ed.), *Handbook of Neurochemistry* (pp. 148–211). New York: Plenum Press.
- Hough, L. B., & Leurs, R. (2002). Histamine receptors. In C. H. Davis & M. N. Pangalos (Eds.), *Understanding G Protein-Coupled Receptors and Their Role in the CNS*. Oxford University Press.
- Hough, L. B., & Rice, F. L. (2011). H3 receptors and pain modulation: Peripheral, spinal, and

- brain interactions. *Journal of Pharmacology and Experimental Therapeutics*, 336, 30–37.
- Iinuma, K., Yokoyama, H., Otsuki, T., Yanai, K., Watanabe, T., Ido, T., et al. (1993). Histamine H1 receptors in complex partial seizures. *Lancet*, 341, 238.
- Inagaki, N., Yamatodani, A., Ando-Yamamoto, M., Tohyama, M., Watanabe, T., & Wada, H. (1988). Organization of histaminergic fibers in the rat brain. *Journal of Comparative Neurology*, 273, 283–300.
- Inoue, I., Yanai, K., Kitamura, D., Taniuchi, I., Kobayashi, T., Niimura, K., et al. (1996). Impaired locomotor activity and exploratory behavior in mice lacking histamine H1 receptors. *Proceedings of the National Academy of Sciences of the United States of America*, 93, 13316–13320.
- Kennedy, M. J., Loehle, J. A., Griffin, A. R., Doll, M. A., Kearns, G. L., Sullivan, J. E., et al. (2008). Association of the histamine N-methyltransferase C314T (Thr105Ile) polymorphism with atopic dermatitis in Caucasian children. *Pharmacotherapy*, 28, 1495–1501.
- Kim, D. Y., Jeoung, D., & Ro, J. Y. (2010). Signaling pathways in the activation of mast cells cocultured with astrocytes and colocalization of both cells in experimental allergic encephalomyelitis. *Journal of Immunology (Baltimore, Md: 1950)*, 185, 273–283.
- Knigge, U., & Warberg, J. (1991). The role of histamine in the neuroendocrine regulation of pituitary hormone secretion. *Acta Endocrinol (Copenh)*, 124, 609–619.
- Kriegsfeld, L. J., Hotchkiss, A. K., Demas, G. E., Silverman, A. J., Silver, R., & Nelson, R. J. (2003). Brain mast cells are influenced by chemosensory cues associated with estrus induction in female prairie voles (*Microtus ochrogaster*). *Hormones and Behavior*, 44, 377–384.

- Kukko-Lukjanov, T. K., & Panula, P. (2003). Subcellular distribution of histamine, GABA and galanin in tuberomamillary neurons in vitro. *Journal of Chemical Neuroanatomy*, *25*, 279–292.
- Langlais, P. J., McRee, R. C., Nalwalk, J. A., & Hough, L. B. (2002). Depletion of brain histamine produces regionally selective protection against thiamine deficiency-induced lesions in the rat. *Metabolic Brain Disease*, *17*, 199–210.
- Lee, K. H., Broberger, C., Kim, U., & McCormick, D. A. (2004). Histamine modulates thalamocortical activity by activating a chloride conductance in ferret perigeniculate neurons. *Proceedings of the National Academy of Sciences of the United States of America*, *101*, 6716–6721.
- Leurs, R., Smit, M. J., & Timmerman, H. (1995). Molecular pharmacological aspects of histamine receptors. *Pharmacology & Therapeutics*, *66*, 413–463.
- Leurs, R., Traiffort, E., Arrang, J. M., Tardivel-Lacombe, J., Ruat, M., & Schwartz, J. C. (1994). Guinea pig histamine H1 receptor. II. Stable expression in Chinese hamster ovary cells reveals the interaction with three major signal transduction pathways. *Journal of Neurochemistry*, *62*, 519–527.
- Lin, J. S., Dauvilliers, Y., Arnulf, I., Bastuji, H., Anaclet, C., Parmentier, R., et al. (2008). An inverse agonist of the histamine H(3) receptor improves wakefulness in narcolepsy: Studies in orexin-/- mice and patients. *Neurobiology of Disease*, *30*, 74–83.
- Lin, J. S., Sergeeva, O. A., & Haas, H. L. (2011). Histamine H3 receptors and sleep-wake regulation. *Journal of Pharmacology and Experimental Therapeutics*, *336*, 17–23.
- Lin J. S., Anachet C., Sergeeva O. A. and Haas H. (2011a) The waking brain: An update. Cellular and Molecular Life Sciences.

In press.

- Lovenberg, T. W., Roland, B. L., Wilson, S. J., Jiang, X., Pyati, J., Huvar, A., et al. (1999). Cloning and functional expression of the human histamine H3 receptor. *Molecular Pharmacology*, *55*, 1101–1107.
- Ma, R. Z., Gao, J., Meeker, N. D., Fillmore, P. D., Tung, K. S., Watanabe, T., et al. (2002). Identification of Bphs, an autoimmune disease locus, as histamine receptor H1. *Science (New York, NY)*, *297*, 620–623.
- Mariottini, C., Scartabelli, T., Bongers, G., Arrigucci, S., Nosi, D., Leurs, R., et al. (2009). Activation of the histaminergic H3 receptor induces phosphorylation of the Akt/GSK-3 beta pathway in cultured cortical neurons and protects against neurotoxic insults. *Journal of Neurochemistry*, *110*, 1469–1478.
- Moreno-Delgado D., Blanco I. and Ortiz J. (2007) Phosphatases regulate histamine synthesis in rat brain. *Neuroscience*, *150*, 616–624.
- Morisset, S., Rouleau, A., Ligneau, X., Gbahou, F., Tardivel-Lacombe, J., Stark, H., et al. (2000). High constitutive activity of native H3 receptors regulates histamine neurons in brain. *Nature*, *408*, 860–864.
- Morse, K. L., Behan, J., Laz, T. M., West, R. E., Jr., et al., Greenfeder, S. A., Anthes, J. C., et al. (2001). Cloning and characterization of a novel human histamine receptor. *Journal of Pharmacology and Experimental Therapeutics*, *296*, 1058–1066.
- Nuutinen, S., Karlstedt, K., Aitta-Aho, T., Korpi, E. R., & Panula, P. (2010). Histamine and H3 receptor-dependent mechanisms regulate ethanol stimulation and conditioned place preference in mice. *Psychopharmacology (Berl)*, *208*, 75–86.
- Oda, T., Morikawa, N., Saito, Y., Masuho, Y., & Matsumoto, S. (2000). Molecular cloning and

- characterization of a novel type of histamine receptor preferentially expressed in leukocytes. *Journal of Biological Chemistry*, 275, 36781–36786.
- Onodera, K., Yamatodani, A., Watanabe, T., & Wada, H. (1994). Neuropharmacology of the histaminergic neuron system in the brain and its relationship with behavioral disorders. *Progress in Neurobiology*, 42, 685–702.
- Ookuma, K., Sakata, T., Fukagawa, K., Yoshimatsu, H., Kurokawa, M., Machidori, H., et al. (1993). Neuronal histamine in the hypothalamus suppresses food intake in rats. *Brain Research*, 628, 235–242.
- Pantazis, A., Segaran, A., Liu, C. H., Nikolaev, A., Rister, J., Thum, A. S., et al. (2008). Distinct roles for two histamine receptors (hclA and hclB) at the Drosophila photoreceptor synapse. *Journal of Neuroscience*, 28, 7250–7259.
- Panula, P., Pirvola, U., Auvinen, S., & Airaksinen, M. S. (1989). Histamine-immunoreactive nerve fibers in the rat brain. *Neuroscience*, 28, 585–610.
- Panula, P., Yang, H. Y., & Costa, E. (1984). Histamine-containing neurons in the rat hypothalamus. *Proceedings of the National Academy of Sciences of the United States of America*, 81, 2572–2576.
- Passani, M. B., Bacciottini, L., Mannaioni, P. F., & Blandina, P. (2000). Central histaminergic system and cognition. *Neuroscience and Biobehavioral Reviews*, 24, 107–113.
- Passani, M. B., Blandina, P., & Torrealba, F. (2011). The histamine H3 receptor and eating behavior. *Journal of Pharmacology and Experimental Therapeutics*, 336, 24–29.
- Passani, M. B., Lin, J. S., Hancock, A., Crochet, S., & Blandina, P. (2004). The histamine H3 receptor as a novel therapeutic target for cognitive and sleep disorders. *Trends in Pharmacological Sciences*, 25, 618–625.

- Prast, H., & Philippu, A. (1991). Does brain histamine contribute to the development of hypertension in spontaneously hypertensive rats?. *Naunyn-Schmiedeberg's Archives of Pharmacology*, *343*, 307–310.
- Prell, G. D., & Green, J. P. (1986). Histamine as a neuroregulator. *Annual Review of Neuroscience*, *9*, 209–254.
- Raffa, R. B. (2001). Antihistamines as analgesics. *Journal of Clinical Pharmacy and Therapeutics*, *26*, 81–85.
- Schmelz, M. (2002). Itch–mediators and mechanisms. *Journal of Dermatological Science*, *28*, 91–96.
- Schwartz, J. C., Arrang, J. M., Garbarg, M., Pollard, H., & Ruat, M. (1991). Histaminergic transmission in the mammalian brain. *Physiological Reviews*, *71*, 1–51.
- Silver, R. B., Mackins, C. J., Smith, N. C., Koritchneva, I. L., Lefkowitz, K., Lovenberg, T. W., et al. (2001). Coupling of histamine H₃ receptors to neuronal Na⁺/H⁺ exchange: A novel protective mechanism in myocardial ischemia. *Proceedings of the National Academy of Sciences of the United States of America*, *98*, 2855–2859.
- Silver, R. B., Poonwasi, K. S., Seyedi, N., Wilson, S. J., Lovenberg, T. W., & Levi, R. (2002). Decreased intracellular calcium mediates the histamine H₃-receptor–induced attenuation of norepinephrine exocytosis from cardiac sympathetic nerve endings. *Proceedings of the National Academy of Sciences of the United States of America*, *99*, 501–506.
- Takahashi, K., Lin, J. S., & Sakai, K. (2006). Neuronal activity of histaminergic tuberomammillary neurons during wake–sleep states in the mouse. *Journal of Neuroscience*, *26*, 10292–10298.
- Takeda, N., Morita, M., Hasegawa, S., Horii, A., Kubo, T., & Matsunaga, T. (1993).

- Neuropharmacology of motion sickness and emesis. A review. *Acta Oto-Laryngologica Supplementum*, 501, 10–15.
- Takemura, M., Tanaka, T., Taguchi, Y., Imamura, I., Mizuguchi, H., Kuroda, M., et al. (1992). Histamine N-methyltransferase from rat kidney. Cloning, nucleotide sequence, and expression in *Escherichia coli* cells. *Journal of Biological Chemistry*, 267, 15687–15691.
- Uhlrich, D. J., Manning, K. A., & Xue, J. T. (2002). Effects of activation of the histaminergic tuberomammillary nucleus on visual responses of neurons in the dorsal lateral geniculate nucleus. *Journal of Neuroscience*, 22, 1098–1107.
- Wada, H., Inagaki, N., Yamatodani, A., & Watanabe, T. (1991). Is the histaminergic neuron system a regulatory center for whole-brain activity?. *Trends in Neurosciences*, 14, 415–418.
- Watanabe, T., Taguchi, Y., Shiosaka, S., Tanaka, J., Kubota, H., Terano, Y., et al. (1984). Distribution of the histaminergic neuron system in the central nervous system of rats; a fluorescent immunohistochemical analysis with histidine decarboxylase as a marker. *Brain Research*, 295, 13–25.
- Wieland, K., Bongers, G., Yamamoto, Y., Hashimoto, T., Yamatodani, A., Menge, W. M., et al. (2001). Constitutive activity of histamine h(3) receptors stably expressed in SK-N-MC cells: Display of agonism and inverse agonism by H(3) antagonists. *Journal of Pharmacology and Experimental Therapeutics*, 299, 908–914.
- Yamashita, M., Fukui, H., Sugama, K., Horio, Y., Ito, S., Mizuguchi, H., et al. (1991). Expression cloning of a cDNA encoding the bovine histamine H1 receptor. *Proceedings of the National Academy of Sciences of the United States of America*, 88, 11515–11519.
- Yang, Q. Z., & Hatton, G. I. (1997). Electrophysiology of excitatory and inhibitory afferents to

rat histaminergic tuberomammillary nucleus neurons from hypothalamic and forebrain sites. *Brain Research*, 773, 162–172.