

## References

- Abounader, R. (2009). Interactions between PTEN and receptor tyrosine kinase pathways and their implications for glioma therapy. *Expert Review of Anticancer Therapy*, 9(2), 235–245.
- Ali, D. W., & Salter, M. W. (2001). NMDA receptor regulation by Src kinase signalling in excitatory synaptic transmission and plasticity. *Current Opinion in Neurobiology*, 11(3), 336–342.
- Bence-Hanulec, K. K., Marshall, J., & Blair, L. A. (2000). Potentiation of neuronal L calcium channels by IGF-1 requires phosphorylation of the alpha1 subunit on a specific tyrosine residue. *Neuron*, 27(1), 121–131.
- Blume-Jensen, P., & Hunter, T. (2001). Oncogenic kinase signalling. *Nature*, 411(6835), 355–365.
- Boggon, T. J., & Eck, M. J. (2004). Structure and regulation of Src family kinases. *Oncogene*, 23(48), 7918–7927.
- Causing, C. G., Gloster, A., Aloyz, R., Bamji, S. X., Chang, E., Fawcett, J., et al. (1997). Synaptic innervation density is regulated by neuron-derived BDNF. *Neuron*, 18(2), 257–267.
- Cesareni, G., Panni, S., Nardelli, G., & Castagnoli, L. (2002). Can we infer peptide recognition specificity mediated by SH3 domains? *FEBS Letters*, 513(1), 38–44.
- Chang, N., El-Hayek, Y. H., Gomez, E., & Wan, Q. (2007). Phosphatase PTEN in neuronal injury and brain disorders. *Trends in Neurosciences*, 30(11), 581–586.
- Chong, Z. Z., & Maiese, K. (2007). The Src homology 2 domain tyrosine phosphatases SHP-1 and SHP-2: Diversified control of cell growth, inflammation, and injury. *Histology and*

*Histopathology*, 22(11), 1251–1267.

- Cole, P. A., Shen, K., Qiao, Y., & Wang, D. (2003). Protein tyrosine kinases Src and Csk: A tail's tale. *Current Opinion in Chemical Biology*, 7(5), 580–585.
- Cosker, K. E., Courchesne, S. L., & Segal, R. A. (2008). Action in the axon: Generation and transport of signaling endosomes. *Current Opinion in Neurobiology*, 18(3), 270–275.
- Davis, M. J., Wu, X., Nurkiewicz, T. R., Kawasaki, J., Gui, P., Hill, M. A., et al. (2001). Regulation of ion channels by protein tyrosine phosphorylation. *American Journal of Physiology. Heart and Circulatory Physiology*, 281(5), H1835–H1862.
- Desai, D. M., Sap, J., Schlessinger, J., & Weiss, A. (1993). Ligand-mediated negative regulation of a chimeric transmembrane receptor tyrosine phosphatase. *Cell*, 73(3), 541–554.
- Dickson, B. J. (2002). Molecular mechanisms of axon guidance. [Review]. *Science*, 298(5600), 1959–1964.
- Drescher, U., Kremoser, C., Handwerker, C., Loschinger, J., Noda, M., & Bonhoeffer, F. (1995). *In vitro* guidance of retinal ganglion cell axons by RAGS, a 25 kDa tectal protein related to ligands for Eph receptor tyrosine kinases. *Cell*, 82(3), 359–370.
- Filippakopoulos, P., Muller, S., & Knapp, S. (2009). SH2 domains: Modulators of nonreceptor tyrosine kinase activity. *Current Opinion in Structural Biology*, 19(6), 643–649.
- Goldshmit, Y., McLenachan, S., & Turnley, A. (2006). Roles of Eph receptors and ephrins in the normal and damaged adult CNS. *Brain Research Reviews*, 52(2), 327–345.
- Grant, S. G., O'Dell, T. J., Karl, K. A., Stein, P. L., Soriano, P., & Kandel, E. R. (1992). Impaired long-term potentiation, spatial learning, and hippocampal development in *fyn* mutant mice. *Science*, 258(5090), 1903–1910.
- Hennigan, A., O'Callaghan, R. M., & Kelly, A. M. (2007). Neurotrophins and their receptors:

- Roles in plasticity, neurodegeneration and neuroprotection. *Biochemical Society Transactions*, 35(Pt 2), 424–427.
- Hopfield, J. F., Tank, D. W., Greengard, P., & Haganir, R. L. (1988). Functional modulation of the nicotinic acetylcholine receptor by tyrosine phosphorylation. *Nature*, 336(6200), 677–680.
- Hunter, T. (1996). Tyrosine phosphorylation: Past, present and future. [Lectures]. *Biochemical Society Transactions*, 24(2), 307–327.
- Hunter, T., & Eckhart, W. (2004). The discovery of tyrosine phosphorylation: It's all in the buffer! *Cell*, 116(Suppl. 2), S35–S39. (31 p following S48)
- Ingley, E. (2008). Src family kinases: Regulation of their activities, levels and identification of new pathways. *Biochim Biophys Acta*, 1784(1), 56–65.
- Kay, B. K., Williamson, M. P., & Sudol, M. (2000). The importance of being proline: The interaction of proline-rich motifs in signaling proteins with their cognate domains. *The FASEB Journal*, 14(2), 231–241.
- Kojima, N., Wang, J., Mansuy, I. M., Grant, S. G., Mayford, M., & Kandel, E. R. (1997). Rescuing impairment of long-term potentiation in fyn-deficient mice by introducing Fyn transgene. [Research Support, Non-U.S. Gov't]. *Proceedings of the National Academy of Sciences of the United States of America*, 94(9), 4761–4765.
- Lau, L. F., & Haganir, R. L. (1995). Differential tyrosine phosphorylation of N-methyl-D-aspartate receptor subunits. *The Journal of Biological Chemistry*, 270(34), 20036–20041.
- Lee, G. (2005). Tau and src family tyrosine kinases. *Biochimica et Biophysica Acta*, 1739(2–3), 323–330.
- Lu, Y. F., Kojima, N., Tomizawa, K., Moriwaki, A., Matsushita, M., Obata, K., et al. (1999).

- Enhanced synaptic transmission and reduced threshold for LTP induction in fyn-transgenic mice. *The European Journal of Neuroscience*, *11*(1), 75–82.
- MacDonald, J. F., Jackson, M. F., & Beazely, M. A. (2006). Hippocampal long-term synaptic plasticity and signal amplification of NMDA receptors. [Review]. *Critical Reviews in Neurobiology*, *18*(1–2), 71–84.
- Machida, K., & Mayer, B. J. (2005). The SH2 domain: Versatile signaling module and pharmaceutical target. *Biochimica et Biophysica Acta*, *1747*(1), 1–25.
- Macias, M. J., Wiesner, S., & Sudol, M. (2002). WW and SH3 domains, two different scaffolds to recognize proline-rich ligands. *FEBS Letters*, *513*(1), 30–37.
- Manning, G., Whyte, D. B., Martinez, R., Hunter, T., & Sudarsanam, S. (2002). The protein kinase complement of the human genome. *Science*, *298*(5600), 1912–1934.
- Martinez, A., Alcantara, S., Borrell, V., Del Rio, J. A., Blasi, J., Otal, R., et al. (1998). TrkB and TrkC signaling are required for maturation and synaptogenesis of hippocampal connections. *The Journal of Neuroscience: The Official Journal of the Society for Neuroscience*, *18*(18), 7336–7350.
- Mayer, B. J. (2001). SH3 domains: Complexity in moderation. *Journal of Cell Science*, *114*(Pt 7), 1253–1263.
- McLaughlin, T., & O’Leary, D. D. (2005). Molecular gradients and development of retinotopic maps. *Annual Review of Neuroscience*, *28*, 327–355.
- McMahan, U. J. (1990). The agrin hypothesis. [Review]. *Cold Spring Harbor Symposia on Quantitative Biology*, *55*, 407–418.
- Minichiello, L. (2009). TrkB signalling pathways in LTP and learning. *Nature Reviews Neuroscience*, *10*(12), 850–860.

- Minichiello, L., Korte, M., Wolfner, D., Kuhn, R., Unsicker, K., Cestari, V., et al. (1999). Essential role for TrkB receptors in hippocampus-mediated learning. *Neuron*, 24(2), 401–414.
- Moss, S. J., Gorrie, G. H., Amato, A., & Smart, T. G. (1995). Modulation of GABA<sub>A</sub> receptors by tyrosine phosphorylation. *Nature*, 377(6547), 344–348.
- Mruk, D. D., & Cheng, C. Y. (2010). The myotubularin family of lipid phosphatases in disease and in spermatogenesis. *The Biochemical Journal*, 433(2), 253–262.
- Niemann, A., Berger, P., & Suter, U. (2006). Pathomechanisms of mutant proteins in Charcot-Marie-Tooth disease. *Neuromolecular Medicine*, 8(1–2), 217–242.
- Pasquale, E. B. (2008). Eph-ephrin bidirectional signaling in physiology and disease. *Cell*, 133(1), 38–52.
- Pawson, T. (2002). Regulation and targets of receptor tyrosine kinases. *European Journal of Cancer*, 38(Suppl. 5), S3–S10.
- Pawson, T. (2004). Specificity in signal transduction: From phosphotyrosine-SH2 domain interactions to complex cellular systems. *Cell*, 116(2), 191–203.
- Pawson, T., & Kofler, M. (2009). Kinome signaling through regulated protein–protein interactions in normal and cancer cells. *Current Opinion in Cell Biology*, 21(2), 147–153.
- Reichardt, L. F. (2006). Neurotrophin-regulated signalling pathways. *Philosophical Transactions of the Royal Society of London. Series B, Biological Sciences*, 361(1473), 1545–1564.
- Robinson, D. R., Wu, Y. M., & Lin, S. F. (2000). The protein tyrosine kinase family of the human genome. *Oncogene*, 19(49), 5548–5557.
- Roskoski, R., Jr. (2004). Src protein-tyrosine kinase structure and regulation. *Biochemical and Biophysical Research Communications*, 324(4), 1155–1164.

- Schlessinger, J., & Lemmon, M. A. (2003). SH2 and PTB domains in tyrosine kinase signaling. [Review]. *Science's STKE: Signal Transduction Knowledge Environment*, 2003(191), RE12.
- Sicheri, F., Moarefi, I., & Kuriyan, J. (1997). Crystal structure of the Src family tyrosine kinase Hck. *Nature*, 385(6617), 602–609.
- Skaper, S. D. (2008). The biology of neurotrophins, signalling pathways, and functional peptide mimetics of neurotrophins and their receptors. [Review]. *CNS & Neurological Disorders Drug Targets*, 7(1), 46–62.
- Stoker, A. W. (2005). Protein tyrosine phosphatases and signalling. [Review]. *The Journal of Endocrinology*, 185(1), 19–33.
- Takasu, M. A., Dalva, M. B., Zigmond, R. E., & Greenberg, M. E. (2002). Modulation of NMDA receptor-dependent calcium influx and gene expression through EphB receptors. *Science*, 295(5554), 491–495.
- Tezuka, T., Umemori, H., Akiyama, T., Nakanishi, S., & Yamamoto, T. (1999). PSD-95 promotes Fyn-mediated tyrosine phosphorylation of the N-methyl-D-aspartate receptor subunit NR2A. *Proceedings of the National Academy of Sciences of the United States of America*, 96(2), 435–440.
- Tonks, N. K. (2006). Protein tyrosine phosphatases: From genes, to function, to disease. [Review]. *Nature Reviews Molecular Cell Biology*, 7(11), 833–846.
- Wu, H., Xiong, W. C., & Mei, L. (2010). To build a synapse: Signaling pathways in neuromuscular junction assembly. *Development*, 137(7), 1017–1033.
- Xu, W., Harrison, S. C., & Eck, M. J. (1997). Three-dimensional structure of the tyrosine kinase c-Src. *Nature*, 385(6617), 595–602.

