

References

- Alvarado-Mallart, R. M. (2005). The chick/ quail transplantation model: Discovery of the isthmic organizer center. *Brain Research Brain Research Reviews*, *49*(2), 109–113.
- Birgbauer, E., Oster, S. F., Severin, C. G., & Sretavan, D. W. (2001). Retinal axon growth cones respond to EphB extracellular domains as inhibitory axon guidance cues. *Development*, *128*, 3041–3048.
- Chen, A. I., de Nooij, J. C., & Jessell, T. M. (2006). Graded activity of transcription factor Runx3 specifies the laminar termination pattern of sensory axons in the developing spinal cord. *Neuron*, *49*, 395–408.
- Crossley, P. H., Martinez, S., & Martin, G. R. (1996). Midbrain development induced by FGF8 in the chick embryo. *Nature*, *380*, 66–68.
- Czeizel, A. E., & Dudás, I. (1992). Prevention of the first occurrence of neural-tube defects by periconceptional vitamin supplementation. *The New England Journal of Medicine*, *327*, 1832–1835.
- Gaiano, N., & Fishell, G. (2002). The role of notch in promotion of glial and neural stem cell fates. *Annual Review of Neuroscience*, *25*, 471–490.
- Gavalas, A., Davenne, M., Lumsden, A., Chambon, P., & Rijli, F. M. (1997). Role of Hoxa-2 in axon pathfinding and rostral hindbrain patterning. *Development*, *124*, 3693–3702.
- Glinka, A., Wu, W., Onichtchouk, D., Blumenstock, C., & Niehrs, C. (1997). Head induction by simultaneous repression of BMP and Wnt signaling in *Xenopus*. *Nature*, *389*, 517–519.
- Götz, M., & Huttner, W. B. (2005). The cell biology of neurogenesis. *Nature Reviews Molecular Cell Biology*, *6*, 777–788.
- Hashimoto-Torii, K., Torii, M., Sarkisian, M. R., Bartley, C. M., Shen, J., & Radtke, F., et al.

- (2008). Interaction between Reelin and Notch signaling regulates neuronal migration in the cerebral cortex. *Neuron*, *60*, 273–284.
- Hoch, R. V., Rubenstein, J. L., & Pleasure, S. (2009). Genes and signaling events that establish regional patterning of the mammalian forebrain. *Seminars in Cell & Developmental Biology*, *20*, 378–386.
- Hong, S. E., Shugart, Y. Y., Huang, D. T., Shahwan, S. A., Grant, P. E., & Hourihane, J. O., et al. (2000). Autosomal recessive lissencephaly with cerebellar hypoplasia is associated with human RELN mutations. *Nature Genetics*, *26*, 93–96.
- Jessell, T. (2000). Neuronal specification in the spinal cord: Inductive signals and transcriptional codes. *Nature Reviews/Genetics*, *1*, 20–29.
- Kim, W. -Y., Wang, X., Wu, Y., Doble, B. W., Patel, S., & Woodgett, J. R., et al. (2009). GSK-3 is a master regulator of neural progenitor homeostasis. *Nature Neuroscience*, *12*, 1390–1397.
- Le Douarin, N. (2011). *Part 1 the neural crest in vertebrate development (video seminar)*. □ <http://www.youtube.com/watch?v=Our-x4WS4JI> □ Accessed 14.02.11.
- Liem, K. F., Jr., Tremml, G., Roelink, H., & Jessell, T. M. (1995). Dorsal differentiation of neural plate cells induced by BMP-mediated signals from epidermal ectoderm. *Cell*, *82*, 969–979.
- Livet, J., Weissman, T. A., Kang, H., Draft, R. W., Lu, J., Bennis, R. A. et al., (2007). Transgenic strategies for combinatorial expression of fluorescent proteins in the nervous system. *Nature*, *450*, 56–62.
- Malatesta, P., Hack, M. A., Harfuss, E., Kettenmann, H., Klinkert, W., Kirschoff, F. et al., (2003). Neuronal or glial progeny: Regional differences in radial glia fate. *Neuron*, *37*,

751–764.

McAllister, A. K. (2007). Dynamic aspects of CNS synapse formation. *Annual Review of Neuroscience*, *30*, 425–450.

McCann, C. M., & Lichtman, J. W. (2008). In vivo imaging of presynaptic terminals and postsynaptic sites in the mouse submandibular ganglion. *Developmental Neurobiology*, *68*, 760–770.

Millet, S., Campbell, K., Epstein, D. J., Losos, K., Harris, E., & Joyner, A. L. (1999). A role for Gbx2 in repression of Otx2 and positioning the mid/hindbrain organizer. *Nature*, *401*, 161.

Moore, S. W., Tessier-Lavigne, M., & Kennedy, T. E. (2007). Netrins and their receptors. *Advances in Experimental Medicine and Biology*, *621*, 17–31.

Morikawa, Y., Zehir, A., Maska, E., Deng, C., Schneider, M. D., & Mishina, Y., et al. (2009). BMP signaling regulates sympathetic nervous system development through Smad4-dependent and -independent pathways. *Development*, *136*, 3575–3584.

Noctor, S. C., Flint, A. C., Weissman, T. A., Dammerman, R. S., & Kriegstein, A. R. (2001). Neurons derived from radial glia cells establish radial units in neocortex. *Nature*, *409*, 714–720.

O’Leary, D. D., Chou, S. J., & Sahara, S. (2007). Area patterning of the mammalian cortex. *Neuron*, *56*, 252–269.

Pinto, L., & Götz, M. (2007). Radial glial cell heterogeneity: The source of diverse progeny in the CNS. *Progress in Neurobiology*, *83*, 2–23.

Puelles, L., & Rubenstein, J. L. (2003). Forebrain gene expression domains and the evolving prosomeric model. *Trends in Neurosciences*, *26*, 469–476. (Review)

- Reissmann, E., Ernsberger, U., Francis-West, P. H., Rueger, D., Brickell, P. M., & Rohrer, H. (1996). Involvement of bone morphogenetic protein-4 and bone morphogenetic protein-7 in the differentiation of the adrenergic phenotype in developing sympathetic neurons. *Development*, *122*, 2079–2088.
- Roelink, H., Porter, J. A., Chiang, C., Tanabe, Y., Chang, D. T., & Beachy, P. A., et al. (1995). Floor plate and motor neuron induction by different concentrations of the amino-terminal cleavage product of sonic hedgehog autoproteolysis. *Cell*, *81*, 445–455.
- Sanes, J. R., & Yamagata, M. (2009). Many paths to synaptic specificity. *Annual Review of Cell and Developmental Biology*, *25*, 161–195.
- Schneider, C., Wicht, H., Enderich, J., Wegner, M., & Rohrer, H. (1999). Bone morphogenetic proteins are required *in vivo* for the generation of sympathetic neurons. *Neuron*, *24*, 861–870.
- Shah, N. M., Marchionni, M. A., Isaacs, I., Stroobant, P., & Anderson, D. J. (1994). Glial growth factor restricts mammalian neural crest stem cells to a glial fate. *Cell*, *77*(3), 349–360.
- Urbach, R., & Technau, G. M. (2004). Neuroblast formation and patterning during early brain development in *Drosophila*. *Bioessays*, *26*, 739–751.
- van Straaten, H. W., Hekking, J. W., Thors, F., Wiertz-Hoessels, E. L., & Drukker, J. (1985). Induction of an additional floor plate in the neural tube. *Acta morphologica Neerlando-Scandinavica*, *23*, 91–97.
- van Straaten, H. W., Thors, F., Wiertz-Hoessels, L., Hekking, J., & Drukker, J. (1985). Effect of a notochordal implant on the early morphogenesis of the neural tube and neuroblasts: Histometrical and histological results. *Developmental Biology*, *110*, 247–254.

Wilson, L., & Maden, M. (2005). The mechanisms of dorsoventral patterning in the vertebrate neural tube. *Developmental Biology*, 282(1), 1–13.