

## References

- Airaksinen, M. S., & Saarma, M. (2002). The GDNF family: signalling, biological functions and therapeutic value. *Nature Reviews Neuroscience*, *3*, 383–394.
- Barde, Y. A. (1994). Neurotrophins: a family of proteins supporting the survival of neurons. *Progress in Clinical and Biological Research*, *390*, 45–56.
- Barde, Y. -A., Edgar, D., & Thoenen, H. (1982). Purification of a new neurotrophic factor from mammalian brain. *EMBO Journal*, *1*, 549–553.
- Barres, B. A., Raff, M. C., Gaese, F., Bartke, I., Dechant, G., & Barde, Y. A. (1994). A crucial role for neurotrophin-3 in oligodendrocyte development. *Nature*, *367*(6461), 371–375.
- Barnabe-Heider, F., Wasylnka, J. A., Fernandes, K. J., Porsche, C., Sendtner, M., & Kaplan, D. R., et al. (2005). Evidence that embryonic neurons regulate the onset of cortical gliogenesis via cardiotrophin-1. *Neuron*, *48*, 253–265.
- Chao, M. V. (2003). Neurotrophins and their receptors: a convergence point for many signalling pathways. *Nature Reviews Neuroscience*, *4*, 299–309.
- Chao, M. V., & Bothwell, M. (2002). Neurotrophins: to cleave or not to cleave. *Neuron*, *33*, 9–12.
- Chen, Z. Y., Bath, K., McEwen, B., Hempstead, B., & Lee, F. (2008). Impact of genetic variant BDNF (Val66Met) on brain structure and function. *Novartis Foundation Symposium*, *289*, 180–188. (discussion 188–195)
- Corfas, G., Roy, K., & Buxbaum, J. D. (2004). Neuregulin 1-erbB signaling and the molecular/cellular basis of schizophrenia. *Nature Neuroscience*, *7*, 575–580.
- Ernfors, P., Lee, K. -F., & Jaenisch, R. (1994). Mice lacking brain-derived neurotrophic factor

- develop with sensory deficits. *Nature*, 368, 147–150.
- Ernfors, P., Kucera, J., Lee, K. F., Loring, J., & Jaenisch, R. (1995). Studies on the physiological role of brain-derived neurotrophic factor and neurotrophin-3 in knockout mice. *The International Journal of Developmental Biology*, 39(5), 799–807.
- Fischer, W., Wictorin, K., Björklund, A., Williams, L. R., Varon, S., & Gage, F. H. (1987). Amelioration of cholinergic neuron atrophy and spatial memory impairment in aged rats by nerve growth factor. *Nature*, 329, 65–68.
- Friedman, W. J. (2010). Proneurotrophins, seizures, and neuronal apoptosis. *Neuroscientist*, 16, 244–252.
- Gentry, J. J., Barker, P. A., & Carter, B. D. (2004). The p75 neurotrophin receptor: multiple interactors and numerous functions. *Progress in Brain Research*, 146, 25–39.
- Hefti, F. F., Rosenthal, A., Walicke, P. A., Wyatt, S., Vergara, G., & Shelton, D. L., et al. (2006). Novel class of pain drugs based on antagonism of NGF. *Trends in Pharmacological Sciences*, 27, 85–91.
- Hempstead, B. L., Martin-Zanca, D., Kaplan, D. R., & Chao, M. V. (1991). High-affinity NGF binding requires coexpression of the trk proto-oncogene and the low-affinity NGF receptor. *Nature*, 350, 678–683.
- Holtmann, B., Wiese, S., Samsam, M., Grohmann, K., Pennica, D., Martini, R., et al. (2005). Triple knock-out of CNTF, LIF, and CT-1 defines cooperative and distinct roles of these neurotrophic factors for motoneuron maintenance and function. *Journal of Neuroscience*, 25, 1778–1787.
- Horger, B. A., Nishimura, M. C., Armanini, M. P., Wang, L. C., Poulsen, K. T., & Rosenblad, C., et al. (1998). Neurturin exerts potent actions on survival and function of midbrain

- dopaminergic neurons. *Journal of Neuroscience*, *18*, 4929–4937.
- Huang, E. J., & Reichardt, L. F. (2003). Trk receptors: roles in neuronal signal transduction. *Annual Review of Biochemistry*, *72*, 609–642.
- Jones, K. R., Farinas, I., Backus, C., & Reichardt, L. F. (1994). Targeted disruption of the BDNF gene perturbs brain and sensory neuron development but not motor neuron development. *Cell*, *76*, 989–999.
- Klein, R., Smeyne, R. J., Wurst, W., Long, L. K., Auerbach, B. A., Joyner, A. L., et al. (1993). Targeted disruption of the trkB neurotrophin receptor gene results in nervous system lesions and neonatal death. *Cell*, *75*(1), 113–122.
- Kaplan, D. R., & Miller, F. D. (1997). Signal transduction by the neurotrophin receptors. *Current Opinion in Cell Biology*, *9*, 213–221.
- Lee, R., Kermani, P., Teng, K. K., & Hempstead, B. L. (2001). Regulation of cell survival by secreted proneurotrophins. *Science*, *294*, 1945–1948.
- Levi-Montalcini, R., & Angeletti, P. U. (1963). Essential role of the nerve growth factor in the survival and maintenance of dissociated sensory and sympathetic embryonic nerve cells *in vitro*. *Developmental Biology*, *7*, 653–659.
- Levi-Montalcini, R., & Angeletti, P. U. (1968). Nerve growth factor. *Physiological Reviews*, *48*, 534–569.
- Nave, K. A., & Salzer, J. L. (2006). Axonal regulation of myelination by neuregulin 1. *Current Opinion in Neurobiology*, *16*, 492–500.
- Oppenheim, R. W. (1991). Cell death during development of the nervous system. *Annual Review of Neuroscience*, *14*, 453–501.
- Paratcha, G., & Ledda, F. (2008). GDNF and GFRalpha: a versatile molecular complex for

developing neurons. *Trends in Neurosciences*, 31, 384–391.

Pozas, E., & Ibanez, C. F. (2005). GDNF and GFRalpha1 promote differentiation and tangential migration of cortical GABAergic neurons. *Neuron*, 45, 701–713.

Rangasamy, S. B., Soderstrom, K., Bakay, R. A., & Kordower, J. H. (2010). Neurotrophic factor therapy for Parkinson's disease. *Progress in Brain Research*, 184, 237–264.

Tuszynski, M. H., Thal, L., Pay, M., Salmon, D. P., U, H. S., & Bakay, R., et al. (2005). A phase 1 clinical trial of nerve growth factor gene therapy for Alzheimer disease. *Nature Medicine*, 11, 551–555.