

References

- Aharonowiz, M., Einstein, O., Fainstein, N., Lassman, H., Reubinoff, B., & Ben-Hur, T. (2008). Neuroprotective effect of transplanted human embryonic stem cell-derived neural precursors in an animal model of multiple sclerosis. *PLoS One*, *3*, e3145.
- Altman, J., & Das, G. D. (1965). Post-natal origin of microneurons in the rat brain. *Nature*, *207*, 953–956.
- Altman, J. (1963). Autoradiographic investigation of cell proliferation in the brains of rats and cats. *The Anatomical Record*, *145*, 573–591.
- Alvarez-Buylla, A., & Garcia-Verdugo, J. M. (2002). Neurogenesis in the adult subventricular zone. *Journal of Neuroscience*, *22*(3), 629–634.
- Anthony, T. E., & Heintz, N. (2008). Genetic lineage tracing defines distinct neurogenic and gliogenic stages of ventral telencephalic radial glial development. *Neural Development*, *3*, 30.
- Bai, L., Lennon, D. P., Eaton, V., Maier, K., Caplan, A. I., Miller, S. D., et al. (2009). Human bone marrow-derived mesenchymal stem cells induce Th2-polarized immune response and promote endogenous repair in animal models of multiple sclerosis. *Glia*, *57*(11), 1192–1203.
- Becker, A. J., McCulloch, E. A., & Till, J. E. (1963). Cytological demonstration of the clonal nature of spleen colonies derived from transplanted mouse marrow cells. *Nature*, *197*, 452–454.
- Blakemore, W. F., & Crang, A. J. (1988). Extensive oligodendrocyte remyelination following injection of cultured central nervous system cells into demyelinating lesions in adult central nervous system. *Developmental Neuroscience*, *10*(1), 1–11.

- Blurton-Jones, M., Kitazawa, M., Martinez-Coria, H., Castello, N. A., Muller, F. -J., Loring, J. F., et al. (2009). Neural stem cells improve condition via BDNF in a transgenic model of Alzheimer Disease. *Proceedings of the National Academy of Sciences of the United States of America*, *106*, 13594–13599.
- Cartier, N., Hacein-Bey-Abina, S., Von Kalle, C., Bougnères, P., Fischer, A., Cavazzana-Calvo, M., et al. (2010). Gene therapy of x-linked adrenoleukodystrophy using hematopoietic stem cells and a lentiviral vector. *Bulletin de l'Académie Nationale de Médecine*, *194*(2), 255–264.
- Conti, L., & Cattaneo, E. (2010). Neural stem cell systems: Physiological players or *in vitro* entities? *Nature Reviews Neuroscience*, *11*, 176–187.
- Dimos, J. T., Rodolfa, K. T., Niakan, K. K., Weisenthal, L. M., Mitsumoto, H., Chung, W., et al. (2008). Induced pluripotent stem cells generated from patients with ALS can be differentiated into motor neurons. *Science*, *321*, 1218–1221.
- Doetsch, F., Caille, I., Lim, D. A., García-Verdugo, J. M., & Alvarez-Buylla, A. (1999). Subventricular zone astrocytes are neural stem cells in the adult mammalian. *Brain Cell*, *97*, 1–20.
- Ebert, A. D., Yu, J., Rose, F. F., Jr, et al., Mattis, V. B., Lorson, C. L., & Thomson, J. A., et al. (2009). Induced pluripotent stem cells form a spinal muscular atrophy patient. *Nature*, *457*, 277–280.
- Einstein, O., Fainstein, N., Vaknin, I., Misrachi-Kol, R., Reihartz, E., Grigoriadis, N., et al. (2007). Neural precursors attenuate autoimmune encephalomyelitis by peripheral immunosuppression. *Annals of Neurology*, 209–218.
- Einstein, O., Friedman-Levi, Y., Grigoriadis, N., & Ben-Hur, T. (2009). Transplanted neural

- precursors enhance host brain-derived myelin regeneration. *Journal of Neuroscience*, 29, 15694–15702.
- Freed, C. R., Greene, P. E., Breeze, R. E., Tsai, W. U., DuMouchel, W., Kao, R., et al. (2001). Transplantation of embryonic dopamine neurons for severe Parkinson's disease. *The New England Journal of Medicine*, 344, 710–719.
- Gage, F. H. (2000). Mammalian neural stem cells. *Science*, 287, 1433–1438.
- Hemmati, H. D., Nakano, I., Lazareff, J. A., Masterman-Smith, M., Geschwind, D. H., Bronner-Fraser, M., et al. (2003). Cancerous stem cells can arise from pediatric brain tumors. *Proceedings of the National Academy of Sciences of the United States of America*, 100(25), 15178–15183.
- Kosodo, Y., Toida, K., Dubreuil, V., Alexandre, P., Schenk, J., Kiyokage, E., et al. (2008). Cytokinesis of neuroepithelial cells can divide their basal process before anaphase. *EMBO Journal*, 27(23), 3151–3163.
- Lachapelle, F., Gumpel, M., Baulac, C., & Jacque, C. (1983). Transplantation of fragments of CNS into the brains of shiverer mutant mice: Extensive myelination by transplanted oligodendrocytes. *Developmental Neuroscience*, 6, 326–334.
- Lindvall, O., Brundin, P., Widner, H., Rehnström, S., Gustavii, B., Frackowiak, R., et al. (1990). Grafts of fetal dopamine neurons survive and improve motor function in Parkinson's disease. *Science*, 247(4942), 574–577.
- Lindvall, O., Rehnström, S., Gustavii, B., Brundin, P., Astedt, B., Widner, H., et al. (1988). Fetal dopamine-rich mesencephalic grafts in Parkinson's disease. *Lancet*, 2(8626-8627), 1483–1484.
- McKay, R. G. (1997). Stem cells in the central nervous system. *Science*, 276, 66–71.

- Morrison, S. J., White, P. M., Zock, C., & Anderson, D. J. (1999). Prospective identification, isolation by flow cytometry, and *in vivo* self-renewal of multipotent mammalian neural crest stem cells. *Cell*, *96*(5), 737–749.
- Olanow, C. W., Goetz, C. G., Kordower, J. H., Stoessl, A. J., Sossi, V., Brin, M. F., et al. (2003). A double-blind controlled trial of bilateral fetal nigral transplantation in Parkinson's disease. *Annals of Neurology*, *54*, 403–414.
- Olanow, C. W., Gracies, J. M., Goetz, C. G., Stoessl, A. J., Freeman, T., Kordower, J. H., et al. (2009). Clinical pattern and risk factors for dyskinesias following fetal nigral transplantation in Parkinson's disease: A double blind video-based analysis. *Movement Disorders*, *24*(3), 336–343.
- Piccirillo, S. G. M., Binda, E., Fiocco, R., Vescovi, A. L., & Shah, K. (2009). Brain cancer stem cells. *Journal of Molecular Medicine*, *87*, 1087–1095.
- Pluchino, S., Quattrini, A., Brambilla, E., Gritti, A., Salani, G., Dina, G., et al. (2003). Injection of adult neurospheres induces recovery in a chronic model of multiple sclerosis. *Nature*, *422*, 688–694.
- Redmond, D. E., Jr, Bjugstad, K. B., Teng, Y. D., Ourednik, V., Ourednik, J., Wakeman, D. R., et al. (2007). Behavioral improvement in a primate Parkinson's model is associated with multiple homeostatic effects of human neural stem cells. *Proceedings of the National Academy of Sciences of the United States of America*, *104*(29), 12175–12180.
- Reynolds, B. A., & Weiss, S. (1992). Generation of neurons and astrocytes from isolated cells of the adult mammalian central nervous system. *Science*, *255*, 1707–1710.
- Singh, S. K., Hawkins, C., Clarke, I. D., Squire, J. A., Bayani, J., Hide, T., et al. (2004). Identification of human brain tumour initiating cells. *Nature*, *432*(7015), 396–

- Suh, H., Consiglio, A., Ray, J., Sawai, T., D'Amour, K. A., & Gage, F. H. (2007). *In vivo* fate analysis reveals the multipotent and self renewal capacities of Sox2 \square neural stem cells in the adult. *Cell Stem Cell*, *1*, 515–528.
- Takahashi, K., & Yamanaka, S. (2006). Induction of pluripotent stem cells from mouse embryonic and adult fibroblast cultures by defined factors. *Cell*, *126*, 663–676.
- Tamaki, S. J., Jacobs, Y., Dohse, M., Capela, A., Cooper, J. D., Reitsma, M., et al. (2009). Neuroprotection of host cells by human central nervous system stem cells in a mouse model of infantile neuronal ceroid lipofuscinosis. *Cell Stem Cell*, *25*(3), 310–319.
- Temple, S. (2001). The development of neural stem cells. *Nature*, *414*(6859), 112–117.
- Thomson, J. A., Itskovitz-Eldor, J., Shapiro, S. S., Waknitz, M. A., Swiergiel, J. J., & Marshall, V. S., et al. (1998). Embryonic stem cell lines derived from human blastocysts. *Science*, *282*, 1145–1147.
- Till, J. E., McCulloch, E. A., Marshall, V. S., & Jones, J. M. (1961). A direct measurement of the radiation sensitivity of normal mouse bone marrow cells. *Radiation Research*, *14*, 213.
- Toma, J. G., Akhavan, M., Fernandes, K. J., Barnabé-Heider, F., Sadikot, A., & Kaplan, D. R., et al. (2001). Isolation of multipotent adult stem cells from the dermis of mammalian skin. *Nature Cell Biology*, *3*(9), 778–784.
- Uccelli, A., Pistoia, V., Moretta, L., Kaplan, D. R., & Miller, F. D. (2007). Mesenchymal stem cells: A new strategy for immunosuppression? *Trends in Immunology*, *28*, 219–226.
- Wilmut, I., Schnieke, A. E., McWhir, J., Kind, A. J., & Campbell, K. H. S. (1997). Viable offspring derived from fetal and adult mammalian cells. *Nature*, *385*, 810–813.

Windrem, M. S., Schanz, S. J., Guo, M., Tian, G. -F., Washco, V., Stanwood, N., et al. (2008).

Neonatal chimerization with human glial progenitor cells can both remyelinate and rescue the otherwise lethally hypomyelinated shiverer mouse. *Cell Stem Cell*, 2, 553–565.

Zappia, E., Casazza, S., Pedemonte, E., Benvenuto, F., Bonanni, I., Gerdoni, E., et al. (2005).

Mesenchymal stem cells ameliorate experimental autoimmune encephalitis inducing T cell anergy. *Blood*, 106, 1755–1761.