

## References

- Arnett, H. A., Fancy, S. P., Alberta, J. A., Zhao, C., Plant, S. R., Kaing, S., et al. (2004). bHLH transcription factor Olig1 is required to repair demyelinated lesions in the CNS. *Science*, *306*, 2111–2115.
- Baes, M., & Aubourg, P. (2009). Peroxisomes, myelination, and axonal integrity in the CNS. *Neuroscientist*, *15*, 367–379.
- Bansal, R., Warrington, A. E., Gard, A. L., Ranscht, B., & Pfeiffer, S. E. (1989). Multiple and novel specificities of monoclonal antibodies O1, O4, and R-mAb used in the analysis of oligodendrocyte development. *Journal of Neuroscience Research*, *24*, 548–557.
- Baumann, N., & Pham-Dinh, D. (2001). Biology of oligodendrocyte and myelin in the mammalian central nervous system. *Physiological Reviews*, *81*, 871–927.
- Brinkmann, B. G., Agarwal, A., Sereda, M. W., Garratt, A. N., Muller, T., Wende, H., et al. (2008). Neuregulin-1/ErbB signaling serves distinct functions in myelination of the peripheral and central nervous system. *Neuron*, *59*, 581–595.
- Campagnoni, A. T., & Skoff, R. P. (2001). The pathobiology of myelin mutants reveal novel biological functions of the MBP and PLP genes. *Brain Pathology*, *11*, 74–91.
- Chang, A., Nishiyama, A., Peterson, J., Prineas, J., & Trapp, B. D. (2000). NG2-positive oligodendrocyte progenitor cells in adult human brain and multiple sclerosis lesions. *Journal of Neuroscience*, *20*, 6404–6412.
- Cotter, L., Ozcelik, M., Jacob, C., Pereira, J. A., Locher, V., Baumann, R., et al. (2010). Dlg1-PTEN interaction regulates myelin thickness to prevent damaging peripheral nerve overmyelination. *Science*, *328*, 1415–1418.
- Dugas, J. C., Cuellar, T. L., Scholze, A., Ason, B., Ibrahim, A.,

- Emery, B., et al. (2010). Dicer1 and miR-219 are required for normal oligodendrocyte differentiation and myelination. *Neuron*, *65*, 597–611.
- Duncan, I. D., Lunn, K. F., Holmgren, B., Urba-Holmgren, R., & Brignolo-Holmes, L. (1992). The taiep rat: A myelin mutant with an associated oligodendrocyte microtubular defect. *Journal of Neurocytology*, *21*, 870–884.
- Eichberg, J., & Iyer, S. (1996). Phosphorylation of myelin protein: Recent advances. *Neurochemical Research*, *21*, 527–535.
- Emery, B. (2010). Regulation of oligodendrocyte differentiation and myelination. *Science*, *330*, 779–782.
- Flores, A. I., Narayanan, S. P., Morse, E. N., Shick, H. E., Yin, X., Kidd, G., et al. (2008). Constitutively active Akt induces enhanced myelination in the CNS. *Journal of Neuroscience*, *28*, 7174–7183.
- Fyffe-Maricich, S. L., Karlo, J. C., Landreth, G. E., & Miller, R. H. (2011). The ERK2 mitogen-activated protein kinase regulates the timing of oligodendrocyte differentiation. *Journal of Neuroscience*, *31*, 843–850.
- Gamble, H. J., & Breathnach, A. S. (1965). An electron-microscope study of human foetal peripheral nerves. *Journal of Anatomy*, *99*, 573–584.
- Goebbels, S., Oltrogge, J. H., Kemper, R., Heilmann, I., Bormuth, I., Wolfer, S., et al. (2010). Elevated phosphatidylinositol 3,4,5-trisphosphate in glia triggers cell-autonomous membrane wrapping and myelination. *Journal of Neuroscience*, *30*, 8953–8964.
- Hardy, R. J. (2004). The QK1 gene. In R. A. Lazzarini (Ed.), *Myelin biology and disorders* (pp. 654–659). San Diego: Elsevier Academic Press.
- Hudson, L. D. (2004). Proteolipid protein gene. In R. A. Lazzarini (Ed.), *Myelin biology and*

- disorders* (pp. 401–420). San Diego: Elsevier Academic Press.
- Jessen, K. R., & Mirsky, R. (2005). The origin and development of glial cells in peripheral nerves. *Nature Reviews Neuroscience*, *6*, 671–682.
- Jortner, B. S. (2000). Mechanisms of toxic injury in the peripheral nervous system: Neuropathologic considerations. *Toxicologic Pathology*, *28*, 54–69.
- Jurevics, H., & Morell, P. (1995). Cholesterol for synthesis of myelin is made locally, not imported into brain. *Journal of Neurochemistry*, *64*, 895–901.
- Kao, S. C., Wu, H., Xie, J., Chang, C. P., Ranish, J. A., Graef, I. A., et al. (2009). Calcineurin/NFAT signaling is required for neuregulin-regulated Schwann cell differentiation. *Science*, *323*, 651–654.
- Kroepfl, J. F., & Gardinier, M. V. (2001). Mutually exclusive apicobasolateral sorting of two oligodendroglial membrane proteins, proteolipid protein and myelin/oligodendrocyte glycoprotein, in Madin-Darby canine kidney cells. *Journal of Neuroscience Research*, *66*, 1140–1148.
- LaMantia, A. S., & Rakic, P. (1990). Cytological and quantitative characteristics of four cerebral commissures in the rhesus monkey. *The Journal of Comparative Neurology*, *291*, 520–537.
- Lazzarini, R. A. (2004). *Myelin biology and disorders*. San Diego: Elsevier Academic Press.
- Macklin, W. B. (2010). The myelin brake: When enough is enough. *Science Signaling*, *3*, e32.
- Mallon, B. S., Shick, H. E., Kidd, G. J., & Macklin, W. B. (2002). Proteolipid promoter activity distinguishes two populations of NG2-positive cells throughout neonatal cortical development. *Journal of Neuroscience*, *22*, 876–885.
- McCarthy, K. D., & de Vellis, J. (1980). Preparation of separate astroglial and oligodendroglial

- cell cultures from rat cerebral tissue. *Journal of Cell Biology*, 85, 890–902.
- Monk, K. R., & Talbot, W. S. (2009). Genetic dissection of myelinated axons in zebrafish. *Current Opinion in Neurobiology*, 19, 486–490.
- Morell, P., & Toews, A. D. (1996). Schwann cells as targets for neurotoxicants. *Neurotoxicology*, 17, 685–695.
- Morell, P. (1984). *Myelin*. New York: Plenum Press.
- Narayanan, S. P., Flores, A. I., Wang, F., & Macklin, W. B. (2009). Akt signals through the mammalian target of rapamycin pathway to regulate CNS myelination. *Journal of Neuroscience*, 29, 6860–6870.
- Nave, K. A., & Griffiths, I. R. (2004). Models of Pelizeaus-Merzbacher disease. In R. A. Lazzarini (Ed.), *Myelin biology and disorders* (pp. 1125–1142). San Diego: Elsevier Academic Press.
- Nave, K. A. (2010). Myelination and support of axonal integrity by glia. *Nature*, 468, 244–252.
- Newbern, J. M., Li, X., Shoemaker, S. E., Zhou, J., Zhong, J., Wu, Y., et al. (2011). Specific functions for ERK/MAPK signaling during PNS development. *Neuron*, 69, 91–105.
- Partadiredja, G., Miller, R., & Oorschot, D. E. (2003). The number, size, and type of axons in rat subcortical white matter on left and right sides: A stereological, ultrastructural study. *Journal of Neurocytology*, 32, 1165–1179.
- Perlin, J. R., & Talbot, W. S. (2007). Putting the glue in glia: Necls mediate Schwann cell axon adhesion. *Journal of Cell Biology*, 178, 721–723.
- Pfeiffer, S. E. (1984). Oligodendrocyte development in culture systems. In W. T. Norton (Ed.), *Oligodendroglia, advances in neurochemistry* (pp. 233–298). New York/London: Plenum.

- Scherer, S. S., & Wrabetz, L. (2008). Molecular mechanisms of inherited demyelinating neuropathies. *Glia*, *56*, 1578–1589.
- Seggie, J., & Berry, M. (1972). Ontogeny of interhemispheric evoked potentials in the rat: Significance of myelination of the corpus callosum. *Experimental Neurology*, *35*, 215–232.
- Song, J., Carson, J. H., Barbarese, E., Li, F. Y., & Duncan, I. D. (2003). RNA transport in oligodendrocytes from the taiep mutant rat. *Molecular and Cellular Neurosciences*, *24*, 926–938.
- Taveggia, C., Thaker, P., Petrylak, A., Caporaso, G. L., Toews, A., Falls, D. L., et al. (2008). Type III neuregulin-1 promotes oligodendrocyte myelination. *Glia*, *56*, 284–293.
- Taveggia, C., Zanazzi, G., Petrylak, A., Yano, H., Rosenbluth, J., Einheber, S., et al. (2005). Neuregulin-1 type III determines the ensheathment fate of axons. *Neuron*, *47*, 681–694.
- Taylor, C. M., Marta, C. B., Bansal, R., & Pfeiffer, S. E. (2004). The transport, assembly and function of myelin lipids. In R. A. Lazzarini (Ed.), *Myelin biology and disorders* (pp. 57–88). San Diego: Elsevier Academic Press.
- Trapp, B. D., Pfeiffer, S. E., Anitei, M., & Kidd, G. (2004). Cell biology of myelin assembly. In R. A. Lazzarini (Ed.), *Myelin biology and disorders* (pp. 29–55). San Diego: Elsevier Academic Press.
- Trapp, B. D., & Kidd, G. J. (2004). Structure of the myelinated axon. In R. A. Lazzarini (Ed.), *Myelin biology and disorders* (pp. 3–27). San Diego, CA: Elsevier, Inc..
- Tyler, W. A., Gangoli, N., Gokina, P., Kim, H. A., Covey, M., Levison, S. W., et al. (2009). Activation of the mammalian target of rapamycin (mTOR) is essential for oligodendrocyte differentiation. *Journal of Neuroscience*, *29*, 6367–6378.

- Webster, H. (1984). Development of peripheral nerve fibers. In P. T. Dyck, E. H. Lambert & R. Bunge (Eds.), *Peripheral neuropathy* (pp. 329–359). Philadelphia: W.B. Saunders.
- Woodruff, R. H., Tekki-Kessarlis, N., Stiles, C. D., Rowitch, D. H., & Richardson, W. D. (2001). Oligodendrocyte development in the spinal cord and telencephalon: Common themes and new perspectives. *International Journal of Developmental Neuroscience*, *19*, 379–385.
- Wrabetz, L., & Feltri, M. L. S. U. (2004). Models of Charcot-Marie Tooth disease. In R. A. Lazzarini (Ed.), *Myelin biology and disorders* (pp. 1143–1168). San Diego: Elsevier Academic Press.
- Yu, Y., Casaccia, P., & Lu, Q. R. (2010). Shaping the oligodendrocyte identity by epigenetic control. *Epigenetics*, *5*, 124–128.
- Zhao, X., He, X., Han, X., Yu, Y., Ye, F., Chen, Y., et al. (2010). MicroRNA-mediated control of oligodendrocyte differentiation. *Neuron*, *65*, 612–626.