

References

- Anderson, R. E., Maude, M. B., Alvarez, R. A., Acland, G., & Aguirre, G. D. (1999). A hypothesis to explain the reduced blood levels of docosahexaenoic acid in inherited retinal degenerations caused by mutations in genes encoding retina-specific proteins. *Lipids*, *34*(Suppl.), S235–S237.
- Bazan, N. G., Birkle, D. L., & Reddy, T. S. (1984). Docosahexaenoic acid (22:6, n-3) is metabolized to lipoxygenase reaction products in the retina. *Biochemical and Biophysical Research Communications*, *125*, 741–747.
- Bazan, N. G., Fletcher, B. S., Herschman, H. R., & Mukherjee, P. K. (1994). Platelet-activating factor and retinoic acid synergistically activate the inducible prostaglandin synthase gene. *Proceedings of the National Academy of Sciences of the United States of America*, *91*, 5252–5256.
- Bazan, N. G., Scott, B. L., Reddy, T. S., & Pelias, M. Z. (1986). Decreased content of docosahexaenoate and arachidonate in plasma phospholipids in Usher's syndrome. *Biochemical and Biophysical Research Communications*, *141*, 600–604.
- Block, M. L., Zecca, L., & Hong, J. S. (2007). Microglia-mediated neurotoxicity: Uncovering the molecular mechanisms. *Nature Reviews Neuroscience*, *8*, 57–69.
- Bonventre, J. V., Huang, Z., Taheri, M. R., O'Leary, E., Li, E., Moskowitz, M. A., et al. (1997). Reduced fertility and postischemic brain injury in mice deficient in cytosolic phospholipase A2. *Nature*, *390*, 622–625.
- Calandria, J. M., Marcheselli, V. L., Mukherjee, P. K., Uddin, J., Winkler, J. W., Petasis, N. A., et al. (2009). Selective survival rescue in 15-lipoxygenase-1-deficient retinal pigment epithelial cells by the novel docosahexaenoic acid-derived mediator, neuroprotectin D1.

Journal of Biological Chemistry, 284, 17877–17882.

- Chen, C., Magee, J. C., & Bazan, N. G. (2002). Cyclooxygenase-2 regulates prostaglandin E2 signaling in hippocampal long-term synaptic plasticity. *Journal of Neurophysiology*, 87, 2851–2857.
- Clark, G. D., Happel, L. T., Zorumski, C. F., & Bazan, N. G. (1992). Enhancement of hippocampal excitatory synaptic transmission by platelet-activating factor. *Neuron*, 9, 1211–1216.
- Dobrian, A. D., et al. (2011). Functional and pathological roles of the 12- and 15-lipoxygenases. *Progress in Lipid Research*, 50, 115–131.
- Dumuis, A., Sebben, M., Haynes, L., Pin, J. P., & Bockaert, J. (1988). NMDA receptors activate the arachidonic acid cascade system in striatal neurons. *Nature*, 336, 68–70.
- Hamilton, N. B., & Attwell, D. (2010). Do astrocytes really exocytose neurotransmitters? *Nature Reviews Neuroscience*, 11, 227–238.
- Hardingham, G. E., & Bading, H. (2010). Synaptic versus extrasynaptic NMDA receptor signalling: Implications for neurodegenerative disorders. *Nature Reviews Neuroscience*, 11, 682–696.
- Hong, S., Gronert, K., Devchand, P. R., Moussignac, R. L., & Serhan, C. N. (2003). Novel docosatrienes and 17S-resolvins generated from docosahexaenoic acid in murine brain, human blood, and glial cells. Autacoids in anti-inflammation. *Journal of Biological Chemistry*, 278, 14677–14687.
- Izquierdo, I., Fin, C., Schmitz, P. K., Da Silva, R. C., Jerusalinsky, D., Quillfeldt, J. A., et al. (1995). Memory enhancement by intrahippocampal, intraamygdala, or intraentorhinal infusion of platelet-activating factor measured in an inhibitory avoidance task.

- Proceedings of the National Academy of Sciences of the United States of America*, 92, 5047–5051.
- Jiang, J., Ganesh, T., Du, Y., Thepchatri, P., Rojas, A., Lewis, I., et al. (2010). Neuroprotection by selective allosteric potentiators of the EP2 prostaglandin receptor. *Proceedings of the National Academy of Sciences of the United States of America*, 107, 2307–2312.
- Kato, K., Clark, G. D., Bazan, N. G., & Zorumski, C. F. (1994). Platelet-activating factor as a potential retrograde messenger in CA1 hippocampal long-term potentiation. *Nature*, 367, 175–179.
- Kaufmann, W. E., Worley, P. F., Pegg, J., Bremer, M., & Isakson, P. (1996). COX-2, a synaptically induced enzyme, is expressed by excitatory neurons at postsynaptic sites in rat cerebral cortex. *Proceedings of the National Academy of Sciences of the United States of America*, 93, 2317–2321.
- Kobayashi, T., Nakatani, Y., Tanioka, T., Tsujimoto, M., Nakajo, S., Nakaya, K., et al. (2004). Regulation of cytosolic prostaglandin E synthase by phosphorylation. *The Biochemical Journal*, 381, 59–69.
- Kolko, M., DeCoster, M. A., de Turco, E. B., & Bazan, N. G. (1996). Synergy by secretory phospholipase A2 and glutamate on inducing cell death and sustained arachidonic acid metabolic changes in primary cortical neuronal cultures. *Journal of Biological Chemistry*, 271, 32722–32728.
- Marcheselli, V. L., Hong, S., Lukiw, W. J., Tian, X. H., Gronert, K., Musto, A., et al. (2003). Novel docosanoids inhibit brain ischemia–reperfusion-mediated leukocyte infiltration and pro-inflammatory gene expression. *Journal of Biological Chemistry*, 278, 43807–43817.

- Marcheselli, V. L., Mukherjee, P. K., Arita, M., Hong, S., Antony, R., Sheets, K., et al. (2010). Neuroprotectin D1/protectin D1 stereoselective and specific binding with human retinal pigment epithelial cells and neutrophils. *Prostaglandins, Leukotrienes, and Essential Fatty Acids*, 82, 27–34.
- Marcheselli, V. L., & Bazan, N. G. (1996). Sustained induction of prostaglandin endoperoxide synthase-2 by seizures in hippocampus. Inhibition by a platelet-activating factor antagonist. *Journal of Biological Chemistry*, 271, 24794–24799.
- McCullough, L., Wu, L., Haughey, N., Liang, X., Hand, T., Wang, Q., et al. (2004). Neuroprotective function of the PGE2 EP2 receptor in cerebral ischemia. *Journal of Neuroscience*, 24, 257–268.
- Mukherjee, P. K., Marcheselli, V. L., de Rivero Vaccari, J. C., Gordon, W. C., Jackson, F. E., & Bazan, N. G. (2007). Photoreceptor outer segment phagocytosis attenuates oxidative stress-induced apoptosis with concomitant neuroprotectin D1 synthesis. *Proceedings of the National Academy of Sciences of the United States of America*, 104, 13158–13163.
- Mukherjee, P. K., Marcheselli, V. L., Barreiro, S., Hu, J., Bok, D., & Bazan, N. G. (2007). Neurotrophins enhance retinal pigment epithelial cell survival through neuroprotectin D1 signaling. *Proceedings of the National Academy of Sciences of the United States of America*, 104, 13152–13157.
- Mukherjee, P. K., Marcheselli, V. L., Serhan, C. N., & Bazan, N. G. (2004). Neuroprotectin D1: A docosahexaenoic acid-derived docosatriene protects human retinal pigment epithelial cells from oxidative stress. *Proceedings of the National Academy of Sciences of the United States of America*, 101, 8491–8496.
- Murphy, R. C., Hankin, J. A., & Barkley, R. M. (2009). Imaging of lipid species by MALDI

- mass spectrometry. *Journal of Lipid Research*, 50(Suppl.), S317–S322.
- Niu, S. L., Mitchell, D. C., Lim, S. Y., Wen, Z. M., Kim, H. Y., Salem, N., Jr., et al. (2004). Reduced G protein–coupled signaling efficiency in retinal rod outer segments in response to n-3 fatty acid deficiency. *Journal of Biological Chemistry*, 279, 31098–31104.
- Panetta, T., Marcheselli, V. L., Braquet, P., Spinnewyn, B., & Bazan, N. G. (1987). Effects of a platelet activating factor antagonist (BN 52021) on free fatty acids, diacylglycerols, polyphosphoinositides and blood flow in the gerbil brain: Inhibition of ischemia–reperfusion induced cerebral injury. *Biochemical and Biophysical Research Communications*, 149, 580–587.
- Phillis, J. W., Horrocks, L. A., & Farooqui, A. A. (2006). Cyclooxygenases, lipoxygenases, and epoxygenases in CNS: Their role and involvement in neurological disorders. *Brain Research Reviews*, 52, 201–243.
- Piomelli, D. (2003). The molecular logic of endocannabinoid signalling. *Nature Reviews Neuroscience*, 4, 873–884.
- Piomelli, D., Astarita, G., & Rapaka, R. (2007). A neuroscientist’s guide to lipidomics. *Nature Reviews Neuroscience*, 8, 743–754.
- Reich, E. E., Markesbery, W. R., Roberts, L. J., 2nd, Swift, L. L., Morrow, J. D., & Montine, T. J. (2001). Brain regional quantification of F-ring and D-/E-ring isoprostanes and neuroprostanes in Alzheimer’s disease. *The American Journal of Pathology*, 158, 293–297.
- Roberts, L. J., 2nd, Montine, T. J., Markesbery, W. R., Tapper, A. R., Hardy, P., & Chemtob, S., et al. (1998). Formation of isoprostane-like compounds (neuroprostanes) *in vivo* from docosahexaenoic acid. *Journal of Biological Chemistry*, 273, 13605–13612.

- Rodriguez de Turco, E. B., Tang, W., Topham, M. K., Sakane, F., Marcheselli, V. L., Chen, C., et al. (2001). Diacylglycerol kinase epsilon regulates seizure susceptibility and long-term potentiation through arachidonoyl–inositol lipid signaling. *Proceedings of the National Academy of Sciences of the United States of America*, *98*, 4740–4745.
- Sanchez-Mejia, R. O., Newman, J. W., Toh, S., Yu, G. Q., Zhou, Y., Halabisky, B., et al. (2008). Phospholipase A2 reduction ameliorates cognitive deficits in a mouse model of Alzheimer's disease. *Nature Neuroscience*, *11*, 1311–1318.
- Sang, N., Zhang, J., Marcheselli, V., Bazan, N. G., & Chen, C. (2005). Postsynaptically synthesized prostaglandin E2 (PGE2) modulates hippocampal synaptic transmission via a presynaptic PGE2 EP2 receptor. *Journal of Neuroscience*, *25*, 9858–9870.
- Schaloske, R. H., & Dennis, E. A. (2006). The phospholipase A2 superfamily and its group numbering system. *Biochimica et Biophysica Acta*, *1761*, 1246–1259.
- Scott, B. L., & Bazan, N. G. (1989). Membrane docosahexaenoate is supplied to the developing brain and retina by the liver. *Proceedings of the National Academy of Sciences of the United States of America*, *86*, 2903–2907.
- Serhan, C. N. (2010). Novel lipid mediators and resolution mechanisms in acute inflammation: To resolve or not? *The American Journal of Pathology*, *177*, 1576–1591.
- Serhan, C. N., Clish, C. B., Brannon, J., Colgan, S. P., Chiang, N., & Gronert, K. (2000). Novel functional sets of lipid-derived mediators with antiinflammatory actions generated from omega-3 fatty acids via cyclooxygenase 2-nonsteroidal antiinflammatory drugs and transcellular processing. *The Journal of Experimental Medicine*, *192*, 1197–1204.
- Serhan, C. N., Hong, S., Gronert, K., Colgan, S. P., Devchand, P. R., Mirick, G., et al. (2002). Resolvins: A family of bioactive products of omega-3 fatty acid transformation circuits

- initiated by aspirin treatment that counter proinflammation signals. *The Journal of Experimental Medicine*, 196, 1025–1037.
- Serhan, C. N., Gotlinger, K., Hong, S., Lu, Y., Siegelman, J., Baer, T., et al. (2006). Anti-inflammatory actions of neuroprotectin D1/protectin D1 and its natural stereoisomers: Assignments of dihydroxy-containing docosatrienes. *Journal of Immunology*, 176, 1848–1859.
- Serhan, C. N., Chiang, N., & Van Dyke, T. E. (2008a). Resolving inflammation: Dual anti-inflammatory and pro-resolution lipid mediators. *Nature Reviews Immunology*, 8, 349–361.
- Serhan, C. N., Yacoubian, S., & Yang, R. (2008b). Anti-inflammatory and proresolving lipid mediators. *Annual Review of Pathology*, 3, 279–312.
- Shimizu, T. (2009). Lipid mediators in health and disease: Enzymes and receptors as therapeutic targets for the regulation of immunity and inflammation. *Annual Review of Pharmacology and Toxicology*, 49, 123–150.
- Sun, G. Y., Xu, J., Jensen, M. D., & Simonyi, A. (2004). Phospholipase A2 in the central nervous system: Implications for neurodegenerative diseases. *Journal of Lipid Research*, 45, 205–213.
- Takemiya, T., Maehara, M., Matsumura, K., Yasuda, S., Sugiura, H., & Yamagata, K. (2006). Prostaglandin E2 produced by late induced COX-2 stimulates hippocampal neuron loss after seizure in the CA3 region. *Neuroscience Research*, 56, 103–110.
- Takemiya, T., Matsumura, K., Sugiura, H., Maehara, M., Yasuda, S., Uematsu, S., et al. (2010). Endothelial microsomal prostaglandin E synthase-1 exacerbates neuronal loss induced by kainate. *Journal of Neuroscience Research*, 88, 381–390.

- Taylor, A. L., Bonventre, J. V., Uliasz, T. F., Hewett, J. A., & Hewett, S. J. (2008). Cytosolic phospholipase A2 alpha inhibition prevents neuronal NMDA receptor-stimulated arachidonic acid mobilization and prostaglandin production but not subsequent cell death. *Journal of Neurochemistry*, *106*, 1828–1840.
- Tu, B., & Bazan, N. G. (2003). Hippocampal kindling epileptogenesis upregulates neuronal cyclooxygenase-2 expression in neocortex. *Experimental Neurology*, *179*, 167–175.
- Wieraszko, A., Li, G., Kornecki, E., Hogan, M. V., & Ehrlich, Y. H. (1993). Long-term potentiation in the hippocampus induced by platelet-activating factor. *Neuron*, *10*, 553–557.
- Wu, L., Wang, Q., Liang, X., & Andreasson, K. (2007). Divergent effects of prostaglandin receptor signaling on neuronal survival. *Neuroscience Letters*, *421*, 253–258.
- Yamagata, K., Andreasson, K. I., Kaufmann, W. E., Barnes, C. A., & Worley, P. F. (1993). Expression of a mitogen-inducible cyclooxygenase in brain neurons: Regulation by synaptic activity and glucocorticoids. *Neuron*, *11*, 371–386.