

References

- Bierhaus, A., Haslbeck, K. M., Humpert, P. M., Liliensiek, B., Dehmer, T., & Morcos, M., et al. (2004). Loss of pain perception in diabetes is dependent on a receptor of the immunoglobulin superfamily. *The Journal of Clinical Investigation*, *114*(12), 1741–1751.
- Bremer, J., Baumann, F., Tiberi, C., Wessig, C., Fischer, H., Schwarz, P., et al. (2010). Axonal prion protein is required for peripheral myelin maintenance. *Nature Neuroscience*, *13*(3), 310–318.
- Buchwald, B., Zhang, G., Vogt-Eisele, A. K., Zhang, W., Ahangari, R., Griffin, J. W., et al. (2007). Anti-ganglioside antibodies alter presynaptic release and calcium influx. *Neurobiology of Disease*, *28*(1), 113–121.
- Calcutt, N. A., Willars, G. B., & Tomlinson, D. R. (1988). Axonal transport of choline acetyltransferase and 6-phosphofructokinase activities in genetically diabetic mice. *Muscle & Nerve*, *11*(12), 1206–1210.
- Coleman, M. P., & Freeman, M. R. (2010). Wallerian degeneration, wld(s), and nmnat. *Annual Review of Neuroscience*, *33*, 245–267.
- Connolly, A. M., Pestronk, A., Trotter, J. L., Feldman, E. L., Cornblath, D. R., & Olney, R. K. (1993). High-titer selective serum anti-beta-tubulin antibodies in chronic inflammatory demyelinating polyneuropathy. *Neurology*, *43*(3 Pt 1), 557–562.
- Csurhes, P. A., Sullivan, A. A., Green, K., Pender, M. P., & McCombe, P. A. (2005). T-cell reactivity to P0, P2, PMP-22, and myelin basic protein in patients with Guillain-Barré syndrome and chronic inflammatory demyelinating polyradiculoneuropathy. *Journal of Neurology, Neurosurgery, and Psychiatry*, *76*(10), 1431–1439.
- Fernyhough, P., Gallagher, A., Averill, S. A., Priestley, J. V., Hounsom, L., Patel, J., et al.

- (1999). Aberrant neurofilament phosphorylation in sensory neurons of rats with diabetic neuropathy. *Diabetes*, 48(4), 881–889.
- Figueroa-Romero, C., Sadidi, M., & Feldman, E. L. (2008). Mechanisms of disease: The oxidative stress theory of diabetic neuropathy. *Reviews in Endocrine & Metabolic Disorders*, 9(4), 301–314.
- Gerding, W. M., Koetting, J., Epplen, J. T., & Neusch, C. (2009). Hereditary motor and sensory neuropathy caused by a novel mutation in LITAF. *Neuromuscular Disorders: NMD*, 19(10), 701–703.
- Glass, J. D., Brushart, T. M., George, E. B., & Griffin, J. W. (1993). Prolonged survival of transected nerve fibres in C57BL/Ola mice is an intrinsic characteristic of the axon. *Journal of Neurocytology*, 22(5), 311–321.
- Griffin, J. W., George, R., Lobato, C., Tyor, W. R., Yan, L. C., & Glass, J. D. (1992). Macrophage responses and myelin clearance during Wallerian degeneration: Relevance to immune-mediated demyelination. *Journal of Neuroimmunology*, 40(2–3), 153–165.
- Halstead, S. K., O'Hanlon, G. M., Humphreys, P. D., Morrison, D. B., Morgan, B. P., Todd, A. J., et al. (2004). Anti-disialoside antibodies kill perisynaptic Schwann cells and damage motor nerve terminals via membrane attack complex in a murine model of neuropathy. *Brain: A Journal of Neurology*, 127(Pt 9), 2109–2123.
- Ho, E. C., Lam, K. S., Chen, Y. S., Yip, J. C., Arvindakshan, M., Yamagishi, S., et al. (2006). Aldose reductase-deficient mice are protected from delayed motor nerve conduction velocity, increased c-Jun NH2-terminal kinase activation, depletion of reduced glutathione, increased superoxide accumulation, and DNA damage. *Diabetes*, 55(7), 1946–1953.

- Ho, T. W., McKhann, G. M., & Griffin, J. W. (1998). Human autoimmune neuropathies. *Annual Review of Neuroscience*, *21*, 187–226.
- Hoke, A., Redett, R., Hameed, H., Jari, R., Zhou, C., Li, Z. B., et al. (2006). Schwann cells express motor and sensory phenotypes that regulate axon regeneration. *The Journal of Neuroscience : The Official Journal of the Society for Neuroscience*, *26*(38), 9646–9655.
- Jolival, C. G., Lee, C. A., Beiswenger, K. K., Smith, J. L., Orlov, M., Torrance, M. A., et al. (2008). Defective insulin signaling pathway and increased glycogen synthase kinase-3 activity in the brain of diabetic mice: Parallels with Alzheimer's disease and correction by insulin. *Journal of Neuroscience Research*, *86*(15), 3265–3274.
- Jordanova, A., Irobi, J., Thomas, F. P., Van Dijck, P., Meerschaert, K., Dewil, M., et al. (2006). Disrupted function and axonal distribution of mutant tyrosyl-tRNA synthetase in dominant intermediate Charcot-Marie-Tooth neuropathy. *Nature Genetics*, *38*(2), 197–202.
- Kauppinen, T. M., Chan, W. Y., Suh, S. W., Wiggins, A. K., Huang, E. J., & Swanson, R. A. (2006). Direct phosphorylation and regulation of poly(ADP-ribose) polymerase-1 by extracellular signal-regulated kinases 1/2. *Proceedings of the National Academy of Sciences of the United States of America*, *103*(18), 7136–7141.
- Kim, H. J., Jung, C. G., Jensen, M. A., Dukala, D., & Soliven, B. (2008). Targeting of myelin protein zero in a spontaneous autoimmune polyneuropathy. *Journal of Immunology*, *181*(12), 8753–8760.
- Kim, H. J., Sohn, K. M., Shy, M. E., Krajewski, K. M., Hwang, M., Park, J. H., et al. (2007). Mutations in PRPS1, which encodes the phosphoribosyl pyrophosphate synthetase enzyme critical for nucleotide biosynthesis, cause hereditary peripheral neuropathy with

- hearing loss and optic neuropathy (cmtx5). *American Journal of Human Genetics*, 81(3), 552–558.
- Latov, N., Sherman, W. H., Nemni, R., Galassi, G., Shyong, J. S., Penn, A. S., et al. (1980). Plasma-cell dyscrasia and peripheral neuropathy with a monoclonal antibody to peripheral-nerve myelin. *The New England Journal of Medicine*, 303(11), 618–621.
- Lunn, E. R., Perry, V. H., Brown, M. C., Rosen, H., & Gordon, S. (1989). Absence of wallerian degeneration does not hinder regeneration in peripheral nerve. *The European Journal of Neuroscience*, 1(1), 27–33.
- Lupski, J. R., de Oca-Luna, R. M., Slaugenhaupt, S., Pentao, L., Guzzetta, V., Trask, B. J., et al. (1991). DNA duplication associated with Charcot-Marie-Tooth disease type 1A. *Cell*, 66(2), 219–232.
- Maurer, M., & Gold, R. (2002). Animal models of immune-mediated neuropathies. *Current Opinion in Neurology*, 15(5), 617–622.
- Melotte, V., Qu, X., Ongenaert, M., van Crielinge, W., de Bruine, A. P., Baldwin, H. S., et al. (2010). The N-myc downstream regulated gene (NDRG) family: Diverse functions, multiple applications. *FASEB Journal*, 24(11), 4153–66.
- Montecucco, C., Rossetto, O., Caccin, P., Rigoni, M., Carli, L., Morbiato, L., et al. (2009). Different mechanisms of inhibition of nerve terminals by botulinum and snake presynaptic neurotoxins. *Toxicon : Official Journal of the International Society on Toxinology*, 54(5), 561–564.
- Morfini, G., Pigino, G., Szebenyi, G., You, Y., Pollema, S., & Brady, S. T. (2006). JNK mediates pathogenic effects of polyglutamine-expanded androgen receptor on fast axonal transport. *Nature Neuroscience*, 9(7), 907–916.

- Niemann, A., Berger, P., & Suter, U. (2006). Pathomechanisms of mutant proteins in Charcot-Marie-Tooth disease. *Neuromolecular Medicine*, 8(1–2), 217–242.
- Obrosova, I. G. (2009). Diabetes and the peripheral nerve. *Biochimica et Biophysica Acta*, 1792(10), 931–940.
- Peltier, A. C., & Russell, J. W. (2002). Recent advances in drug-induced neuropathies. *Current Opinion in Neurology*, 15(5), 633–638.
- Plomp, J. J., Molenaar, P. C., O’Hanlon, G. M., Jacobs, B. C., Veitch, J., Daha, M. R., et al. (1999). Miller Fisher anti-GQ1b antibodies: Alpha-latrotoxin-like effects on motor end plates. *Annals of Neurology*, 45(2), 189–199.
- Plonquet, A., Gherardi, R. K., Creange, A., Antoine, J. C., Benyahia, B., Grisold, W., et al. (2002). Oligoclonal T-cells in blood and target tissues of patients with anti-Hu syndrome. *Journal of Neuroimmunology*, 122(1-2), 100–105.
- Purves, T., Middlemas, A., Agthong, S., Jude, E. B., Boulton, A. J., Fernyhough, P., et al. (2001). A role for mitogen-activated protein kinases in the etiology of diabetic neuropathy. *FASEB Journal*, 15(13), 2508–2514.
- Rinaldi, S., & Willison, H. J. (2008). Ganglioside antibodies and neuropathies. *Current Opinion in Neurology*, 21(5), 540–546.
- Russell, J. W., Berent-Spillson, A., Vincent, A. M., Freimann, C. L., Sullivan, K. A., & Feldman, E. L. (2008). Oxidative injury and neuropathy in diabetes and impaired glucose tolerance. *Neurobiology of Disease*, 30(3), 420–429.
- Sanvito, L., Makowska, A., Mahdi-Rogers, M., Hadden, R. D., Peakman, M., Gregson, N., et al. (2009). Humoral and cellular immune responses to myelin protein peptides in chronic inflammatory demyelinating polyradiculoneuropathy. *Journal of Neurology*,

- Neurosurgery, and Psychiatry*, 80(3), 333–338.
- Scalabrino, G. (2009). The multi-faceted basis of vitamin B12 (cobalamin) neurotrophism in adult central nervous system: Lessons learned from its deficiency. *Progress in Neurobiology*, 88(3), 203–220.
- Suter, U., & Scherer, S. S. (2003). Disease mechanisms in inherited neuropathies. *Nature Reviews. Neuroscience*, 4(9), 714–726.
- Tatum, A. H. (1993). Experimental paraprotein neuropathy, demyelination by passive transfer of human IgM anti-myelin-associated glycoprotein. *Annals of Neurology*, 33(5), 502–506.
- Tomlinson, D. R., & Gardiner, N. J. (2008). Glucose neurotoxicity. *Nature Reviews. Neuroscience*, 9(1), 36–45.
- Toth, C., Rong, L. L., Yang, C., Martinez, J., Song, F., Ramji, N., et al. (2008). Receptor for advanced glycation end products (RAGEs) and experimental diabetic neuropathy. *Diabetes*, 57(4), 1002–1017.
- Vargas, M. E., Watanabe, J., Singh, S. J., Robinson, W. H., & Barres, B. A. (2010). Endogenous antibodies promote rapid myelin clearance and effective axon regeneration after nerve injury. *Proceedings of the National Academy of Sciences of the United States of America*, 107(26), 11993–11998.
- Verhoeven, K., De Jonghe, P., Van de Putte, T., Nelis, E., Zwijsen, A., Verpoorten, N., et al. (2003). Slowed conduction and thin myelination of peripheral nerves associated with mutant rho Guanine-nucleotide exchange factor 10. *American Journal of Human Genetics*, 73(4), 926–932.
- Wittmack, E. K., Rush, A. M., Hudmon, A., Waxman, S. G., & Dib-Hajj, S. D. (2005). Voltage-gated sodium channel Nav1.6 is modulated by p38 mitogen-activated protein kinase. *The*

Journal of Neuroscience : The Official journal of the Society for Neuroscience, 25(28), 6621–6630.

Yuki, N. (2007). Campylobacter sialyltransferase gene polymorphism directs clinical features of Guillain-Barré syndrome. *Journal of Neurochemistry*, 103(Suppl. 1), 150–158.

Ziegler, D., Ametov, A., Barinov, A., Dyck, P. J., Gurieva, I., Low, P. A., et al. (2006). Oral treatment with alpha-lipoic acid improves symptomatic diabetic polyneuropathy: The SYDNEY 2 trial. *Diabetes Care*, 29(11), 2365–2370.

Zochodne, D. W. (2007). Diabetes mellitus and the peripheral nervous system: Manifestations and mechanisms. *Muscle & Nerve*, 36(2), 144–166.