

## References

- Ayala, G. F., Dichter, M., Gumnit, R. J., Matsumoto, H., & Spencer, W. A. (1973). Genesis of epileptic interictal spikes. New knowledge of cortical feedback systems suggests a neurophysiological explanation of brief paroxysms. *Brain Research*, *52*, 1–17.
- Berg, A. T., Vickrey, B. G., Testa, F. M., Levy, S. R., Shinnar, S., DiMario, F., et al. (2006). How long does it take for epilepsy to become intractable? A prospective investigation. *Annals of Neurology*, *60*, 73–79.
- Bernhardt, B. C., Worsley, K. J., Kim, H., Evans, A. C., Bernasconi, A., & Bernasconi, N. (2009). Longitudinal and cross-sectional analysis of atrophy in pharmacoresistant temporal lobe epilepsy. *Neurology*, *72*, 1747–1754.
- Buhl, E. H., Otis, T. S., & Mody, I. (1996). Zinc-induced collapse of augmented inhibition by GABA in a temporal lobe epilepsy model. *Science*, *271*, 369–373.
- Buzsaki, G., Geisler, C., Henze, D. A., & Wang, X. J. (2004). Interneuron diversity series: Circuit complexity and axon wiring economy of cortical interneurons. *Trends in Neurosciences*, *27*, 186–193.
- Cascino, G. D. (2009). Temporal lobe epilepsy is a progressive neurologic disorder: Time means neurons!. *Neurology*, *72*, 1718–1719.
- Chiron, C. (2007). Stiripentol. *Neurotherapeutics*, *4*, 123–125.
- Collins, R. C., Tearse, R. G., & Lothman, E. W. (1983). Functional anatomy of limbic seizures: Focal discharges from medial entorhinal cortex in rat. *Brain Research*, *280*, 25–40.
- Commission on Classification and Terminology of the International League Against Epilepsy, (1981). Proposal for revised clinical and electroencephalographic classification of epileptic seizures. *Epilepsia*, *22*, 489–501.

- Commission on Classification and Terminology of the International League Against Epilepsy, (1989). Proposal for revised clinical and electroencephalographic classification of epileptic seizures. *Epilepsia*, *30*, 389–399.
- Cossette, P., Liu, L., Brisebois, K., Dong, H., Lortie, A., Vanasse, M., et al. (2002). Mutation of GABRA1 in an autosomal dominant form of juvenile myoclonic epilepsy. *Nature Genetics*, *31*(2), 184–189.
- Gibbs, J. W., III, Shumate, M. D., & Coulter, D. A. (1997). Differential epilepsy-associated alterations in postsynaptic GABA<sub>A</sub> receptor function in dentate granule and CA1 neurons. *Journal of Neurophysiology*, *77*, 1924–1938.
- Goddard, G. V., McIntyre, D. C., & Leech, C. K. (1969). A permanent change in brain function resulting from daily electrical stimulation. *Experimental Neurology*, *25*, 295–330.
- Gorter, J. A., Borgdorff, A. J., van Vliet, E. A., Lopes da Silva, F. H., & Wadman, W. J. (2002). Differential and long-lasting alterations of high-voltage activated calcium currents in CA1 and dentate granule neurons after status epilepticus. *The European Journal of Neuroscience*, *16*, 701–712.
- He, X. P., Kotloski, R., Nef, S., Luikart, B. W., Parada, L. F., & McNamara, J. O. (2004). Conditional deletion of TrkB but not BDNF prevents epileptogenesis in the kindling model. *Neuron*, *43*, 1–20.
- He, X. P., Pan, E., Sciarretta, C., Minichiello, L., & McNamara, J. O. (2010). Disruption of TrkB-mediated phospholipase C gamma signaling inhibits limbic epileptogenesis. *Journal of Neuroscience*, *30*, 6188–6196.
- Henze, D. A., Wittner, L., & Buzsaki, G. (2002). Single granule cells reliably discharge targets in the hippocampal CA3 network *in vivo*. *Nature Neuroscience*, *5*, 790–795.

- Huberfeld, G., Wittner, L., Clemenceau, S., Baulac, M., Kaila, K., Miles, R., et al. (2007). Perturbed chloride homeostasis and GABAergic signaling in human temporal lobe epilepsy. *Journal of Neuroscience*, *27*, 9866–9873.
- Huguenard, J. R. (1999). Neuronal circuitry of thalamocortical epilepsy and mechanisms of antiabsence drug action. *Advances in Neurology*, *79*, 991–999.
- Kadam, S. D., White, A. M., Staley, K. J., & Dudek, F. E. (2010). Continuous electroencephalographic monitoring with radio-telemetry in a rat model of perinatal hypoxia–ischemia reveals progressive post-stroke epilepsy. *Journal of Neuroscience*, *30*, 404–415.
- Kalachikov, S., Evgrafov, O., Ross, B., Winawer, M., Barker-Cummings, C., Martinelli Boneschi, F., et al. (2002). Mutations in LGI1 cause autosomal-dominant partial epilepsy with auditory features. *Nature Genetics*, *30*(3), 335–341.
- Kelly, K. M., Gross, R. A., & Macdonald, R. L. (1990). Valproic acid selectively reduces the low-threshold (T) calcium current in rat nodose neurons. *Neuroscience Letters*, *116*, 233–238.
- Kohr, G., & Mody, I. (1994). Kindling increases N-methyl-D-aspartate potency at single N-methyl-D-aspartate channels in dentate gyrus granule cells. *Neuroscience*, *62*, 975–981.
- Kotloski, R., Lynch, M., Lauersdorf, S., & Sutula, T. (2002). Repeated brief seizures induce progressive hippocampal neuron loss and memory deficits. *Progress in Brain Research*, *135*, 95–110.
- Lemos, T., & Cavalheiro, E. A. (1995). Suppression of pilocarpine-induced status epilepticus and the late development of epilepsy in rats. *Experimental Brain Research*, *102*, 423–428.

- Longo, B. M., & Mello, L. E. (1998). Supragranular mossy fiber sprouting is not necessary for spontaneous seizures in the intrahippocampal kainate model of epilepsy in the rat. *Epilepsy Research*, *32*, 172–182.
- Lothman, E. W., Stringer, J. L., & Bertram, E. H. (1992). The dentate gyrus as a control point for seizures in the hippocampus and beyond. *Epilepsy Research, Supplement 7*, 301–313.
- Macdonald, R. L., & Greenfield, L. J., Jr. (1997). Mechanisms of action of new antiepileptic drugs. *Current Opinion in Neurology*, *10*, 121–128.
- McNamara, J. O. (1999). Emerging insights into the genesis of epilepsy. *Nature*, *399*, A15–A22.
- Nadler, J. V. (2003). The recurrent mossy fiber pathway of the epileptic brain. *Neurochemical Research*, *28*, 1649–1658.
- Noè, F., Pool, A. H., Nissinen, J., Gobbi, M., Bland, R., Rizzi, M., et al. (2008). *Neuropeptide Y gene therapy decreases chronic spontaneous seizures in a rat model of temporal lobe epilepsy* (131). *Brain: A Journal of Neurology*.
- Noebels, J. L. (2003). The biology of epilepsy genes. *Annual Review of Neuroscience*, *26*, 599–625.
- Ogiwara, H., Miyamoto, N., Morita, N., Atapour, E., Mazaki, I., Inoue, T., et al. (2007). Yamakawa. Na(v)1.1 localizes to axons of parvalbumin-positive inhibitory interneurons: A circuit basis for epileptic seizures in mice carrying an Scn1a gene mutation. *Journal of Neuroscience*, *27*, 5903–5914.
- Pinel, J. P., & Rovner, L. I. (1978). Experimental epileptogenesis: Kindling-induced epilepsy in rats. *Experimental Neurology*, *58*, 190–202.
- Price, M. G., Yoo, J. W., Burgess, D. L., Deng, F., Hrachovy, R. A., Frost, J. D., Jr., et al. (2009). A triplet repeat expansion genetic mouse model of infantile spasms syndrome,

- Arx(GCG)10 □ 7, with interneuronopathy, spasms in infancy, persistent seizures, and adult cognitive and behavioral impairment. *Journal of Neuroscience*, *29*, 8752–8763.
- Ptacek, L. J. (1997). Channelopathies: Ion channel disorders of muscle as a paradigm for paroxysmal disorders of the nervous system. *Neuromuscular Disorders: NMD*, *7*, 250–255.
- Rho, J. M., Szot, P., Tempel, B. L., & Schwartzkroin, P. A. (1999). Developmental seizure susceptibility of kv1.1 potassium channel knockout mice. *Developmental Neuroscience*, *21*, 320–327.
- Ribak, C. E., Korn, M. J., Shan, Z., & Obenaus, A. (2004). Dendritic growth cones and recurrent basal dendrites are typical features of newly generated dentate granule cells in the adult hippocampus. *Brain Research*, *1000*, 195–199.
- Sayin, U., Osting, S., Hagen, J., Rutecki, P., & Sutula, T. (2003). Spontaneous seizures and loss of axo-axonic and axo-somatic inhibition induced by repeated brief seizures in kindled rats. *Journal of Neuroscience*, *23*, 2759–2768.
- Schwartzkroin, P. A. (1993). *Epilepsy: Models, mechanisms, and concepts* (1st ed.). Cambridge, England: Cambridge University Press.
- Terada, S., Tsujimoto, T., Takei, Y., Takahashi, T., & Hirokawa, N. (1999). Impairment of inhibitory synaptic transmission in mice lacking synapsin I. *Journal of Cell Biology*, *145*, 1039–1048.
- Traub, R. D., Miles, R., & Wong, R. K. (1989). Model of the origin of rhythmic population oscillations in the hippocampal slice. *Science*, *243*, 1319–1325.
- Traynelis, S. F., & Dingledine, R. (1988). Potassium-induced spontaneous electrographic seizures in a rat hippocampal slice. *Journal of Neurophysiology*, *59*, 259–276.

- VanLandingham, K. E., Heinz, E. R., Cavazos, J. E., & Lewis, D. V. (1998). Magnetic resonance imaging evidence of hippocampal injury after prolonged focal febrile convulsions. *Annals of Neurology*, *43*, 413–426.
- Williams, P. A., White, A. M., Clark, S., Ferraro, D. J., Swiercz, W., Staley, K. J., et al. (2009). Development of spontaneous recurrent seizures after kainate-induced status epilepticus. *Journal of Neuroscience*, *29*, 2103–2112.
- Yu, F. H., Mantegazza, M., Westenbroek, R. E., Robbins, C. A., Kalume, F., Burton, K. A., et al. (2006). Reduced sodium current in GABAergic interneurons in a mouse model of severe myoclonic epilepsy in infancy. *Nature Neuroscience*, *9*, 1142–1149.
- Zhou, Y. D., Lee, S., Jin, Z., Wright, M., Smith, S. E., & Anderson, M. P. (2009). Arrested maturation of excitatory synapses in autosomal dominant lateral temporal lobe epilepsy. *Nature Medicine*, *15*, 1208–1214.