

References

- Anderson, K., & Talbot, K. (2003). Spinal muscular atrophies reveal motor neuron vulnerability to defects in ribonucleoprotein handling. *Current Opinion in Neurology*, *16*, 595–599.
- Ash, P. E., Zhang, Y. J., Roberts, C. M., Saldi, T., Hutter, H., Buratti, E., et al. (2010). Neurotoxic effects of TDP-43 overexpression in *C. elegans*. *Human Molecular Genetics*, *19*, 3206–3218.
- Azzouz, M., Ralph, G. S., Storkebaum, E., Walmsley, L. E., Mitrophanous, K. A., Kingsman, S. M., et al. (2004). VEGF delivery with retrogradely transported lentivector prolongs survival in a mouse ALS model. *Nature*, *429*, 413–417.
- Borchelt, D. R., Lee, M. K., Slunt, H. H., Guarnieri, M., Xu, Z. -S., Wong, P. C., et al. (1994). Superoxide dismutase 1 with mutations linked to familial amyotrophic lateral sclerosis possesses significant activity. *Proceedings of the National Academy of Sciences*, *91*, 8292–8296.
- Borchelt, D. R., Wong, P. C., Becher, M. W., Pardo, C. A., Lee, M. K., Xu, Z. S., et al. (1998). Axonal transport of mutant superoxide dismutase 1 and focal axonal abnormalities in the proximal axons of transgenic mice. *Neurobiology of Disease*, *5*, 27–35.
- Bosco, D. A., Morfini, G., Karabacak, N. M., Song, Y., Gros-Louis, F., Pasinelli, P., et al. (2010). Wild-type and mutant SOD1 share an aberrant conformation and a common pathogenic pathway in ALS. *Nature Neuroscience*, *13*, 1396–1403.
- Bowling, A. C., Barkowski, E. E., McKenna-Yasek, D., Sapp, P., Horvitz, H. R., Beal, M. F., et al. (1995). Superoxide dismutase concentration and activity in familial amyotrophic lateral sclerosis. *Journal of Neurochemistry*, *64*, 2366–2369.
- Bruijn, L. I., Becher, M. W., Lee, M. K., Anderson, K. L., Jenkins,

- N. A., Copeland, N. G., et al. (1997). ALS-linked SOD1 mutant G85R mediates damage to astrocytes and promotes rapidly progressive disease with SOD1-containing inclusions. *Neuron*, *18*, 327–338.
- Bruijn, L. I., Houseweart, M. K., Kato, S., Anderson, K. L., Anderson, S. D., Ohama, E., et al. (1998). Aggregation and motor neuron toxicity of an ALS-linked SOD1 mutant independent from wild-type SOD1. *Science*, *281*, 1851–1854.
- Bruijn, L. I., Miller, T. M., & Cleveland, D. W. (2004). Unraveling the mechanisms involved in motor neuron degeneration in ALS. *Annual Review of Neuroscience*, *27*, 723–749.
- Carmeliet, P., & Storkebaum, E. (2002). Vascular and neuronal effects of VEGF in the nervous system: Implications for neurological disorders. *Seminars in Cell & Developmental Biology*, *13*, 39–53.
- Carpenter, S. (1968). Proximal axonal enlargement in motor neuron disease. *Neurology*, *18*, 841–851.
- Chen, Y. Z., Bennett, C. L., Huynh, H. M., Blair, I. P., Puls, I., Irobi, J., et al. (2004). DNA/RNA Helicase gene mutations in a form of juvenile amyotrophic lateral sclerosis (ALS4). *Am.J Hum.Genet.*, *74*, 1128–1135.
- Chiang, P. M., Ling, J., Jeong, Y. H., Price, D. L., Aja, S. M., & Wong, P. C. (2010). Deletion of TDP-43 down-regulates Tbc1d1, a gene linked to obesity, and alters body fat metabolism. *Proceedings of the National Academy of Sciences of the United States of America*, *107*, 16320–16324.
- Clark, A. W., Parhad, I. M., Griffin, J. W., & Price, D. L. (1984). Neurofilamentous axonal swellings as a normal finding in the spinal anterior horn of man and other primates. *Journal of Neuropathology and Experimental Neurology*, *43*, 253–262.

- Clement, A. M., Nguyen, M. D., Roberts, E. A., Garcia, M. L., Boillee, S., Rule, M., et al. (2003). Wild-type nonneuronal cells extend survival of SOD1 mutant motor neurons in ALS mice. *Science*, *302*, 113–117.
- Cleveland, D. W., & Rothstein, J. D. (2001). From Charcot to Lou Gehrig: Deciphering selective motor neuron death in ALS. *Nature Reviews Neuroscience*, *2*, 806–819.
- Cleveland, J. L. (2003). A new piece of the ALS puzzle. *Nature Genetics*, *34*, 357–358.
- Collard, J. -F., Côté, F., & Julien, J. -P. (1995). Defective axonal transport in a transgenic mouse model of amyotrophic lateral sclerosis. *Nature*, *375*, 61–64.
- Custer, S. K., Neumann, M., Lu, H., Wright, A. C., & Taylor, J. P. (2010). Transgenic mice expressing mutant forms VCP/p97 recapitulate the full spectrum of IBMPFD including degeneration in muscle, brain and bone. *Human Molecular Genetics*, *19*, 1741–1755.
- Delisle, M. B., & Carpenter, S. (1984). Neurofibrillary axonal swellings and amyotrophic lateral sclerosis. *Journal of Neurological Sciences*, *63*, 241–250.
- Dimos, J. T., Rodolfa, K. T., Niakan, K. K., Weisenthal, L. M., Mitsumoto, H., Chung, W., et al. (2008). Induced pluripotent stem cells generated from patients with ALS can be differentiated into motor neurons. *Science*, *321*, 1218–1221.
- Dormann, D., Rodde, R., Edbauer, D., Bentmann, E., Fischer, I., Hruscha, A., et al. (2010). ALS-associated fused in sarcoma (FUS) mutations disrupt Transportin-mediated nuclear import. *EMBO Journal*, *29*, 2841–2857.
- Dupuis, L., Oudart, H., Rene, F., Gonzalez de Aguilar, J. L., & Loeffler, J. P. (2004). Evidence for defective energy homeostasis in amyotrophic lateral sclerosis: Benefit of a high-energy diet in a transgenic mouse model. *Proceedings of the National Academy of Sciences of the United States of America*, *101*, 11159–11164.

- Elden, A. C., Kim, H. J., Hart, M. P., Chen-Plotkin, A. S., Johnson, B. S., Fang, X., et al. (2010). Ataxin-2 intermediate-length polyglutamine expansions are associated with increased risk for ALS. *Nature*, *466*, 1069–1075.
- Estévez, A. G., Crow, J. P., Sampson, J. B., Reiter, C., Zhuang, Y., Richardson, G. J., et al. (1999). Induction of nitric oxide-dependent apoptosis in motor neurons by zinc-deficient superoxide dismutase. *Science*, *286*, 2498–2500.
- Eyer, J., & Peterson, A. (1994). Neurofilament-deficient axons and perikaryal aggregates in viable transgenic mice expressing a neurofilament- β -galactosidase fusion protein. *Neuron*, *12*, 389–405.
- Fett, J. W., Strydom, D. J., Lobb, R. R., Alderman, E. M., Bethune, J. L., Riordan, J. F., et al. (1985). Isolation and characterization of angiogenin, an angiogenic protein from human carcinoma cells. *Biochemistry*, *24*, 5480–5486.
- Fiesel, F. C., Voigt, A., Weber, S. S., Van den, H. C., Waldenmaier, A., Gorner, K., et al. (2010). Knockdown of transactive response DNA-binding protein (TDP-43) downregulates histone deacetylase 6. *EMBO Journal*, *29*, 209–221.
- Greenway, M. J., Andersen, P. M., Russ, C., Ennis, S., Cashman, S., Donaghy, C., et al. (2006). ANG mutations segregate with familial and 'sporadic' amyotrophic lateral sclerosis. *Nat Genet*, *38*, 411–413.
- Griffin, J. W., & Price, D. L. (1976). Axonal transport in motor neuron pathology. In J. Andrews & R. Johnson (Eds.), *Amyotrophic lateral sclerosis: Recent research trends* (pp. 33–67). New York: Academic Press.
- Griffin, J. W., Fahnestock, K. E., Price, D. L., & Hoffman, P. N. (1983). Microtubule-neurofilament segregation produced by β , β '-iminodipropionitrile: Evidence for the

- association of fast axonal transport with microtubules. *Journal of Neuroscience*, 3, 557–566.
- Griffin, J. W., Price, D. L., Engel, W. K., & Drachman, D. B. (1977). The pathogenesis of reactive axonal swellings: Role of axonal transport. *Journal of Neuropathology and Experimental Neurology*, 36, 214–227.
- Grohmann, K., Varon, R., Stolz, P., Schuelke, M., Janetzki, C., Bertini, E., et al. (2003). Infantile spinal muscular atrophy with respiratory distress type 1 (SMARD1). *Annals of Neurology*, 54, 719–724.
- Hadano, S., Hand, C. K., Osuga, H., Yanagisawa, Y., Otomo, A., Devon, R. S., et al. (2001). A gene encoding a putative GTPase regulator is mutated in familial amyotrophic lateral sclerosis 2. *Nature Genetics*, 29, 166–173.
- Hara, T., Nakamura, K., Matsui, M., Yamamoto, A., Nakahara, Y., Suzuki-Migishima, R., et al. (2006). Suppression of basal autophagy in neural cells causes neurodegenerative disease in mice. *Nature*, 441, 885–889.
- Hoffman, P. N., Cleveland, D. W., Griffin, J. W., Landes, P. W., Cowan, N. J., & Price, D. L. (1987). Neurofilament gene expression: A major determinant of axonal caliber. *Proceedings of the National Academy of Sciences*, 84, 3472–3476.
- Hortobagyi, T., Troakes, C., Nishimura, A. L., Vance, C., van Swieten, J. C., Seelaar, H., et al. (2011). Optineurin inclusions occur in a minority of TDP-43 positive ALS and FTLD-TDP cases and are rarely observed in other neurodegenerative disorders. *Acta Neuropathologica*, 121, 519–527.
- Ince, P. G. (2000). Neuropathology. In R. H. Brown Jr., V. Meininger & M. Swash (Eds.), *Amyotrophic lateral sclerosis* (pp. 83–112). London: Martin Dunitz Ltd.

- Johnson, B. S., McCaffery, J. M., Lindquist, S., & Gitler, A. D. (2008). A yeast TDP-43 proteinopathy model: Exploring the molecular determinants of TDP-43 aggregation and cellular toxicity. *Proceedings of the National Academy of Sciences of the United States of America*, *105*, 6439–6444.
- Johnson, J. O., Mandrioli, J., Benatar, M., Abramzon, Y., Van Deerlin, V. M., Trojanowski, J. Q., et al. (2010). Exome sequencing reveals VCP mutations as a cause of familial ALS. *Neuron*, *68*, 857–864.
- Kabashi, E., Valdmanis, P. N., Dion, P., Spiegelman, D., McConkey, B. J., Vande Velde, C., et al. (2008). TARDBP mutations in individuals with sporadic and familial amyotrophic lateral sclerosis. *Nature genetics*, *40*(5), 572–574.
- Kang, S. J., Sanchez, I., Jing, N., & Yuan, J. (2003). Dissociation between neurodegeneration and caspase-11-mediated activation of caspase-1 and caspase-3 in a mouse model of amyotrophic lateral sclerosis. *Journal of Neuroscience*, *23*, 5455–5460.
- Kishimoto, K., Liu, S., Tsuji, T., Olson, K. A., & Hu, G. F. (2005). Endogenous angiogenin in endothelial cells is a general requirement for cell proliferation and angiogenesis. *Oncogene*, *24*, 445–456.
- Koliatsos, V. E., Cayouette, M. H., Berkemeier, L. R., Clatterbuck, R. E., Price, D. L., & Rosenthal, A. (1994). Neurotrophin 4/5 is a trophic factor for mammalian facial motor neurons. *Proceedings of the National Academy of Sciences of the United States of America*, *91*, 3304–3308.
- Komatsu, M., Waguri, S., Chiba, T., Murata, S., Iwata, J., Tanida, I., et al. (2006). Loss of autophagy in the central nervous system causes neurodegeneration in mice. *Nature*, *441*, 880–884.

- Kong, J., & Xu, Z. (2000). Overexpression of neurofilament subunit NF-L and NF-H extends survival of a mouse model for amyotrophic lateral sclerosis. *Neuroscience Letters*, *281*, 72–74.
- Kraemer, B. C., Schuck, T., Wheeler, J. M., Robinson, L. C., Trojanowski, J. Q., Lee, V. M., et al. (2010). Loss of murine TDP-43 disrupts motor function and plays an essential role in embryogenesis. *Acta Neuropathologica*, *119*, 409–419.
- Kwiatkowski, T. J., Jr., Bosco, D. A., Leclerc, A. L., Tamrazian, E., Vanderburg, C. R., Russ, C., et al. (2009). Mutations in the FUS/TLS gene on chromosome 16 cause familial amyotrophic lateral sclerosis. *Science*, *323*, 1205–1208.
- Lagier-Tourenne, C., & Cleveland, D. W. (2009). Rethinking ALS: The FUS about TDP-43. *Cell*, *136*, 1001–1004.
- Lai, C., Lin, X., Chandran, J., Shim, H., Yang, W. J., & Cai, H. (2007). The G59S mutation in p150(glued) causes dysfunction of dynactin in mice. *Journal of Neuroscience*, *27*, 13982–13990.
- Laird, F. M., Farah, M. H., Ackerley, S., Hoke, A., Maragakis, N., & Rothstein, J. D., et al. (2008). Motor neuron disease occurring in a mutant dynactin mouse model is characterized by defects in vesicular trafficking. *Journal of Neuroscience*, *28*, 1997–2005.
- Lambrechts, D., Storkebaum, E., Morimoto, M., Del Favero, J., Desmet, F., Marklund, S. L., et al. (2003). VEGF is a modifier of amyotrophic lateral sclerosis in mice and humans and protects motoneurons against ischemic death. *Nature Genetics*, *34*, 383–394.
- LaMonte, B. H., Wallace, K. E., Holloway, B. A., Shelly, S. S., Ascano, J., Tokito, M., et al. (2002). Disruption of dynein/dynactin inhibits axonal transport in motor neurons causing

- late-onset progressive degeneration. *Neuron*, *34*, 715–727.
- Le, T. T., Pham, L. T., Butchbach, M. E., Zhang, H. L., Monani, U. R., Covert, D. D., et al. (2005). SMN Δ 7, the major product of the centromeric survival motor neuron (SMN2) gene, extends survival in mice with spinal muscular atrophy and associates with full-length SMN. *Human Molecular Genetics*, *14*, 845–857.
- Lee, M. K., Marszalek, J. R., & Cleveland, D. W. (1994). A mutant neurofilament subunit causes massive, selective motor neuron death: Implications for the pathogenesis of human motor neuron disease. *Neuron*, *13*, 975–988.
- Levy, J. R., & Holzbaur, E. L. F. (2006). Cytoplasmic dynein/dynactin function and dysfunction in motor neurons. *International Journal of Developmental Neuroscience*, *24*, 103–111.
- Levy, J. R., Sumner, C. J., Caviston, J. P., Tokito, M. K., Ranganathan, S., Ligon, L. A., et al. (2006). A motor neuron disease-associated mutation in p150Glued perturbs dynactin function and induces protein aggregation. *The Journal of Cell Biology*, *172*, 733–745.
- Li, M., Ona, V. O., Gu, G., Chen, M., Jackson-Lewis, V., Andrews, L. J., et al. (2000). Functional role of caspase-1 and caspase-3 in an ALS transgenic mouse model. *Science*, *288*, 335–339.
- Li, Y., Ray, P., Rao, E. J., Shi, C., Guo, W., Chen, X., et al. (2010). A *Drosophila* model for TDP-43 proteinopathy. *Proceedings of the National Academy of Sciences of the United States of America*, *107*, 3169–3174.
- Martin, L. J., & Liu, Z. (2004). Opportunities for neuroprotection in ALS using cell death mechanism rationales. *Drug Discovery Today*, *1*, 135–143.
- Martin, L. J., Liu, Z., Troncoso, J. C., & Price, D. L. (2005). Neuronal cell death in human

- neurodegenerative diseases and their animal/cell models. In M. Holcik, E. LaCasse, R. Korneluk & A. MacKenzie (Eds.), *Apoptosis in Health and Disease* (pp. 242–315). Cambridge University Press.
- Martin, N., Jaubert, J., Gounon, P., Salido, E., Haase, G., Szatanik, M., et al. (2002). A missense mutation in *Tbce* causes progressive motor neuronopathy in mice. *Nature Genetics*, *32*, 443–447.
- Maruyama, H., Morino, H., Ito, H., Izumi, Y., Kato, H., Watanabe, Y., et al. (2010). Mutations of optineurin in amyotrophic lateral sclerosis. *Nature*, *465*, 223–226.
- Monteiro, M. J., Hoffman, P. N., Gearhart, J. D., & Cleveland, D. W. (1990). Expression of NF-L in both neuronal and nonneuronal cells of transgenic mice: Increased neurofilament density in axons without affecting caliber. *The Journal of Cell Biology*, *111*, 1543–1557.
- Morfini, G. A., Burns, M., Binder, L. I., Kanaan, N. M., LaPointe, N., Bosco, D. A., et al. (2009). Axonal transport defects in neurodegenerative diseases. *J Neurosci*, *29*(41), 12776–12786.
- Moreira, M. C., Klur, S., Watanabe, M., Nemeth, A. H., Le, B. I., Moniz, J. C., et al. (2004). Senataxin, the ortholog of a yeast RNA helicase, is mutant in ataxia-ocular apraxia 2. *Nature Genetics*, *36*, 225–227.
- Moroianu, J., & Riordan, J. F. (1994). Nuclear translocation of angiogenin in proliferating endothelial cells is essential to its angiogenic activity. *Proceedings of the National Academy of Sciences of the United States of America*, *91*, 1677–1681.
- Mortazavi, A., Williams, B. A., McCue, K., Schaeffer, L., & Wold, B. (2008). Mapping and quantifying mammalian transcriptomes by RNA-Seq. *Nature Methods*, *5*, 621–628.
- Muma, N. A., Hoffman, P. N., Slunt, H. H., Applegate, M. D., Lieberburg, I., & Price, D. L. (1990). Alterations in levels of mRNA coding for neurofilament protein subunits during

- regeneration. *Experimental Neurology*, 107, 230–235.
- Munch, C., Sedlmeier, R., Meyer, T., Homberg, V., Sperfeld, A. D., Kurt, A., et al. (2004). Point mutations of the p150 subunit of dynactin (DCTN1) gene in ALS. *Neurology*, 63, 724–726.
- Neumann, M., Sampathu, D. M., Kwong, L. K., Truax, A. C., Micsenyi, M. C., Chou, T. T., et al. (2006). Ubiquitinated TDP-43 in frontotemporal lobar degeneration and amyotrophic lateral sclerosis. *Science*, 314, 130–133.
- Nishimura, A. L., Mitne-Neto, M., Silva, C. A., Richieri-Costa, A., Middleton, S., Cascio, D., et al. (2004). A mutation in the vesicle-trafficking protein VAPB causes late-onset spinal muscular atrophy and amyotrophic lateral sclerosis. *Am J Hum. Genet*, 75, 822–831.
- Oosthuysen, B., Moons, L., Storkebaum, E., Beck, H., Nuyens, D., Brusselmans, K., et al. (2001). Deletion of the hypoxia-response element in the vascular endothelial growth factor promoter causes motor neuron degeneration. *Nature Genetics*, 28, 131–138.
- Oosthuysen, B., Moons, L., Storkebaum, E., Beck, H., Nuyens, D., Brusselmans, K., et al. (2001). Deletion of the hypoxia-response element in the vascular endothelial growth factor promoter causes motor neuron degeneration. *Nature Genetics*, 28, 131–138.
- Pasinelli, P., Belford, M. E., Lennon, N., Bacskai, B. J., Hyman, B. T., Trotti, D., et al. (2004). Amyotrophic lateral sclerosis-associated SOD1 mutant proteins bind and aggregate with Bcl-2 in spinal cord mitochondria. *Neuron*, 43, 19–30.
- Polymenidou, M., Lagier-Tourenne, C., Hutt, K. R., Huelga, S. C., Moran, J., Liang, T. Y., et al. (2011). Long pre-mRNA depletion and RNA missplicing contribute to neuronal vulnerability from loss of TDP-43. *Nature Neuroscience*, 14, 459–468.

- Price, D. L., & Porter, K. R. (1972). The response of ventral horn neurons to axonal transection. *The Journal of Cell Biology*, *53*, 24–37.
- Price, D. L., Griffin, J., Young, A., Peck, K., & Stocks, A. (1975). Tetanus toxin: Direct evidence for retrograde intraaxonal transport. *Science*, *188*, 945–947.
- Price, D. L., Wong, P. C., Borchelt, D. R., Koliatsos, V. E., & Rothstein, J. D. (2000). Motor neuron disease. In C. M. Clark & J. Q. Trojanowski (Eds.), *Neurodegenerative Dementias* (pp. 373–385) (1 ed.). New York: McGraw-Hill.
- Puls, I., Jonnakuty, C., LaMonte, B. H., Holzbaur, E. L., Tokito, M., Mann, E., et al. (2003). Mutant dynactin in motor neuron disease. *Nature Genetics*, *33*, 455–456.
- Rabin, B. A., Griffin, J. W., Crain, B. J., Scavina, M., Chance, P. F., & Cornblath, D. R. (1999). Autosomal dominant juvenile amyotrophic lateral sclerosis. *Brain*, *122*, 1539–1550.
- Ralph, G. S., Radcliffe, P. A., Day, D. M., Carthy, J. M., Leroux, M. A., Lee, D. C., et al. (2005). Silencing mutant SOD1 using RNAi protects against neurodegeneration and extends survival in an ALS model. *Nature Medicine*, *11*, 429–433.
- Raoul, C., Abbas-Terki, T., Bensadoun, J. C., Guillot, S., Haase, G., Szulc, J., et al. (2005). Lentiviral-mediated silencing of SOD1 through RNA interference retards disease onset and progression in a mouse model of ALS. *Nat.Med*, *11*, 423–428.
- Raoul, C., Estevez, A. G., Nishimune, H., Cleveland, D. W., deLapeyriere, O., Henderson, C. E., et al. (2002). Motoneuron death triggered by a specific pathway downstream of Fas. potentiation by ALS-linked SOD1 mutations. *Neuron*, *35*, 1067–1083.
- Reaume, A. G., Elliott, J. L., Hoffman, E. K., Kowall, N. W., Ferrante, R. J., Siwek, D. F., et al. (1996). Motor neurons in Cu/Zn superoxide dismutase-deficient mice develop normally

- but exhibit enhanced cell death after axonal injury. *Nature Genetics*, 13, 43–47.
- Rothstein, J. D., Dykes-Hoberg, M., Corson, L. B., Becher, M. W., Cleveland, D. W., Price, D. L., et al. (1999). The copper chaperone CCS is abundant in neurons and astrocytes in human and rodent brain. *Journal of Neurochemistry*, 72, 422–429.
- Rothstein, J. D., Patel, S., Regan, M. R., Haenggeli, C., Huang, Y. H., Bergles, D. E., et al. (2005). Beta-lactam antibiotics offer neuroprotection by increasing glutamate transporter expression. *Nature*, 433, 73–77.
- Rothstein, J. D., Van Kammen, M., Levey, A. I., Martin, L. J., & Kuncl, R. W. (1995). Selective loss of glial glutamate transporter GLT-1 in amyotrophic lateral sclerosis. *Annals of Neurology*, 38, 73–84.
- Sack, G. H., Jr., Cork, L. C., Morris, J. M., Griffin, J. W., & Price, D. L. (1984). Autosomal dominant inheritance of Hereditary Canine Spinal Muscular Atrophy. *Annals of Neurology*, 15, 369–373.
- Sephton, C. F., Good, S. K., Atkin, S., Dewey, C. M., Mayer, P., III, et al., Herz, J., et al. (2010). TDP-43 is a developmentally regulated protein essential for early embryonic development. *The Journal of Biological Chemistry*, 285, 6826–6834.
- Shan, X., Chiang, P. M., Price, D. L., & Wong, P. C. (2010). Altered distributions of Gemini of coiled bodies and mitochondria in motor neurons of TDP-43 transgenic mice. *Proceedings of the National Academy of Sciences of the United States of America*, 107, 16325–16330.
- Skene, J. P., & Cleveland, D. W. (2001). Hypoxia and Lou Gehrig. *Nature Genetics*, 28, 107–108.
- Smith, R. A., Miller, T. M., Yamanaka, K., Monia, B. P., Condon, T. P., Hung, G., et al. (2006).

- Antisense oligonucleotide therapy for neurodegenerative disease. *The Journal of Clinical Investigation*, *116*, 2290–2296.
- Sreedharan, J., Blair, I. P., Tripathi, V. B., Hu, X., Vance, C., Rogelj, B., et al. (2008). TDP-43 mutations in familial and sporadic amyotrophic lateral sclerosis. *Science*, *319*, 1668–1672.
- Storkebaum, E., Lambrechts, D., Dewerchin, M., Moreno-Murciano, M. P., Appelmans, S., Oh, H., et al. (2005). Treatment of motoneuron degeneration by intracerebroventricular delivery of VEGF in a rat model of ALS. *Nature Neuroscience*, *8*, 85–92.
- Subramaniam, J. R., Lyons, W. E., Liu, J., Bartnikas, T. B., Rothstein, J., Price, D. L., et al. (2002). Mutant SOD1 causes motor neuron disease independent of copper chaperone-mediated copper loading. *Nature Neuroscience*, *5*, 301–307.
- Teuling, E., Ahmed, S., Haasdijk, E., Demmers, J., Steinmetz, M. O., Akhmanova, A., et al. (2007). Motor neuron disease-associated mutant vesicle-associated membrane protein-associated protein (VAP) B recruits wild-type VAPs into endoplasmic reticulum-derived tubular aggregates. *Journal of Neuroscience*, *27*, 9801–9815.
- Tollervey, J. R., Curk, T., Rogelj, B., Briese, M., Cereda, M., Kayikci, M., et al. (2011). Characterizing the RNA targets and position-dependent splicing regulation by TDP-43. *Nature Neuroscience*, *14*, 452–458.
- Tsuda, H., Han, S. M., Yang, Y., Tong, C., Lin, Y. Q., Mohan, K., et al. (2008). The amyotrophic lateral sclerosis 8 protein VAPB is cleaved, secreted, and acts as a ligand for Eph receptors. *Cell*, *133*, 963–977.
- Turner, B. J., Lopes, E. C., & Cheema, S. S. (2003). Neuromuscular accumulation of mutant superoxide dismutase 1 aggregates in a transgenic mouse model of familial amyotrophic

- lateral sclerosis. *Neuroscience Letters*, 350, 132–136.
- Vance, C., Rogelj, B., Hortobagyi, T., De Vos, K. J., Nishimura, A. L., Sreedharan, J., et al. (2009). Mutations in FUS, an RNA processing protein, cause familial amyotrophic lateral sclerosis type 6. *Science*, 323, 1208–1211.
- Vande, V. C., & Cleveland, D. W. (2005). VEGF: Multitasking in ALS. *Nature Neuroscience*, 8, 5–7.
- Wang, J., Xu, G., & Borchelt, D. R. (2002). High molecular weight complexes of mutant superoxide dismutase 1: Age-dependent and tissue-specific accumulation. *Neurobiology of Disease*, 9, 139–148.
- Wang, J., Xu, G., Gonzales, V., Coonfield, M., Fromholt, D., Copeland, N. G., et al. (2002). Fibrillar inclusions and motor neuron degeneration in transgenic mice expressing superoxide dismutase 1 with a disrupted copper-binding site. *Neurobiology of Disease*, 10, 128–138.
- Watanabe, M., Dykes-Hoberg, M., Culotta, V. C., Price, D. L., Wong, P. C., & Rothstein, J. D. (2001). Histological evidence of protein aggregation in mutant SOD1 transgenic mice and in amyotrophic lateral sclerosis neural tissues. *Neurobiology of Disease*, 8, 933–941.
- Wegorzewska, I., Bell, S., Cairns, N. J., Miller, T. M., & Baloh, R. H. (2009). TDP-43 mutant transgenic mice develop features of ALS and frontotemporal lobar degeneration. *Proceedings of the National Academy of Sciences of the United States of America*, 106, 18809–18814.
- Williamson, T. L., & Cleveland, D. W. (1999). Slowing of axonal transport is a very early event in the toxicity of ALS-linked SOD1 mutants to motor neurons. *Nature Neurosci*, 2, 50–56.

- Williamson, T. L., Bruijn, L. I., Zhu, Q., Anderson, K. L., Anderson, S. D., Julien, J. P., et al. (1998). Absence of neurofilaments reduces the selective vulnerability of motor neurons and slows disease caused by a familial amyotrophic lateral sclerosis-linked superoxide dismutase 1 mutant. *Proceedings of the National Academy of Sciences*, *95*, 9631–9636.
- Wils, H., Kleinberger, G., Janssens, J., Pereson, S., Joris, G., Cuijt, I., et al. (2010). TDP-43 transgenic mice develop spastic paralysis and neuronal inclusions characteristic of ALS and frontotemporal lobar degeneration. *Proceedings of the National Academy of Sciences of the United States of America*, *107*, 3858–3863.
- Wong, P. C., Waggoner, D., Subramaniam, J. R., Tessarollo, L., Bartnikas, T. B., Culotta, V. C., et al. (2000). Copper chaperone for superoxide dismutase is essential to activate mammalian Cu/Zn superoxide dismutase. *Proceedings of the National Academy of Sciences of the United States of America*, *97*(6), 2886–2891.
- Wong, P. C., Cai, H., Borchelt, D. R., & Price, D. L. (2002). Genetically engineered mouse models of neurodegenerative diseases. *Nature Neuroscience*, *5*, 633–639.
- Wong, P. C., Pardo, C. A., Borchelt, D. R., Lee, M. K., Copeland, N. G., Jenkins, N. A., et al. (1995). An adverse property of a familial ALS-linked SOD1 mutation causes motor neuron disease characterized by vacuolar degeneration of mitochondria. *Neuron*, *14*, 1105–1116.
- Wu, L. S., Cheng, W. C., Hou, S. C., Yan, Y. T., Jiang, S. T., & Shen, C. K. (2010). TDP-43, a neuro-pathosignature factor, is essential for early mouse embryogenesis. *Genesis*, *48*, 56–62.
- Yamanaka, K., Vande, V. C., Eymard-Pierre, E., Bertini, E., Boespflug-Tanguy, O., &

- Cleveland, D. W. (2003). Unstable mutants in the peripheral endosomal membrane component ALS2 cause early-onset motor neuron disease. *Proceedings of the National Academy of Sciences of the United States of America*, *100*, 16041–16046.
- Yan, J., Xu, L., Welsh, A. M., Hatfield, G., Hazel, T., Johe, K., et al. (2007). Extensive neuronal differentiation of human neural stem cell grafts in adult rat spinal cord. *PLoS Med*, *4*, e39.
- Yang, Y., Hentati, A., Deng, H. -X., Dabbagh, O., Sasaki, T., Hirano, M., et al. (2001). The gene encoding alsin, a protein with three guanine-nucleotide exchange factor domains, is mutated in a form of recessive amyotrophic lateral sclerosis. *Nature Genetics*, *29*, 160–165.
- Zhou, H., Huang, C., Chen, H., Wang, D., Landel, C. P., Xia, P. Y., et al. (2010). Transgenic rat model of neurodegeneration caused by mutation in the TDP gene. *PLoS Genet*, *6*, e1000887.