

References

- Ahlskog, J. E. (2009). Parkin and PINK1 parkinsonism may represent nigral mitochondrial cytopathies distinct from Lewy body Parkinson's disease. *Parkinsonism and Related Disorders*, *15*, 721–727.
- Al-Chalabi, A., Dürr, A., Wood, N. W., Parkinson, M. H., Camuzat, A., Hulot, J. S., et al. (2009). Genetic variants of the α -synuclein gene *SNCA* are associated with multiple system atrophy. *PLoS ONE*, *4*, e7114.
- Allen, B., Ingram, E., Takao, M., Smith, M. J., Jakes, R., Virdee, K., et al. (2002). Abundant tau filaments and nonapoptotic neurodegeneration in transgenic mice expressing human P301S tau protein. *Journal of Neuroscience*, *22*, 9340–9351.
- Andorfer, C., Kress, Y., Espinoza, M., de Silva, R., Tucker, K. L., Barde, Y. A., et al. (2003). Hyperphosphorylation and aggregation of tau in mice expressing normal human tau isoforms. *Journal of Neurochemistry*, *86*, 582–590.
- Baker, M., Mackenzie, I. R., Pickering-Brown, S. M., Gass, J., Rademakers, R., Lindholm, C., et al. (2006). Mutations in progranulin cause tau-negative frontotemporal dementia linked to chromosome 17. *Nature*, *442*, 916–919.
- Betarbet, R., Sherer, T. B., MacKenzie, G., Garcia-Osuna, M., Panov, A. V., & Greenamyre, J. T. (2000). Chronic systemic pesticide exposure reproduces features of Parkinson's disease. *Nature Neuroscience*, *3*, 1301–1306.
- Bharadwaj, P., Martins, R., & Macreadie, I. (2010). Yeast as a model for studying Alzheimer's disease. *FEMS Yeast Research*, *10*, 961–969.
- Braak, H., Del Tredici, K., Rüb, U., de Vos, R. A. I., Jansen Steur, E. N. H., & Braak, E. (2003). Staging of brain pathology related to sporadic Parkinson's

- disease. *Neurobiology of Aging*, *24*, 197–211.
- Braak, H., & Braak, E. (1991). Neuropathological staging of Alzheimer-related changes. *Acta Neuropathologica*, *82*, 239–259.
- Braak, H., & Del Tredici, K. (2011). The pathological process underlying Alzheimer's disease in individuals under thirty. *Acta Neuropathologica*, *121*, 171–181.
- Burré, J., Sharma, M., Tsetsenis, T., Buchman, V., Etherton, M. R., & Südhof, T. C. (2010). α -Synuclein promotes SNARE-complex assembly *in vivo* and *in vitro*. *Science*, *329*, 1663–1667.
- Clavaguera, F., Bolmont, T., Crowther, R. A., Abramowski, D., Frank, S., Probst, A., et al. (2009). Transmission and spreading of tauopathy in transgenic mouse brain. *Nature Cell Biology*, *11*, 909–913.
- Colby, D. W., & Prusiner, S. B. (2011). Prions. *Cold Spring Harbor Perspectives in Biology*, *3*, a006833.
- Conrad, C., Andreadis, A., Trojanowski, J. Q., Dickson, D. W., Kang, D., Chen, X., et al. (1997). Genetic evidence for the involvement of *Tau* in progressive supranuclear palsy. *Annals of Neurology*, *41*, 277–281.
- Coomaraswamy, J., Kilger, E., Wölfing, H., Schäfer, C., Kaeser, S. A., Wegenast-Braun, B., et al. (2010). Modeling familial Danish dementia in mice supports the concept of the amyloid hypothesis of Alzheimer's disease. *Proceedings of the National Academy of Sciences (USA)*, *107*, 7969–7974.
- Cruts, M., Gijselinck, I., van der Zee, J., Engelborghs, S., Wils, H., Pirici, D., et al. (2006). Null mutations in progranulin cause ubiquitin-positive frontotemporal dementia linked to chromosome 17q21. *Nature*, *442*, 920–924.

- Davidson, W. S., Jonas, A., Clayton, D. F., & George, J. M. (1998). Stabilization of α -synuclein secondary structure upon binding to synthetic membranes. *Journal of Biological Chemistry*, *273*, 9443–9449.
- Desplats, P., Lee, H. J., Bae, E. J., Patrick, C., Rockenstein, E., Crews, L., et al. (2009). Inclusion formation and neuronal cell death through neuron-to-neuron transmission of α -synuclein. *Proceedings of the National Academy of Sciences (USA)*, *106*, 13010–13015.
- Feany, M. (2010). New approaches to the pathology and genetics of neurodegeneration. *American Journal of Pathology*, *176*, 2058–2066.
- Feany, M. B., & Bender, W. W. (2000). A *Drosophila* model of Parkinson's disease. *Nature*, *404*, 394–398.
- Frost, B., Jacks, R. L., & Diamond, M. I. (2009). Propagation of tau misfolding from the outside to the inside of a cell. *Journal of Biological Chemistry*, *284*, 12845–12852.
- Fujiwara, H., Hasegawa, M., Dohmae, N., Kawashima, A., Masliah, E., Goldberg, M. S., et al. (2002). α -Synuclein is phosphorylated in synucleinopathy lesions. *Nature Cell Biology*, *4*, 160–164.
- Ghetti, B., Wszolek, Z. K., Boeve, B. F., Spina, S., & Goedert, M. (2011). Frontotemporal dementia and parkinsonism linked to chromosome 17 (FTDP-17*MAPT*). In D. W. Dickson (Ed.), *Neurodegeneration: The molecular pathology of dementia and movement disorders*. Basel, Switzerland: International Society of Neuropathology.
- Giasson, B. I., Duda, J. E., Quinn, S. M., Zhang, B., Trojanowski, J. Q., & Lee, V. M. Y. (2002). Neuronal α -synucleinopathy with severe movement disorder in mice expressing A53T human α -synuclein. *Neuron*, *34*, 521–533.
- Goedert, M., & Spillantini, M. G. (2006). A century of Alzheimer's

- disease. *Science*, *314*, 777–781.
- Goedert, M., Spillantini, M. G., Cairns, M. J., & Crowther, R. A. (1992). Tau proteins of Alzheimer paired helical filaments: Abnormal phosphorylation of all six brain isoforms. *Neuron*, *8*, 159–168.
- Greffard, S., Verny, M., Bonnet, A. M., Seilhean, D., Hauw, J. J., & Duyckaerts, C. (2010). A stable proportion of Lewy body-bearing neurons in the substantia nigra suggests a model in which the Lewy body causes neuronal death. *Neurobiology of Aging*, *31*, 99–103.
- Guthrie, C. R., Schellenberg, G. D., & Kraemer, B. C. (2009). SUT-2 potentiates tau-induced neurotoxicity in *Caenorhabditis elegans*. *Human Molecular Genetics*, *18*, 1825–1838.
- Harada, A., Oguchi, K., Okabe, S., Kuno, J., Terada, S., Ohshima, T., et al. (1994). Altered microtubule organization in small-calibre axons of mice lacking tau protein. *Nature*, *369*, 488–491.
- Hanger, D. P., Anderton, B. H., & Noble, W. (2009). Tau phosphorylation: the therapeutic challenge for neurodegenerative disease. *Trends in Molecular Medicine*, *15*, 112–119.
- Höglinger, G. U., Melhem, N. M., Dickson, D., Sleiman, P. M. A., Wang, L. S., Klei, L., et al. (2011). Common variants affect risk for the tauopathy progressive supranuclear palsy. *Nature Genetics*, (in press).
- Hutton, M., Lendon, C. L., Rizzu, M., Baker, M., Froelich, S., Houlden, H., et al. (1998). Association of missense and 5′-splice-site mutations in *tau* with the inherited dementia FTDP-17. *Nature*, *393*, 702–705.
- Ittner, L. M., Ke, Y. D., Delerue, F., Bi, M., Gladbach, A., van Eersel, J., et al. (2010). Dendritic function of tau mediates amyloid- β toxicity in Alzheimer’s disease mouse models. *Cell*, *114*, 387–397.

- Kirik, D., Annett, L. E., Burger, C., Muzyczka, N., Mandel, R. J., & Björklund, A. (2003). Nigrostriatal α -synucleinopathy induced by viral vector-mediated overexpression of human α -synuclein: A new primate model of Parkinson's disease. *Proceedings of the National Academy of Sciences (USA)*, *100*, 2884–2889.
- Klein, R. L., Dayton, R. D., Diaczynsky, C. G., & Wang, D. B. (2010). Pronounced microgliosis and neurodegeneration in aged rats after tau gene transfer. *Neurobiology of Aging*, *31*, 2091–2102.
- Kordower, J. H., Chu, Y., Hauser, R. A., Freeman, T. B., & Olanow, C. W. (2008). Lewy body-like pathology in long-term embryonic nigral transplants in Parkinson's disease. *Nature Medicine*, *14*, 504–506.
- Kraemer, B. C., Zhang, B., Leverenz, J. B., Thomas, J. H., Trojanowski, J. Q., & Schellenberg, G. D. (2003). Neurodegeneration and defective neurotransmission in a *Caenorhabditis elegans* model of tauopathy. *Proceedings of the National Academy of Sciences (USA)*, *100*, 9980–9985.
- Larsen, K. E., Schmitz, Y., Troyer, M. D., Mosharov, E., Dietrich, P., Quazi, A. Z., et al. (2006). α -Synuclein overexpression in PC12 and chromaffin cells impairs catecholamine release by interfering with a late step in exocytosis. *Journal of Neuroscience*, *26*, 11915–11922.
- Lefebvre, T., Ferreira, S., Dupont-Wallois, L., Bussiere, T., Dupire, M. J., Delacourte, A., et al. (2003). Evidence of a balance between phosphorylation and O-GlcNAc glycosylation of Tau proteins—a role in nuclear localization. *Biochimica et Biophysica Acta*, *1619*, 167–176.
- Lewis, J., McGowan, E., Rockwood, J., Melrose, H., Nacharaju, P., Van Slegtenhorst, M., et al. (2000). Neurofibrillary tangles, amyotrophy and progressive motor disturbance in mice

- expressing mutant (P301L) tau protein. *Nature Genetics*, 25, 402–405.
- Le Corre, S., Klafki, H. W., Plesnila, N., Hübinger, G., Obermeier, A., Sahagún, H., et al. (2006). An inhibitor of tau hyperphosphorylation prevents severe motor impairments in tau transgenic mice. *Proceedings of the National Academy of Sciences (USA)*, 103, 9673–9678.
- Li, J. Y., Englund, E., Holton, J. L., Soulet, D., Hagell, P., Lees, A. J., et al. (2008). Lewy bodies in grafted neurons in subjects with Parkinson's disease suggest host-to-graft disease progression. *Nature Medicine*, 14, 501–503.
- Lin, X., Parisiadou, L., Gu, X. L., Wang, L., Shin, H., Sun, L., et al. (2009). Leucine-rich repeat kinase 2 regulates the progression of neuropathology induced by Parkinson's disease-related mutant α -synuclein. *Neuron*, 64, 807–827.
- Lindwall, G., & Cole, R. D. (1984). Phosphorylation affects the ability of tau protein to promote microtubule assembly. *Journal of Biological Chemistry*, 259, 5301–5305.
- Masuda, M., Suzuki, N., Taniguchi, S., Oikawa, T., Nonaka, T., Iwatsubo, T., et al. (2006). Small molecule inhibitors of α -synuclein filament assembly. *Biochemistry*, 45, 6085–6094.
- Outeiro, T. F., & Lindquist, S. (2003). Yeast cells provide insight into α -synuclein biology and pathobiology. *Science*, 302, 1772–1775.
- Pan-Montojo, F., Anitchik, O., Denning, Y., Knels, L., Pursche, S., Jung, R., et al. (2010). Progression of Parkinson's disease pathology is reproduced by intragastric administration of rotenone in mice. *PLoS ONE*, 5, e8762.
- Paquet, R. D., Bhat, R., Sydow, A., Mandelkow, E. M., Berg, S., et al. (2009). A zebrafish model of tauopathy allows *in vivo* imaging of neuronal cell death and drug evaluation. *Journal of Clinical Investigation*, 119, 1382–1395.

- Paisan-Ruiz, C., Jain, S., Evans, E. W., Gilks, W. P., Simon, J., van der Brug, M., et al. (2004). Cloning of the gene containing mutations that cause PARK8-linked Parkinson's disease. *Neuron*, *44*, 595–600.
- Polymeropoulos, M. H., Lavedan, C., Leroy, E., Ide, S. E., Dehejia, A., Dutra, A., et al. (1997). Mutation in the α -synuclein gene identified in families with Parkinson's disease. *Science*, *276*, 2045–2047.
- Poorkaj, P., Bird, T. D., Wijsman, E., Nemens, E., Garruto, R. M., Anderson, L., et al. (1998). Tau is a candidate gene for chromosome 17 frontotemporal dementia. *Annals of Neurology*, *43*, 815–825.
- Roberson, E. D., Scarce-Levie, K., Palop, J. J., Yan, F., Cheg, I. H., Wu, T., et al. (2007). Reducing endogenous tau ameliorates amyloid β -induced deficits in an Alzheimer's disease mouse model. *Science*, *316*, 750–754.
- Satake, W., Nakabayashi, Y., Mizuta, I., Hirota, Y., Ito, C., Kubo, M., et al. (2009). Genome-wide association study identifies common variants at four loci as genetic risk factors for Parkinson's disease. *Nature Genetics*, *41*, 1303–1307.
- Saiki, M., Baker, A., Williams-Gray, C. H., Foltynie, T., Goodman, R. S., Taylor, C. K., et al. (2010). Association of the human leucocyte antigen region with susceptibility to Parkinson's disease. *Journal of Neurology, Neurosurgery and Psychiatry*, *81*, 890–891.
- Samaranch, L., Lorenzo-Betancor, O., Arbelo, J. M., Ferrer, I., Lorenzo, E., Irigoyen, J., et al. (2009). *PINK1*-linked parkinsonism is associated with Lewy body pathology. *Brain*, *133*, 1128–1142.
- Santacruz, K., Lewis, J., Spires, T., Paulson, J., Koylinek, L.,

- Ingelsson, M., et al. (2005). Tau suppression in a neurodegenerative mouse model improves memory function. *Science*, *309*, 476–481.
- Singleton, A. B., Farrer, M., Johnson, J., Singleton, A., Hague, S., Kachergus, J., et al. (2003). α -Synuclein locus triplication causes Parkinson's disease. *Science*, *302*, 841.
- Simón-Sánchez, J., Schulte, C., Bras, J. M., Sharma, M., Gibbs, J. R., Berg, D., et al. (2009). Genome-wide association study reveals genetic risk underlying Parkinson's disease. *Nature Genetics*, *41*, 1308–1312.
- Sidransky, E., Nalls, M. A., Aasly, J. O., Aharon-Peretz, J., Annesi, G., Barbosa, E. R., et al. (2009). Multicenter analysis of glucocerebrosidase mutations in Parkinson's disease. *New England Journal of Medicine*, *361*, 1651–1661.
- Soper, J. H., Roy, S., Stieber, A., Lee, E., Wilson, R. B., Trojanowski, J. Q., et al. (2008). α -Synuclein-induced aggregation of cytoplasmic vesicles in *Saccharomyces cerevisiae*. *Molecular Biology of the Cell*, *19*, 1093–1103.
- Spillantini, M. G., Schmidt, M. L., Lee, V. M. Y., Trojanowski, J. Q., Jakes, R., & Goedert, M. (1997). α -Synuclein in Lewy bodies. *Nature*, *388*, 839–840.
- Spillantini, M. G., Crowther, R. A., Jakes, R., Cairns, N. J., Lantos, P. L., Goedert, M. (1998). Filamentous α -synuclein inclusions link multiple system atrophy with Parkinson's disease and dementia with Lewy bodies. *Neuroscience Letters*, *251*, 205–208.
- Spillantini, M. G., Murrell, J. R., Goedert, M., Farlow, M. R., Klug, A., & Ghetti, B. (1998). Mutation in the tau gene in familial multiple system tauopathy with presenile dementia. *Proceedings of the National Academy of Sciences (USA)*, *95*, 7737–7741.
- Stieler, J. T., Bullmann, T., Kohl, F., Toien, O., Brückner, M. K., Härtig, W.,

- et al. (2011). The physiological link between metabolic rate depression and tau phosphorylation in mammalian hibernation. *PLoS ONE*, *6*, e14530.
- Stefansson, H., Helgason, A., Thorleifsson, G., Steintorsdottir, V., Masson, G., Barnard, J., et al. (2005). A common inversion under selection in Europeans. *Nature Genetics*, *37*, 129–137.
- Tofaris, G. K., Reitböck, P. G., Humby, T., Lambourne, S. L., O’Connell, M., Ghetti, B., et al. (2006). Pathological changes in dopaminergic nerve cells of the substantia nigra and olfactory bulb in mice transgenic for truncated human α -synuclein (1–120): Implications for Lewy body disorders. *Journal of Neuroscience*, *26*, 3942–3950.
- Van Eersel, J., Ke, Y. D., Delerue, F., Kril, J. J., Götz, J., & Ittner, L. M. (2010). Sodium selenate mitigates tau pathology, neurodegeneration, and functional deficits in Alzheimer’s disease models. *Proceedings of the National Academy of Sciences (USA)*, *107*, 13888–13893.
- Vilar, M., Chou, H. T., Lührs, T., Maji, S. K., Riek-Loher, D., Verel, R., et al. (2008). The fold of α -synuclein fibrils. *Proceedings of the National Academy of Sciences (USA)*, *105*, 8637–8642.
- Wang, Y. P., Biernat, J., Pickhardt, M., Mandelkow, E., & Mandelkow, E. M. (2007). Stepwise proteolysis liberates tau fragments that nucleate the Alzheimer-like aggregation of full-length tau in a neuronal cell model. *Proceedings of the National Academy of Sciences (USA)*, *104*, 10252–10257.
- Wetzel., M. K., Naska, S., Laliberte, C. L., Rymar, V. V., Fujitani, M., Biernaskie, J. A., et al. (2008). p73 regulates neurodegeneration and phospho-tau accumulation in aging and Alzheimer’s

- disease. *Neuron*, 59, 708–721.
- Winner, B., Jappelli, R., Maj, S. K., Desplats, P. A., Boyer, L., Aigner, S., et al. (2011). *In vivo* demonstration that α -synuclein oligomers are toxic. *Proceedings of the National Academy of Sciences (USA)* (in press)
- Wilhelmsen, K. C., Lynch, T., Pavlou, E., Higgins, M., & Nygaard, T. G. (1994). Localization of disinhibition-dementia-parkinsonism-amyotrophy complex to 17q21-22. *American Journal of Human Genetics*, 55, 1159–1164.
- Wittmann, C. W., Wszolek, M. F., Shulman, J. H., Salvatera, P. M., Lewis, J., Hutton, M., et al. (2001). Tauopathy in *Drosophila*: Neurodegeneration without neurofibrillary tangles. *Science*, 293, 711–714.
- Zimprich, A., Biskup, S., Leitner, P., Lichtner, P., Farrer, M., Lincoln, S., et al. (2004). Mutations in LRRK2 cause autosomal-dominant parkinsonism with pleomorphic pathology. *Neuron*, 44, 601–607.
- Zibae, S., Jakes, R., Fraser, G., Serpell, L. C., Crowther, R. A., & Goedert, M. (2007). Sequence determinants for amyloid fibrillogenesis of human α -synuclein. *Journal of Molecular Biology*, 374, 454–464.