

## References

- Alexander, J. J., & Hauswirth, W. W. (2008). Adeno-associated viral vectors and the retina. *Advances in Experimental Medicine and Biology*, 613, 121–128.
- Anant, J. S., Ong, O. C., Xie, H. Y., Clarke, S., O'Brien, P. J., & Fung, B. K. (1992). *In vivo* differential prenylation of retinal cyclic GMP phosphodiesterase catalytic subunits. *The Journal of Biological Chemistry*, 267(2), 687–690.
- Badano, J. L., Mitsuma, N., Beales, P. L., & Katsanis, N. (2006). The ciliopathies: An emerging class of human genetic disorders. *Annual Review of Genomics and Human Genetics*, 7, 125–148.
- Barnes, S., & Kelly, M. E. (2002). Calcium channels at the photoreceptor synapse. *Advances in Experimental Medicine and Biology*, 514, 465–476.
- Baylor, D. (1996). How photons start vision. *Proceedings of the National Academy of Sciences of the United States of America*, 93(2), 560–565.
- Beebe, D. C. (2008). Maintaining transparency: A review of the developmental physiology and pathophysiology of two avascular tissues. *Seminars in Cell & Developmental Biology*, 19(2), 125–133.
- Burmeister, M., Novak, J., Liang, M. Y., Basu, S., Ploder, L., Hawes, N. L., et al. (1996). Ocular retardation mouse caused by Chx10 homeobox null allele: Impaired retinal progenitor proliferation and bipolar cell differentiation. *Nature Genetics*, 12(4), 376–384.
- Burns, M. E., & Arshavsky, V. Y. (2005). Beyond counting photons: Trials and trends in vertebrate visual transduction. *Neuron*, 48(3), 387–401.
- Burns, M. E., Mendez, A., Chen, J., & Baylor, D. A. (2002). Dynamics of cyclic GMP synthesis in retinal rods. *Neuron*, 36(1), 81–91.

- Chen, C. K., Burns, M. E., He, W., Wensel, T. G., Baylor, D. A., & Simon, M. I. (2000). Slowed recovery of rod photoresponse in mice lacking the GTPase accelerating protein RGS9-1. *Nature*, *403*(6769), 557–560.
- Chen, C. K., Eversole-Cire, P., Zhang, H., Mancino, V., Chen, Y. J., He, W., et al. (2003). Instability of GGL domain-containing RGS proteins in mice lacking the G protein beta-subunit Gbeta5. *Proceedings of the National Academy of Sciences of the United States of America*, *100*(11), 6604–6609.
- Chen, C. K., Zhang, K., Church-Kopish, J., Huang, W., Zhang, H., Chen, Y. J., et al. (2001). Characterization of human GRK7 as a potential cone opsin kinase. *Molecular Vision [electronic resource]*, *7*, 305–313.
- Chen, S., Wang, Q. L., Nie, Z., Sun, H., Lennon, G., Copeland, N. G., et al. (1997). Crx, a novel Otx-like paired-homeodomain protein, binds to and transactivates photoreceptor cell-specific genes. *Neuron*, *19*(5), 1017–1030.
- Chen, Y., Stump, R. J., Lovicu, F. J., Shimono, A., & McAvoy, J. W. (2008). Wnt signaling is required for organization of the lens fiber cell cytoskeleton and development of lens three-dimensional architecture. *Developmental Biology*, *324*(1), 161–176.
- Cheng, H., Khanna, H., Oh, E. C., Hicks, D., Mitton, K. P., & Swaroop, A. (2004). Photoreceptor-specific nuclear receptor NR2E3 functions as a transcriptional activator in rod photoreceptors. *Human Molecular Genetics*, *13*(15), 1563–1575.
- Chow, R. L., & Lang, R. A. (2001). Early eye development in vertebrates. *Annual Review of Cell and Developmental Biology*, *17*, 255–296.
- Cowan, C. W., Fariss, R. N., Sokal, I., Palczewski, K., & Wensel, T. G. (1998). High expression levels in cones of RGS9, the predominant GTPase accelerating protein of rods.

- Proceedings of the National Academy of Sciences of the United States of America*, 95(9), 5351–5356.
- Craft, C. M., & Whitmore, D. H. (1995). The arrestin superfamily: Cone arrestins are a fourth family. *FEBS Letters*, 362(2), 247–255.
- de Iongh, R. U., Abud, H. E., & Hime, G. R. (2006). WNT/Frizzled signaling in eye development and disease. *Frontiers in Bioscience: A Journal and Virtual Library*, 11, 2442–2464.
- Deigner, P. S., Law, W. C., Canada, F. J., & Rando, R. R. (1989). Membranes as the energy source in the endergonic transformation of vitamin A to 11-*cis*-retinol. *Science*, 244(4907), 968–971.
- Dhingra, A., Lyubarsky, A., Jiang, M., Pugh, E. N., Jr., Birnbaumer, L., Sterling, P., et al. (2000). The light response of ON bipolar neurons requires G $\alpha_o$ . *The Journal of Neuroscience: The Official Journal of the Society for Neuroscience*, 20(24), 9053–9058.
- Dreher, B., & Robinson, S. R. (Eds.), (1991). *Neuroanatomy of the visual pathways and their development* (1 ed. Vol. 3). Boca Raton: CRC Press.
- Dryja, T. P., McGee, T. L., Reichel, E., Hahn, L. B., Cowley, G. S., Yandell, D. W., et al. (1990). A point mutation of the rhodopsin gene in one form of retinitis pigmentosa. *Nature*, 343(6256), 364–366.
- Folk, J. C., & Stone, E. M. (2010). Ranibizumab therapy for neovascular age-related macular degeneration. *The New England Journal of Medicine*, 363(17), 1648–1655.
- Freund, C. L., Gregory-Evans, C. Y., Furukawa, T., Papaioannou, M., Looser, J., Ploder, L., et al. (1997). Cone-rod dystrophy due to mutations in a novel photoreceptor-specific homeobox gene (CRX) essential for maintenance of the photoreceptor. *Cell*, 91(4), 543–

- Fuhrmann, S. (2008). Wnt signaling in eye organogenesis. *Organogenesis*, 4(2), 60–67.
- Furukawa, T., Morrow, E. M., & Cepko, C. L. (1997). Crx, a novel otx-like homeobox gene, shows photoreceptor-specific expression and regulates photoreceptor differentiation. *Cell*, 91(4), 531–541.
- Gan, L., Wang, S. W., Huang, Z., & Klein, W. H. (1999). POU domain factor Brn-3b is essential for retinal ganglion cell differentiation and survival but not for initial cell fate specification. *Developmental Biology*, 210(2), 469–480.
- Gan, L., Xiang, M., Zhou, L., Wagner, D. S., Klein, W. H., & Nathans, J. (1996). POU domain factor Brn-3b is required for the development of a large set of retinal ganglion cells. *Proceedings of the National Academy of Sciences of the United States of America*, 93(9), 3920–3925.
- Gehring, W. J. (1996). The master control gene for morphogenesis and evolution of the eye. *Genes to Cells: Devoted to Molecular & Cellular Mechanisms*, 1(1), 11–15.
- Gehrs, K. M., Anderson, D. H., Johnson, L. V., & Hageman, G. S. (2006). Age-related macular degeneration—emerging pathogenetic and therapeutic concepts. *Annals of Medicine*, 38(7), 450–471.
- Gehrs, K. M., Jackson, J. R., Brown, E. N., Allikmets, R., & Hageman, G. S. (2010). Complement, age-related macular degeneration and a vision of the future. *Archives of Ophthalmology*, 128(3), 349–358.
- Gollapalli, D. R., & Rando, R. R. (2003). All-*trans*-retinyl esters are the substrates for isomerization in the vertebrate visual cycle. *Biochemistry*, 42(19), 5809–5818.
- Gorbatyuk, M. S., Knox, T., LaVail, M. M., Gorbatyuk, O. S., Noorwez, S. M., Hauswirth, W.

- W., et al. (2010). Restoration of visual function in P23H rhodopsin transgenic rats by gene delivery of BiP/Grp78. *Proceedings of the National Academy of Sciences of the United States of America*, 107(13), 5961–5966.
- Gorczyca, W. A., Polans, A. S., Surgucheva, I. G., Subbaraya, I., Baehr, W., & Palczewski, K. (1995). Guanylyl cyclase activating protein. A calcium-sensitive regulator of phototransduction. *The Journal of Biological Chemistry*, 270(37), 22029–22036.
- Gross, A. K., & Wensel, T. G. (2011). Biochemical cascade of phototransduction. In P. A. Kaufman, A. Alm, L. A. Levin, S. F. E. Nilsson, J. VerHoeve & S. M. Wu (Eds.), *Adler's physiology of the eye* (11th ed.). Saunders. (Chapter 18).
- Gross, O. P., & Burns, M. E. (2010). Control of rhodopsin's active lifetime by arrestin-1 expression in mammalian rods. *The Journal of Neuroscience: The Official Journal of the Society for Neuroscience*, 30(9), 3450–3457.
- Hagins, W. A. P. R. D., & Yoshikami, S. (1970). Dark current and photocurrent in retinal rods. *Biophysical Journal*, 10, 380–412.
- Haider, N. B., Jacobson, S. G., Cideciyan, A. V., Swiderski, R., Streb, L. M., Searby, C., et al. (2000). Mutation of a nuclear receptor gene, NR2E3, causes enhanced S cone syndrome, a disorder of retinal cell fate. *Nature Genetics*, 24(2), 127–131.
- Hamel, C. P., Tsilou, E., Pfeffer, B. A., Hooks, J. J., Detrick, B., & Redmond, T. M. (1993). Molecular cloning and expression of RPE65, a novel retinal pigment epithelium-specific microsomal protein that is post-transcriptionally regulated *in vitro*. *The Journal of Biological Chemistry*, 268(21), 15751–15757.
- He, W., Cowan, C. W., & Wensel, T. G. (1998). RGS9, a GTPase accelerator for

- phototransduction. *Neuron*, 20(1), 95–102.
- He, W., Lu, L., Zhang, X., El-Hodiri, H. M., Chen, C. K., Slep, K. C., et al. (2000). Modules in the photoreceptor RGS9-1.Gbeta 5L GTPase-accelerating protein complex control effector coupling, GTPase acceleration, protein folding, and stability. *The Journal of Biological Chemistry*, 275(47), 37093–37100.
- Heidelberger, R., Thoreson, W. B., & Witkovsky, P. (2005). Synaptic transmission at retinal ribbon synapses. *Progress in Retinal and Eye Research*, 24(6), 682–720.
- Hu, G., & Wensel, T. G. (2002). R9AP, a membrane anchor for the photoreceptor GTPase accelerating protein, RGS9-1. *Proceedings of the National Academy of Sciences of the United States of America*, 99(15), 9755–9760.
- Ildefonso, C. J., Kong, L., Leen, A., Chai, S. J., Petrochelli, V., Chintagumpala, M., et al. (2010). Absence of systemic immune response to adenovectors after intraocular administration to children with retinoblastoma. *Molecular Therapy: The Journal of the American Society of Gene Therapy*, 18(10), 1885–1890.
- Jacobson, S. G., & Cideciyan, A. V. (2010). Treatment possibilities for retinitis pigmentosa. *The New England Journal of Medicine*, 363(17), 1669–1671.
- Jin, H., White, S. R., Shida, T., Schulz, S., Aguiar, M., Gygi, S. P., et al. (2010). The conserved Bardet-Biedl syndrome proteins assemble a coat that traffics membrane proteins to cilia. *Cell*, 141(7), 1208–1219.
- Kaupp, U. B., & Seifert, R. (2002). Cyclic nucleotide-gated ion channels. *Physiological Reviews*, 82(3), 769–824.
- Kim, J. E., Tauber, M. J., & Mathies, R. A. (2001). Wavelength dependent *cis-trans* isomerization in vision. *Biochemistry*, 40(46), 13774–13778.

- Koch, K. W., Duda, T., & Sharma, R. K. (2002). Photoreceptor specific guanylate cyclases in vertebrate phototransduction. *Molecular and Cellular Biochemistry*, *230*(1–2), 97–106.
- Koike, C., Obara, T., Uriu, Y., Numata, T., Sanuki, R., Miyata, K., et al. (2010). TRPM1 is a component of the retinal ON bipolar cell transduction channel in the mGluR6 cascade. *Proceedings of the National Academy of Sciences of the United States of America*, *107*(1), 332–337.
- Kokame, K., Fukada, Y., Yoshizawa, T., Takao, T., & Shimonishi, Y. (1992). Lipid modification at the N terminus of photoreceptor G-protein alpha-subunit. *Nature*, *359*(6397), 749–752.
- Komaromy, A. M., Alexander, J. J., Rowlan, J. S., Garcia, M. M., Chiodo, V. A., Kaya, A., et al. (2010). Gene therapy rescues cone function in congenital achromatopsia. *Human Molecular Genetics*, *19*(13), 2581–2593.
- Krispel, C. M., Chen, D., Melling, N., Chen, Y. J., Martemyanov, K. A., Quillinan, N., et al. (2006). RGS expression rate-limits recovery of rod photoresponses. *Neuron*, *51*(4), 409–416.
- Lagali, P. S., Balya, D., Awatramani, G. B., Munch, T. A., Kim, D. S., Busskamp, V., et al. (2008). Light-activated channels targeted to ON bipolar cells restore visual function in retinal degeneration. *Nature Neuroscience*, *11*(6), 667–675.
- Lam, B. L., Feuer, W. J., Abukhalil, F., Porciatti, V., Hauswirth, W. W., & Guy, J. (2010). Leber hereditary optic neuropathy gene therapy clinical trial recruitment: Year 1. *Archives of Ophthalmology*, *128*(9), 1129–1135.
- Lamba, D. A., McUsic, A., Hirata, R. K., Wang, P. R., Russell, D., & Reh, T. A. (2010). Generation, purification and transplantation of photoreceptors derived from human induced pluripotent stem cells. *PLoS One*, *5*(1), e8763.

- Lambright, D. G., Noel, J. P., Hamm, H. E., & Sigler, P. B. (1994). Structural determinants for activation of the alpha-subunit of a heterotrimeric G protein [see comments]. *Nature*, *369*(6482), 621–628.
- Lambright, D. G., Sondek, J., Bohm, A., Skiba, N. P., Hamm, H. E., & Sigler, P. B. (1996). The 2.0 Å crystal structure of a heterotrimeric G protein. *Nature*, *379*(6563), 311–319.
- Lang, R. A. (2004). Pathways regulating lens induction in the mouse. *The International Journal of Developmental Biology*, *48*(8–9), 783–791.
- Liao, J. L., Yu, J., Huang, K., Hu, J., Diemer, T., Ma, Z., et al. (2010). Molecular signature of primary retinal pigment epithelium and stem-cell-derived RPE cells. *Human Molecular Genetics*, *19*(21), 4229–4238.
- Liu, C., & Nathans, J. (2008). An essential role for frizzled 5 in mammalian ocular development. *Development*, *135*(21), 3567–3576.
- Liu, W., Lagutin, O., Swindell, E., Jamrich, M., & Oliver, G. (2010). Neuroretina specification in mouse embryos requires Six3-mediated suppression of Wnt8b in the anterior neural plate. *The Journal of Clinical Investigation*, *120*(10), 3568–3577.
- Livesey, F. J., & Cepko, C. L. (2001). Vertebrate neural cell-fate determination: Lessons from the retina. *Nature Reviews. Neuroscience*, *2*(2), 109–118.
- Maeda, A., Maeda, T., Sun, W., Zhang, H., Baehr, W., & Palczewski, K. (2007). Redundant and unique roles of retinol dehydrogenases in the mouse retina. *Proceedings of the National Academy of Sciences of the United States of America*, *104*(49), 19565–19570.
- Makino, E. R., Handy, J. W., Li, T., & Arshavsky, V. Y. (1999). The GTPase activating factor for transducin in rod photoreceptors is the complex between RGS9 and type 5 G protein beta subunit. *Proceedings of the National Academy of Sciences of the United States of*



- America*, 96(5), 1947–1952.
- Malinski, J. A., & Wensel, T. G. (1992). Membrane stimulation of cGMP phosphodiesterase activation by transducin: Comparison of phospholipid bilayers to rod outer segment membranes. *Biochemistry*, 31(39), 9502–9512.
- Masu, M., Iwakabe, H., Tagawa, Y., Miyoshi, T., Yamashita, M., Fukuda, Y., et al. (1995). Specific deficit of the ON response in visual transmission by targeted disruption of the mGluR6 gene. *Cell*, 80(5), 757–765.
- Mathers, P. H., Grinberg, A., Mahon, K. A., & Jamrich, M. (1997). The Rx homeobox gene is essential for vertebrate eye development. *Nature*, 387(6633), 603–607.
- Matthews, G., & Fuchs, P. (2010). The diverse roles of ribbon synapses in sensory neurotransmission. *Nature Reviews. Neuroscience*, 11(12), 812–822.
- McAlear, S. D., Kraft, T. W., & Gross, A. K. (2010). 1 rhodopsin mutations in congenital night blindness. *Advances in Experimental Medicine and Biology*, 664, 263–272.
- McBee, J. K., Palczewski, K., Baehr, W., & Pepperberg, D. R. (2001). Confronting complexity: The interlink of phototransduction and retinoid metabolism in the vertebrate retina. *Progress in Retinal and Eye Research*, 20(4), 469–529.
- Melia, T. J., Malinski, J. A., He, F., & Wensel, T. G. (2000). Enhancement of phototransduction protein interactions by lipid surfaces. *Journal of Biological Chemistry*, 275(05), 3535–3542.
- Mitchell, A. M., Nicolson, S. C., Warischalk, J. K., & Samulski, R. J. (2010). AAV's anatomy: Roadmap for optimizing vectors for translational success. *Current Gene Therapy*, 10(5), 319–340.
- Moiseyev, G., Takahashi, Y., Chen, Y., Gentleman, S., Redmond, T. M.,

- Crouch, R. K., et al. (2006). RPE65 is an iron(II)-dependent isomerohydrolase in the retinoid visual cycle. *The Journal of Biological Chemistry*, 281(5), 2835–2840.
- Mojumder, D. K., Qian, Y., & Wensel, T. G. (2009). Two R7 regulator of G-protein signaling proteins shape retinal bipolar cell signaling. *The Journal of Neuroscience: The Official Journal of the Society for Neuroscience*, 29(24), 7753–7765.
- Molday, R. S., Warren, R., Loewen, C., & Molday, L. (1999). Cyclic GMP-gated channel and peripherin/rds-rom-1 complex of rod cells. *Novartis Found Symposium*, 224, 249–261. (discussion 261–244).
- Morgans, C. W., Bayley, P. R., Oesch, N. W., Ren, G., Akileswaran, L., & Taylor, W. R. (2005). Photoreceptor calcium channels: Insight from night blindness. *Visual Neuroscience*, 22(5), 561–568.
- Morgans, C. W., Zhang, J., Jeffrey, B. G., Nelson, S. M., Burke, N. S., Duvoisin, R. M., et al. (2009). TRPM1 is required for the depolarizing light response in retinal ON bipolar cells. *Proceedings of the National Academy of Sciences of the United States of America*, 106(45), 19174–19178.
- Nathans, J. (1987). Molecular biology of visual pigments. *Annual Review of Neuroscience*, 10, 163–194.
- Neubert, T. A., Johnson, R. S., Hurley, J. B., & Walsh, K. A. (1992). The rod transducin alpha subunit amino terminus is heterogeneously fatty acylated. *The Journal of Biological Chemistry*, 267(26), 18274–18277.
- Noel, J. P., Hamm, H. E., & Sigler, P. B. (1993). The 2.2 Å crystal structure of transducin-alpha complexed with GTP gamma S [see comments]. *Nature*, 366(6456), 654–663.
- Okada, T., Sugihara, M., Bondar, A. N., Elstner, M., Entel, P., & Buss, V. (2004). The retinal

- conformation and its environment in rhodopsin in light of a new 2.2 Å crystal structure. *Journal of Molecular Biology*, 342(2), 571–583.
- Parameswaran, S., Balasubramanian, S., Babai, N., Qiu, F., Eudy, J. D., Thoreson, W. B., et al. (2010). Induced pluripotent stem cells generate both retinal ganglion cells and photoreceptors: Therapeutic implications in degenerative changes in glaucoma and age-related macular degeneration. *Stem Cells (Dayton, Ohio)*, 28(4), 695–703.
- Parker, R. O., & Crouch, R. K. (2010). Retinol dehydrogenases (RDHs) in the visual cycle. *Experimental Eye Research*, 91(6), 788–792.
- Pettersen, E. F., Goddard, T. D., Huang, C. C., Couch, G. S., Greenblatt, D. M., Meng, E. C., et al. (2004). UCSF Chimera—a visualization system for exploratory research and analysis. *Journal of Computational Chemistry*, 25(13), 1605–1612.
- Pittack, C., Grunwald, G. B., & Reh, T. A. (1997). Fibroblast growth factors are necessary for neural retina but not pigmented epithelium differentiation in chick embryos. *Development*, 124(4), 805–816.
- Qin, N., Pittler, S. J., & Baehr, W. (1992). *In vitro* isoprenylation and membrane association of mouse rod photoreceptor cGMP phosphodiesterase alpha and beta subunits expressed in bacteria. *The Journal of Biological Chemistry*, 267(12), 8458–8463.
- Rahman, Z., Gold, S. J., Potenza, M. N., Cowan, C. W., Ni, Y. G., He, W., et al. (1999). Cloning and characterization of RGS9-2: A striatal-enriched alternatively spliced product of the RGS9 gene. *The Journal of Neuroscience: The Official Journal of the Society for Neuroscience*, 19(6), 2016–2026.
- Rando, R. R. (1991). Membrane phospholipids as an energy source in the operation of the visual

- cycle. *Biochemistry*, 30(3), 595–602.
- Saari, J. C., & Crabb, J. W. (2005). Focus on molecules: Cellular retinaldehyde-binding protein (CRALBP). *Experimental Eye Research*, 81(3), 245–246.
- Scheerer, P., Park, J. H., Hildebrand, P. W., Kim, Y. J., Krauss, N., Choe, H. W., et al. (2008). Crystal structure of opsin in its G-protein–interacting conformation. *Nature*, 455(7212), 497–502.
- Schnetkamp, P. P. (2004). The SLC24 Na<sup>+</sup>/Ca<sup>2+</sup>-K<sup>+</sup> exchanger family: Vision and beyond. *Pflugers Archiv: European Journal of Physiology*, 447(5), 683–688.
- Shi, G., Yau, K. W., Chen, J., & Kefalov, V. J. (2007). Signaling properties of a short-wave cone visual pigment and its role in phototransduction. *The Journal of Neuroscience: The Official Journal of the Society for Neuroscience*, 27(38), 10084–10093.
- Shichi, H. (2006). Molecular biology of vision. In G. J. Siegel, R. W. Albers, S. T. Brady & D. L. Price (Eds.), *Basic Neurochemistry: Molecular, Cellular and Medical Aspects* (7th ed.). San Diego: Elsevier. (Fig. 49-1, p. 808).
- Simonelli, F., Maguire, A. M., Testa, F., Pierce, E. A., Mingozzi, F., Benniselli, J. L., et al. (2010). Gene therapy for Leber's congenital amaurosis is safe and effective through 1.5 years after vector administration. *Molecular Therapy: The Journal of the American Society of Gene Therapy*, 18(3), 643–650.
- Stone, E. M. (2007). Macular degeneration. *Annual Review of Medicine*, 58, 477–490.
- Strick, D. J., & Vollrath, D. (2010). Focus on molecules: MERTK. *Experimental Eye Research*, 91(6), 786–787.
- Stryer, L. (1986). Cyclic GMP cascade of vision. *Annual Review of Neuroscience*, 9, 87–119.

- Tachibanaki, S., Shimauchi-Matsukawa, Y., Arinobu, D., & Kawamura, S. (2007). Molecular mechanisms characterizing cone photoresponses. *Photochemistry and Photobiology*, 83(1), 19–26.
- Tam, L. C., Kiang, A. S., Campbell, M., Keaney, J., Farrar, G. J., Humphries, M. M., et al. (2010). Prevention of autosomal dominant retinitis pigmentosa by systemic drug therapy targeting heat shock protein 90 (Hsp90). *Human Molecular Genetics*, 19(22), 4421–4436.
- Trimarchi, J. M., Harpavat, S., Billings, N. A., & Cepko, C. L. (2008). Thyroid hormone components are expressed in three sequential waves during development of the chick retina. *BMC. Developmental Biology [electronic resource]*, 8, 101.
- Turner, D. L., & Cepko, C. L. (1987). A common progenitor for neurons and glia persists in rat retina late in development. *Nature*, 328(6126), 131–136.
- Veland, I. R., Awan, A., Pedersen, L. B., Yoder, B. K., & Christensen, S. T. (2009). Primary cilia and signaling pathways in mammalian development, health and disease. *Nephron. Physiology [electronic resource]*, 111(3), 39–53.
- Vollrath, D., Nathans, J., & Davis, R. W. (1988). Tandem array of human visual pigment genes at Xq28. *Science*, 240(4859), 1669–1672.
- Wada, Y., Sugiyama, J., Okano, T., & Fukada, Y. (2006). GRK1 and GRK7: Unique cellular distribution and widely different activities of opsin phosphorylation in the zebrafish rods and cones. *Journal of Neurochemistry*, 98(3), 824.
- Wang, J. S., & Kefalov, V. J. (2010). The cone-specific visual cycle. *Progress in Retinal and Eye Research*, 30(2), 115–128.
- Weiss, E. R., Raman, D., Shirakawa, S., Ducceschi, M. H., Bertram, P. T., Wong, F., et al. (1998). The cloning of GRK7, a candidate cone opsin kinase, from

- cone- and rod-dominant mammalian retinas. *Molecular Vision [electronic resource]*, 4, 27.
- Wensel, T. G. (1993). The light-regulated cGMP phosphodiesterase of vertebrate photoreceptors: Structure and mechanism of activation by  $G_{ta}$ . In B. F. Dickey & L. Birnbaumer (Eds.), *GTPases in biology II* (pp. 213–223). Berlin: Springer.
- Wright, A. F., Chakarova, C. F., Abd El-Aziz, M. M., & Bhattacharya, S. S. (2010). Photoreceptor degeneration: Genetic and mechanistic dissection of a complex trait. *Nature Reviews. Genetics*, 11(4), 273–284.
- Yang, X. L. (2004). Characterization of receptors for glutamate and GABA in retinal neurons. *Progress in Neurobiology*, 73(2), 127–150.
- Yang, Z., & Wensel, T. G. (1992a). Inorganic pyrophosphatase from bovine retinal rod outer segments. *Journal of Biological Chemistry*, 267(34), 24634–24640.
- Yang, Z., & Wensel, T. G. (1992b). N-myristoylation of the rod outer segment G protein, transducin, in cultured retinas. *The Journal of Biological Chemistry*, 267(32), 23197–23201.
- Yau, K. W., & Nakatani, K. (1984). Cation selectivity of light-sensitive conductance in retinal rods. *Nature*, 309(5966), 352–354.
- Yun, S., Saijoh, Y., Hirokawa, K. E., Kopinke, D., Murtaugh, L. C., Monuki, E. S., et al. (2009). Lhx2 links the intrinsic and extrinsic factors that control optic cup formation. *Development*, 136(23), 3895–3906.
- Zhang, K., Howes, K. A., He, W., Bronson, J. D., Pettenati, M. J., Chen, C., et al. (1999). Structure, alternative splicing, and expression of the human RGS9 gene. *Gene*, 240(1), 23–34.

Zhang, L., Mathers, P. H., & Jamrich, M. (2000). Function of Rx, but not Pax6, is essential for the formation of retinal progenitor cells in mice. *Genesis*, 28(3–4), 135–142.

Zhang, X., Wensel, T. G., & Kraft, T. W. (2003). GTPase regulators and photoresponses in cones of the eastern chipmunk. *The Journal of Neuroscience: The Official Journal of the Society for Neuroscience*, 23(4), 1287–1297.