

References

- Abbott, L. E., & Sejnowski, T. J. (1999). *Neural codes and distributed representations*. Cambridge, MA: MIT Press.
- Addis, D. R., Wong, A. T., & Schacter, D. L. (2007). Remembering the past and imagining the future: Common and distinct neural substrates during event construction and elaboration. *Neuropsychologia*, *45*, 1363–1377.
- Adrian, E. G. (1926). The impulses produced by sensory nerve endings: Part 1. *The Journal of Physiology*, *61*, 49–72.
- Atance, C. M., & O'Neill, D. K. (2001). Episodic future thinking. *Trends in Cognitive Sciences*, *5*, 533–539.
- Balschun, D., Wolfer, D. P., Gass, P., Mantamadiotis, T., Welzl, H., Schutz, G., et al. (2003). Does cAMP response element-binding protein have a pivotal role in hippocampal synaptic plasticity and hippocampal-dependent memory?. *Journal of Neuroscience*, *23*, 6304–6314.
- Bear, M., & Abraham, W. C. (1996). Long-term depression in hippocampus. *Annual Review of Neuroscience*, *19*, 437–462.
- Bialek, W., & Rieke, F. (1992). Reliability and information transmission in spiking neuron. *Trends in Neurosciences*, *15*, 428–433.
- Bliss, T. V., & Collingridge, G. L. (1993). A synaptic model of memory: Long-term potentiation in the hippocampus. *Nature*, *361*, 31–39.
- Bramham, C. R., Worley, P. F., Moore, M. J., & Guzowski, J. F. (2008). The immediate early gene *arc/Arg3.1*: Regulation, mechanisms, and function. *Journal of Neuroscience*, *28*, 11760–11767.

- Chen, G., Wang, P., & Tsien, J. Z. (2009). Neural population-level memory traces in the mouse hippocampus. *PLOS One*, *4*(12), e8256.
- Eggermont, J. J. (1998). Is there a neural code?. *Neuroscience and Biobehavioral Reviews*, *22*, 355–370.
- Fenton, A. A., & Muller, R. U. (1998). Place cell discharge is extremely variable during individual passes of the rat through the firing field. *Proceedings of the National Academy of Sciences of the United States of America*, *95*, 3182–3187.
- Freeman, F. G., Kramarcy, N. R., & Lee, J. (1973). Discrimination learning and stimulus generalization in rats with hippocampal lesions. *Physiology & Behavior*, *11*, 273–275.
- Frey, U., & Morris, R. G. (1998). Synaptic tagging: Implications for late maintenance of hippocampal long-term potentiation. *Trends in Neurosciences*, *21*, 181–188.
- Fuster, J. M. (1994). *Memory in the cerebral cortex. An empirical approach to neural networks in the human and nonhuman primate*. Cambridge, MA: MIT Press.
- Halgren, E., Walter, R. D., Cherlow, A. G., & Crandall, P. H. (1978). Mental phenomena evoked by electrical stimulation of the human hippocampal formation and amygdale. *Brain*, *101*, 83–117.
- Hassabis, D., Kumaran, D., Vann, S. D., & Maguire, E. A. (2007). Patients with hippocampal amnesia cannot imagine new experiences. *Proceedings of the National Academy of Sciences of the United States of America*, *104*, 1726–1731.
- Hebb, D. O. (1949). *The organization of behavior*. New York: Wiley.
- Jiang, Y., Jakovcevski, M., Bharadwaj, R., Connor, C., Schroeder, F. A., Lin, C. L., et al. (2010). Setdb1 histone methyltransferase regulates mood-related behaviors and expression of the NMDA receptor subunit NR2B. *Journal of Neuroscience*, *30*(21), 7152–7167.

- Kandel, E. R. (2001). The molecular biology of memory storage: A dialogue between genes and synapses. *Science*, *294*, 1030–1038.
- Kim, J., & Fanselow, M. S. (1992). Modality-specific retrograde amnesia of fear. *Science*, *256*, 675–677.
- Lin, L., Osan, R., Shoham, S., Jin, W., Zuo, W., & Tsien, J. Z. (2005). Identification of network-level coding units for real-time representation of episodic experiences in the hippocampus. *Proceedings of the National Academy of Sciences of the United States of America*, *102*, 6125–6130.
- Lin, L., Osan, R., & Tsien, J. Z. (2006). Organizing principles of real-time memory encoding: Neural clique assemblies and universal neural codes. *Trends in Neurosciences*, *29*, 48–57.
- Lin, L., Chen, G., Kuang, H., Wang, D., & Tsien, J. Z. (2007). Neural encoding of the concept of nest in the mouse brain. *Proceedings of the National Academy of Sciences of the United States of America*, *104*, 6066–6071.
- Mastroianni, P. P. (1979). Hippocampal lesions and the generalization of auditory stimuli. *Neuropsychologia*, *17*, 401–412.
- Monyer, H., Burnashev, N., Laurie, D. J., Sakmann, B., & Seeburg, P. H. (1994). Developmental and regional expression in the rat brain and functional properties of four NMDA receptors. *Neuron*, *12*, 529–540.
- Muller, G. E., & Pilzecker, A. (1900). *Psychol.* *1*, 1–288.
- Nguyen, P. V., Abel, T., & Kandel, E. R. (1994). Requirement of a critical period of transcription for induction of a late phase of LTP. *Science*, *265*, 1104–1107.
- Nicoll, R. A., & Malenka, R. C. (1999). Expression mechanisms underlying NMDA receptor-

- dependent long-term potentiation. *Annals of the New York Academy of Sciences*, 868, 515–525.
- Okada, D., Ozawa, K., & Inokuchi, K. (2009). Input-specific spine entry of soma-derived Vesl-1S protein conforms to synaptic tagging. *Science*, 324, 904–909.
- Okuda, J., Fujii, T., Ohtake, H., Tsukiura, T., Tanji, K., Suzuki, K., et al. (2003). Thinking of the future and past: The roles of the frontal pole and the medial temporal lobes. *NeuroImage*, 19, 1369–1380.
- O'Keefe, J., & Dostrovsky, J. (1971). The hippocampus as a spatial map. Preliminary evidence from unit activity in the freely moving rat. *Brain Research*, 34, 171–175.
- Penfield, W. W., & Jasper, H. (1954). *Epilepsy and the functional anatomy of the human brain*. Boston, MA: Brown.
- Perazzona, B., Isabel, G., Preat, T., & Davis, R. L. (2004). The role of cAMP response element-binding protein in *Drosophila* long-term memory. *Journal of Neuroscience*, 24, 8823–8828.
- Qian, Z., Gilbert, M. E., Colicos, M. A., Kandel, E. R., & Kuhl, D. (1993). Tissue plasminogen activator is induced as an immediate-early gene during seizure, kindling and long-term potentiation. *Nature*, 361, 453–457.
- Quiroga, R. Q., Reddy, L., Kreiman, G., Koch, C., & Fried, I. (2005). Invariant visual representation by single neurons in the human brain. *Nature*, 435, 1102–1107.
- Rampon, C., Tang, Y., Goodhouse, J., Shimizu, E., Kyin, M., & Tsien, J. Z. (2000). Enrichment induces structural changes and recovery from nonspatial memory deficits in CA1 NMDAR1-knockout mice. *Nature Neuroscience*, 3, 238–244.
- Rosenbaum, R. S., Kohler, S., Schacter, D. L., Moscovitch, M., Westmacott, R., & Black, S. E.

- (2005). The case of K.C.: Contributions of a memory-impaired person to memory theory. *Neuropsychologia*, *43*, 989–1021.
- Sanger, T. D. (2003). Neural population codes. *Current Opinion in Neurobiology*, *13*, 238–249.
- Sanz-Clemente, A., Matta, J. A., Isaac, J. T., & Roche, K. W. (2010). Casein kinase 2 regulates the NR2 subunit composition of synaptic NMDA receptors. *Neuron*, *67*(6), 984–996.
- Scoville, W. B., & Milner, B. (1957). Loss of recent memory after bilateral hippocampal lesions. *Journal of Neurology, Neurosurgery, and Psychiatry*, *20*, 11–21.
- Shohamy, D., & Wagner, A. D. (2008). Integrating memories in the human brain: Hippocampal–midbrain encoding of overlapping events. *Neuron*, *60*, 378–389.
- Steward, O., & Schuman, E. M. (2001). Protein synthesis at synaptic sites on dendrites. *Annual Review of Neuroscience*, *24*, 299–325.
- Szpunar, K. K., Watson, J. M., & McDermott, K. B. (2007). Neural substrates of envisioning the future. *Proceedings of the National Academy of Sciences of the United States of America*, *104*, 642–647.
- Tang, Y., Shimizu, E., Dube, G. R., Rampon, C., Kerchner, G. A., Zhuo, M., et al. (1999). Genetic enhancement of learning and memory in mice. *Nature*, *401*, 63–69.
- Teyler, T. J., Cavus, I., Coussens, C., et al. (1994). Multideterminant role of calcium in hippocampal synaptic plasticity. *Hippocampus*, *4*, 623–634.
- Thompson, R. F. (2005). In search of memory traces. *Annual Review of Psychology*, *56*, 1–23.
- Tsien, J. Z. (2000). Building a brainer mouse. *Scientific American*, *282*, 62–68.
- Tsien, J. Z. (2007). The memory code. *Scientific American*, *297*, 52–59.
- Tsien, J. Z., Herta, P. T., & Tonegawa, S. (1996). The essential role of hippocampal CA1 NMDA receptor-dependent synaptic plasticity in spatial memory. *Cell*, *87*, 1327–1338.

- Tsien, J. Z., et al. (1996). Subregion- and cell type-restricted gene knockout in mouse brain. *Cell*, 87, 1317–1326.
- Wang, H., Hu, Y., & Tsien, J. Z. (2006). Molecular and systems mechanisms of memory consolidation and storage. *Progress in Neurobiology*, 79, 123–135.
- Wang, H., Feng, R., Wang, P., Li, F., Cao, X., & Tsien, J. Z. (2008). CaMKII activation state underlies synaptic labile phase of LTP and short-term memory formation. *Current biology: CB*, 18(20), 1546–1554.
- Wigstrom, H., & Gustafsson, B. (1985). On long-lasting potentiation in the hippocampus: A proposed mechanism for its dependence on coincidence pre- and post-synaptic activity. *Acta Physiologica Academiae*, 123, 519–522.
- Wild, J. M., & Blampied, N. M. (1972). Hippocampal lesions and stimulus generalization in rats. *Physiology & Behavior*, 9, 505–511.
- Wittenberg, G., & Tsien, J. Z. (2002). An emerging molecular and cellular framework for memory processing by the hippocampus. *Trends in Neurosciences*, 25, 501–505.
- Zalutsky, R. A., & Nicoll, R. A. (1990). Comparison of two forms of long-term potentiation in single hippocampal neurons. *Science*, 248, 1619–1624.
- Zola-Morgan, S., Squire, L. R., & Amaral, D. (1986). Human amnesia and the medial temporal region: Enduring memory impairment following a bilateral lesion limited to the CA1 field of the hippocampus. *Journal of Neuroscience*, 6, 2950–2967.