

References

- Amsterdam, J. D., Maislin, G., Winokur, A., Berwisch, N., Kling, M., & Gold, P. (1988). The CRH stimulation test before and after clinical recovery from depression. *Journal of Affective Disorders, 14*(3), 213–222.
- Baetz, M., & Bowen, R. C. (1998). Efficacy of divalproex sodium in patients with panic disorder and mood instability who have not responded to conventional therapy. *Canadian Journal of Psychiatry Revue Canadienne de Psychiatrie, 43*(1), 73–77.
- Benjamin, J., Levine, J., Fux, M., Aviv, A., Levy, D., & Double-blind, Belmaker RH. (1995). placebo-controlled, crossover trial of inositol treatment for panic disorder. *The American Journal of Psychiatry, 152*(7), 1084–1086.
- Bowden, C. L. (2001). Novel treatments for bipolar disorder. *Expert Opinion on Investigational Drugs, 10*(4), 661–671.
- Bremner, J. D., & Charney, D. S. (2002). Neural circuits in fear and anxiety. In H. E. Washington (Ed.), *Textbook of anxiety disorders* (pp. 43–56). Arlington: American Psychiatric Publishing, Inc.
- Bunney, W. E., Jr. (1975). The current status of research in the catecholamine theories of affective disorders. *Psychopharmacology Communications, 1*(6), 599–609.
- Charney, D. S., & Drevets, W. C. (2002). The neurobiological basis of anxiety disorders. In C. Nemeroff (Ed.), *Neuropsychopharmacology: The fifth generation of progress* (pp. 901–930). Philadelphia: Lippincott Williams & Wilkins.
- Charney, D. S., Heninger, G. R., & Breier, A. (1984). Noradrenergic function in panic anxiety. Effects of yohimbine in healthy subjects and patients with agoraphobia and panic disorder. *Archives of General Psychiatry, 41*(8), 751–763.

- Clark, R. D., Canive, J. M., Calais, L. A., Qualls, C. R., & Tuason, V. B. (1999). Divalproex in posttraumatic stress disorder: An open-label clinical trial. *Journal of Traumatic Stress, 12*(2), 395–401.
- Coccaro, E. F., Siever, L. J., Klar, H. M., Maurer, G., Cochrane, K., Cooper, T. B., et al. (1989). Serotonergic studies in patients with affective and personality disorders. Correlates with suicidal and impulsive aggressive behavior. *Archives of General Psychiatry, 46*587–46599.
- Devanand, D. P., Bowers, M. B., Jr., Hoffman, F. J., Jr., & Nelson, J. C. (1985). Elevated plasma homovanillic acid in depressed females with melancholia and psychosis. *Psychiatry Research, 15*(1), 1–4.
- Drevets, W. C., Frank, E., Price, J. C., Kupfer, D. J., Holt, D., Greer, P. J., et al. (1999). PET imaging of serotonin 1A receptor binding in depression. *Biological Psychiatry, 46*1375–461387.
- Drevets, W. C., Price, J. L., & Furey, M. L. (2008). Brain structural and functional abnormalities in mood disorders: Implications for neurocircuitry models of depression. *Brain Structure & Function, 213*(1–2), 93–118.
- Dubovsky, S. L., & Ruzan, R. (1999). Mood disorders. In J. A. Talbott (Ed.), *The American Psychiatric Press textbook of psychiatry* (pp. 479–565). Washington, DC: American Psychiatric Press.
- Duman, R. S. (2002). Synaptic plasticity and mood disorders. *Molecular Psychiatry, 7*(S1), S29–S34.
- Duman, R. S., Malberg, J., & Thome, J. (1999). Neural plasticity to stress and antidepressant treatment. *Biological Psychiatry, 46*(9), 1181–1191.

- Duman, R. S., Malberg, J., Nakagawa, S., & D'Sa, C. (2000). Neuronal plasticity and survival in mood disorders. *Biological Psychiatry*, 48(732–739).
- Figurov, A., Pozzo-Miller, L. D., Olafsson, P., Wang, T., & Lu, B. (1996). Regulation of synaptic responses to high-frequency stimulation and LTP by neurotrophins in the hippocampus. *Nature*, 381(6584), 706–709.
- Friedman, E., Hoau, Y. W., Levinson, D., Connell, T. A., & Singh, H. (1993). Altered platelet protein kinase C activity in bipolar affective disorder, manic episode. *Biological Psychiatry*, 33(7), 520–525.
- Goodwin, F. K., Post, R. M., Dunner, D. L., & Gordon, E. K. (1973). Cerebrospinal fluid amine metabolites in affective illness: The probenecid technique. *The American Journal of Psychiatry*, 130(1), 73–79.
- Gur, R. C., Gur, R. E., Resnick, S. M., Skolnick, B. E., Alavi, A., & Reivich, M. (1987). The effect of anxiety on cortical cerebral blood flow and metabolism. *Journal of Cerebral Blood flow and Metabolism*, 7(2), 173–177.
- Haggerty, J. J., Jr., Simon, J. S., Evans, D. L., & Nemeroff, C. B. (1987). Relationship of serum TSH concentration and antithyroid antibodies to diagnosis and DST response in psychiatric inpatients. *The American Journal of Psychiatry*, 144(11), 1491–1493.
- Heim, C., & Nemeroff, C. B. (2001). The role of childhood trauma in the neurobiology of mood and anxiety disorders: Preclinical and clinical studies. *Biological Psychiatry*, 49(12), 1023–1039.
- Heinz, A., Ragan, P., Jones, D. W., Hommer, D., Williams, W., Knable, M. B., et al. (1998). Reduced central serotonin transporters in alcoholism. *The American Journal of Psychiatry*, 155(11), 1544–1549.

- Higley, J. D., Thompson, W. W., Champoux, M., Goldman, D., Hasert, M. F., Kraemer, G. W., et al. (1993). Paternal and maternal genetic and environmental contributions to cerebrospinal fluid monoamine metabolites in Rhesus monkeys (*Macaca mulatta*). *Archives of General Psychiatry*, 50, 615–623.
- Jackson, I. M. (1998). The thyroid axis and depression. *Thyroid: Official Journal of the American Thyroid Association*, 8(10), 951–956.
- Jope, R. S. (1999). Anti-bipolar therapy: Mechanism of action of lithium. *Molecular Psychiatry*, 4(2), 117–128.
- Kapur, S., & Mann, J. J. (1992). Role of the dopaminergic system in depression. *Biological Psychiatry*, 32, 1–17.
- Kegeles, L. S., Malone, K. M., Slifstein, M., Ellis, S. P., Xanthopoulos, E., Keilp, J. G., et al. (2003). Response of cortical metabolic deficits to serotonergic challenge in familial mood disorders. *The American Journal of Psychiatry*, 160(1), 76–82.
- Kessler, R. C., Berglund, P., Demler, O., Jin, R., Merikangas, K. R., & Walters, E. E. (2005). Lifetime prevalence and age-of-onset distributions of DSM-IV disorders in the National Comorbidity Survey Replication. *Archives of General Psychiatry*, 62(6), 593–602.
- Kessler, R. C., Chiu, W. T., Demler, O., Merikangas, K. R., & Walters, E. E. (2005). Prevalence, severity, and comorbidity of 12-month DSM-IV disorders in the National Comorbidity Survey Replication. *Archives of General Psychiatry*, 62(6), 617–627.
- Kiriike, N., Izumiya, Y., Nishiwaki, S., Maeda, Y., Nagata, T., & Kawakita, Y. (1988). TRH test and DST in schizoaffective mania, mania, and schizophrenia. *Biological Psychiatry*, 24(4), 415–422.
- Lazarus, J. H., McGregor, A. M., Ludgate, M., Darke, C., Creagh, F. M., & Kingswood, C. J.

- (1986). Effect of lithium carbonate therapy on thyroid immune status in manic depressive patients: A prospective study. *Journal of Affective Disorders*, 11(2), 155–160.
- Levine, J., Barak, Y., Gonzalves, M., Szor, H., Elizur, A., Kofman, O., et al. (1995). controlled trial of inositol treatment of depression. *The American Journal of Psychiatry*, 152(5), 792–794.
- Lopez, J. F., Chalmers, D. T., Little, K. Y., & Watson, S. J. A. E. (1998). Bennett Research Award. Regulation of serotonin1A, glucocorticoid, and mineralocorticoid receptor in rat and human hippocampus: Implications for the neurobiology of depression. *Biological Psychiatry*, 43(8), 547–573.
- Maas, J. W., Kocsis, J. H., Bowden, C. L., Davis, J. M., Redmond, D. E., Hanin, I., et al. (1982). Pre-treatment neurotransmitter metabolites and response to imipramine or amitriptyline treatment. *Psychological Medicine*, 1237–1243.
- Malone, K. M., Corbitt, E. M., Li, S., & Mann, J. J. (1996). Prolactin response to fenfluramine and suicide attempt lethality in major depression. *The British Journal of Psychiatry*, 168324–168329.
- Manji, H. K., & Chen, G. (2002). PKC MAP kinases and the bcl-2 family of proteins as long-term targets for mood stabilizers. *Molecular Psychiatry*, 7(Suppl. 1), S46–S56.
- Manji, H. K., & Lenox, R. H. (2000). Signaling. Cellular insights into the pathophysiology of bipolar disorder. *Biological Psychiatry*, 8518–8530.
- Mann, J. J., & Arango, V. (1999). Abnormalities of brain structure and function in mood disorders. In D. S. Charney, E. J. Nestler & B. S. Bunney (Eds.), *Neurobiology of mental illness* (pp. 385–393). New York: Oxford University Press.
- Mann, J. J., Huang, Y. Y., Underwood, M. D., Kassir, S. A., Oppenheim, S., Kelly, T. M., et al.

- (2000). A serotonin transporter gene promoter polymorphism (5-HTTLPR) and prefrontal cortical binding in major depression and suicide. *Archives of General Psychiatry*, 57(8), 729–738.
- Milad, M. R., & Quirk, G. J. (2002). Neurons in medial prefrontal cortex signal memory for fear extinction. *Nature*, 420(6911), 70–74.
- Mintun, M. A., Sheline, Y. I., Moerlein, S. M., Vlassenko, A. G., Huang, Y., & Snyder, A. Z. (2004). Decreased hippocampal 5-HT_{2A} receptor binding in major depressive disorder: *In vivo* measurement with [18F]altanserin positron emission tomography. *Biological Psychiatry*, 55(3), 217–224.
- Mueller, T. I., Leon, A. C., Keller, M. B., Solomon, D. A., Endicott, J., Coryell, W., et al. (1999). Recurrence after recovery from major depressive disorder during 15 years of observational follow-up. *The American Journal of Psychiatry*, 156(7), 1000–1006.
- Muller, J. C., Pryor, W. W., Gibbons, J. E., & Orgain, E. S. (1955). Depression and anxiety occurring during Rauwolfia therapy. *Journal of the American Medical Association*, 159(9), 836–839.
- Ontiveros, A., Fontaine, R., Breton, G., Elie, R., Fontaine, S., & Dery, R. (1989). Correlation of severity of panic disorder and neuroanatomical changes on magnetic resonance imaging. *The Journal of Neuropsychiatry and Clinical Neurosciences*, 1(4), 404–408.
- Oquendo, M. A., Barrera, A., Ellis, S. P., Li, S., Burke, A. K., Grunebaum, M., et al. (2004). Instability of symptoms in recurrent major depression: A prospective study. *The American Journal of Psychiatry*, 161(2), 255–261.
- Owens, M. J., Morgan, W. N., Plott, S. J., & Nemeroff, C. B. (1997). Neurotransmitter receptor and transporter binding profile of antidepressants and their metabolites. *The Journal of*

Pharmacology and Experimental Therapeutics, 283(3), 1305–1322.

- Pande, A. C., Greiner, M., Adams, J. B., Lydiard, R. B., & Pierce, M. W. (1999). Placebo-controlled trial of the CCK-B antagonist, CI-988, in panic disorder. *Biological Psychiatry*, 46(6), 860–862.
- Parsey, R. V., Oquendo, M. A., Ogden, R. T., Olvet, D. M., Simpson, N., Huang, Y. Y., et al. (2006). Altered serotonin 1A binding in major depression: A [carbonyl-C-11]WAY100635 positron emission tomography study. *Biological Psychiatry*, 59(2), 106–113.
- Petty, F., & Schlessler, M. A. (1981). Plasma GABA in affective illness. A preliminary investigation. *Journal of Affective Disorders*, 3(4), 339–343.
- Potter, W., Grossman, G., & Rudorfer, M. (1993). Noradrenergic function in depressive disorders. In D. J. Kupfer (Ed.), *Biology of depressive disorder, Part A: A system perspective* (pp. 1–27). New York: Plenum Press.
- Price, L. H., Charney, D. S., Rubin, A. L., & Heninger, G. R. (1986). Alpha 2-adrenergic receptor function in depression. The cortisol response to yohimbine. *Archives of General Psychiatry*, 43(9), 849–858.
- Rosel, P., Arranz, B., San, L., Vallejo, J., Crespo, J. M., & Urretavizcaya, M., et al. (2000). Altered 5-HT_{2A} binding sites and second messenger inositol trisphosphate (IP₃) levels in hippocampus but not in frontal cortex from depressed suicide victims. *Psychiatry Research: Neuroimaging*, 99(3), 173–181.
- Sapolsky, R. M. (2000). Glucocorticoids and hippocampal atrophy in neuropsychiatric disorders. *Archives of General Psychiatry*, 57(10), 925–935.
- Siever, L. J., Trestman, R. L., Coccaro, E. F., Bernstein, D., Gabriel, S. M., Owen, K., et al.

- (1992). The growth hormone response to clonidine in acute and remitted depressed male patients. *Neuropsychopharmacology*, 6(3), 165–177.
- Souetre, E., Salvati, E., Wehr, T. A., Sack, D. A., Krebs, B., & Darcourt, G. (1988). Twenty-four-hour profiles of body temperature and plasma TSH in bipolar patients during depression and during remission and in normal control subjects. *The American Journal of Psychiatry*, 145(9), 1133–1137.
- Stockmeier, C. A. (2003). Involvement of serotonin in depression: Evidence from postmortem and imaging studies of serotonin receptors and the serotonin transporter. *Journal of Psychiatric Research*, 37(5), 357–373.
- Underwood, M. D., Mann, J. J., & Arango, V. (2004). Serotonergic and noradrenergic neurobiology of alcoholic suicide. *Alcoholism, Clinical and Experimental Research*, 28(5), 57S–69S.
- Wang, H. Y., & Friedman, E. (1996). Enhanced protein kinase C activity and translocation in bipolar affective disorder brains. *Biological Psychiatry*, 40(7), 568–575.
- Woods, S. W., Koster, K., Krystal, J. K., Smith, E. O., Zubal, I. G., Hoffer, P. B., et al. (1988). Yohimbine alters regional cerebral blood flow in panic disorder. *Lancet*, 2(8612), 678.
- Yatham, L. N., Liddle, P. F., Dennie, J., Shiah, I. S., Adam, M. J., Lane, C. J., et al. (1999). Decrease in brain serotonin 2 receptor binding in patients with major depression following desipramine treatment: A positron emission tomography study with fluorine-18-labeled setoperone. *Archives of General Psychiatry*, 56(8), 705–711.**